



Supply and Install Playground Equipment, Shade
Cover, Fall Zone Material at Butler Park

No. 2020-06



**Advanced Recreational
Concepts**



3125 Skyway Circle, Melbourne, FL 32934
866-957-2355

www.arcflorida.com

Paul Bickham/Matt Gagnon
info@arcflorida.com



Advanced Recreational Concepts
















WELCOME
THIS PLAY AREA IS DESIGNED FOR CHILDREN
2-5 YEARS OF AGE.
ADULT SUPERVISION IS RECOMMENDED.





WELCOME



**THIS PLAY AREA IS DESIGNED FOR CHILDREN
2-5 YEARS OF AGE.
ADULT SUPERVISION IS RECOMMENDED.**



WELCOME



**THIS PLAY AREA IS DESIGNED FOR CHILDREN
5-12 YEARS OF AGE.
ADULT SUPERVISION IS RECOMMENDED.**



Table of Contents

- Tab 1 – Transmittal Letter
- Tab 2 – Playground Design
- Tab 3 – Quality of Product / Warranty
- Tab 4 – Qualifications and Experience
- Tab 5 – Price Schedule Form (Schedule A)
- Tab 6 - Submission Requirements and Required Submittal Forms

 **ARC**

Where fun has no boundaries . . .



Tab 1 Transmittal Letter

RE: No. 2020-06 "Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park"

On behalf of Advanced Recreational Concepts (ARC), I want to thank you for the opportunity to submit our understanding of the goals in this project. We have a professional team that can handily fulfill the work involved to design, develop, engineer, produce, install, and certify the Butler Park Playground project for the City of North Port, FL.

The team at ARC has worked together many years bringing specific skill sets together to create playground, shade, and safety surfacing solutions for public entities, businesses and communities. Our firm will provide overall leadership, development, and production with world class individuals in a timely manner to meet or exceed agreed upon development, production, and installation schedules.

It is our intent to design, supply, deliver and install a custom playground and shade solutions within 120 days of contract. Advanced Recreational Concepts will achieve its contractual obligation by subcontracting its sister company Playspace Services to provide installation services.

Please feel free to call me if you require any information from our team.

Kindest Regards,

Matt Gagnon
Project Manager

Paul Bickham
Design Manager

Lazaro Gonzalez
Owner



Advanced Recreational Concepts
3125 Skyway Circle
Melbourne, FL 32934
866-957-2355



Tab 2 Playground Design

 **ARC**
Where fun has no boundaries . . .



BUTLER PARK PLAYGROUND SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP	ACCESSIBLE	GROUND	TYPES
16	12/8	0	10/5	4/3	

R5


FOR KIDS
AGES
[Mixed]

GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSCS Handbook For Public Playground Safety, Section 4: Surfacing.



PROJECT#: ARC1925F51B

DATE: 8/6/2019

| DRAWN BY: CMG

MIN. USE ZONE: 84' x 60'

PLAYCRAFT REP:

Advanced Recreational Concept:



BUTLER PARK PLAYGROUND SITE PLAN

ADA ACCESSIBILITY GUIDELINE - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP	ACCESSIBLE	GROUND	TYPES
16	12/8	0	9/5	4/3	


R5
FOR KIDS
AGES
[Mixed]

GENERAL NOTES:

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



PLAYCRAFT REP:
Advanced Recreational Concept:


MIN. USE ZONE: 84' x 60'

PROJECT#: ARC1925F51B
DATE: 8/15/2019

BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12

R5




STRUCTURE#: R506F819B
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
SE VIEW

FOR KIDS
AGES
5-12

R5



STRUCTURE#: R506F819B


PROJECT#: ARC1925F51B

DATE: 8/15/2019 | DRAWN BY: CMG

**BUTLER PARK PLAYGROUND
NE VIEW**

FOR KIDS
AGES
5-12

R5



STRUCTURE#: R506F819B


PROJECT#: ARC1925F51B

DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
NW VIEW

FOR KIDS
AGES
5-12

R5




STRUCTURE#: R506F819B
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
2-5

R5




STRUCTURE#: R50880B5A
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
SE VIEW

FOR KIDS
AGES
2-5

R5




STRUCTURE#: R50880B5A
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
NE VIEW

FOR KIDS
AGES
2-5

R5




STRUCTURE#: R5088085A
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
NW VIEW

FOR KIDS
AGES
2-5


R5



STRUCTURE#: R50880B5A
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
2-12




STRUCTURE#: FREPC2123+AB
PROJECT#: ARC1925F51B
DATE: 8/6/2019 | DRAWN BY: CMG



BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12



STRUCTURE#: FREPC2015
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1346
PROJECT#: ARC1925F51B
DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12



STRUCTURE#: FREPC1905

PROJECT#: ARC1925F51B

DATE: 8/15/2019 | DRAWN BY: CMG

BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12




STRUCTURE#: STAPC1309\1
PROJECT#: ARC1925F51B
DATE: 8/6/2019 | DRAWN BY: CMG



BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12




STRUCTURE#: STAPC4286\1
PROJECT#: ARC1925F51B
DATE: 8/6/2019 | DRAWN BY: CMG



BUTLER PARK PLAYGROUND
SW VIEW

FOR KIDS
AGES
5-12



STRUCTURE#: STAPC4250
PROJECT#: ARC1925F51B
DATE: 8/6/2019 | DRAWN BY: CMG





Bill of Materials

BUTLER PARK PLAYGROUND

Project# ARC1925F51B

8/6/2019

Item	Description	Quantity
R506F819B		
HS-1004-R	Collars	64
GF-7002	Dome Cap, R5	13
S-1009-R5-09ft	Post, 09ft R5	4
S-1010-R5-10ft	Post, 10ft R5	3
S-1014-R5-14ft	Post, 14ft R5	1
S-1015-R5-15ft	Post, 15ft R5	5
S-1101-R5	Square Deck	7
S-1105-R5	Half Deck	4
S-1109-R5-T	Balcony Deck w/ Telescope	1
S-1209-12-R5	Transfer Station, 24in-R	1
S-1216-1647-R5HW	Grip Climber	1
S-1221-3	Climber, Chain Net 30-36in	1
S-1242-1647-R5APL	Tugboat Deck to Deck Ladder (60in Rise)	1
S-1275-3R5	Climber, Double Deep Rung Arch 30-36in	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1316-R5	Twister Entry Panel	1
S-1333-R5-T	Wall Seat Panel (Tall)	1
S-1618-BEACHR5	Seek Panel (Beach)	1
S-1647-R5BOW	Bow Panel	1
S-1647-R5BRG	Bridge Panel	1
S-1647-R5BUY	Buoy Panel	1
S-1647-R5FND	Fender Panel	1
S-1647-R5HW	Half Walls (Pair)	1
S-1647-R5WIN	Window Panel	1
S-1661-R5	Panel Pal, Bell	1



**Bill of Materials
(continued)**

Item	Description	Quantity
S-1685-R5	Mosaic Panel	1
S-1701-2R5V2-1647-R5SW	Poly Wave Slide	1
S-1710-7-SRRR	Slide, Twister 84in (S-R-R-R)	1
S-1937-R5	Crunch Handle	1
HS-1100-2	Deck to Deck Hardware	12
R50880B5A		
HS-1004-R	Collars	36
GF-7002	Dome Cap, R5	10
S-1009-R5-09ft	Post, 09ft R5	2
S-1010-R5-10ft	Post, 10ft R5	2
S-1011-R5-11ft	Post, 11ft R5	5
S-1014-R5-14ft	Post, 14ft R5	1
S-1101-R5	Square Deck	2
S-1102-R5	Tri-Deck	1
S-1107-R5	Curved Deck	2
S-1110-R	Filler, 12in	1
S-1206-12R5	ADA Stairs, 12in Rise w/ Walls	1
S-1209-12-R5	Transfer Station, 24in-L	1
S-1216-2CR5	Climber, Grip 18-24in	1
S-1240-4	Climber, Terrace 42-48in	1
S-1304-R5	Single Slide SitDown Wall	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1328-1830-R5	Steel Wall (Curved w/ Telescope)	1
S-16201-R5-DM	Palm Tree Panel	1
S-1644-R5G	Gear Panel	1
S-1646-R5	Navigator Panel	1
S-1701-2R5V2	Slide, Single 24-30in (Straight)	1
S-1704-4	Slide, Wave 48in (Single)	1
S-1840-R5	Palm Tree Topper	1
HS-1100-2	Deck to Deck Hardware	2



**Bill of Materials
(continued)**

Item	Description	Quantity
FREPC2123+AB		
A2-2123-2B-AB	PC 2123 Arch Swing (Left, 2B)	1
A2-2123-ADAX1	PC 2123 Arch Swing (1INC)	1
A2-2123-PS-AB	PC 2123 Arch Swing (Left, 1PS)	1
FREPC2015		
A2-2015	PC 2015 Disc Swing	1
FREPC1346		
A2-1346	PC 1346 Spring Rider, Toddler Sallie Salmon	1
FREPC1905		
A2-1905	PC 1905 Thunder Dome	1
STAPC1309\1		
A2-1309-1	1309-1 Custom Printed Sign (Single)	1
STAPC1309\2		
A2-1309-1	1309-1 Custom Printed Sign (Single)	1
STAPC4286\1		
A3-4286-6G	4286-6G 6ft Bench (w/ Back, In-Ground)	1
STAPC4286\2		
A3-4286-6G	4286-6G 6ft Bench (w/ Back, In-Ground)	1
STAPC4250		
A3-4250-S6	4250-S6 Picnic Table (6 FT)	1

PLAYSHARE SWING



A PLAYCORE Company

Share the element of play with the New Playcraft Systems PlayShare Swings!



TOTS

FRIENDS


STANDARD

Three PlayShare Seating Options Available.

DISC SWING



 **PLAYCRAFT**[®]
S Y S T E M S

A **PLAYCORE** Company




Hip Shade


Length	Width	Entry Height	Column Mount	Reinforcement
Peak Height	Elbow	Column Mount	Ridge Size	Reinforcement
Column Size	Rafter Size	Ridge Length		
Column Length				



Square Footing		
Column	Length & Width	Depth
Single Cap		
Double Cap		



Auger Footing	
Diameter	Double Cap Depth
1'-6"	
2'-0"	
2'-6"	
3'-0"	



SHADE
BY SUPERIOR RECREATIONAL PRODUCTS

QUOTE

SHADE SIZE
50 X 50

SHADE STYLE
Hip Shade

These drawings are for reference only and should not be used as construction details. They show the general character and rough dimensions of the structural features. Exact spans, fasteners, materials, and foundations can be determined by a licensed professional engineer upon request. Estimated footing size above is based on 1,500 PSF soil bearing pressure.



Tab 3 Quality of Product / Warranty

 **ARC**
Where fun has no boundaries . . .





A PLAYCORE Company

QUALITY
CRAFTSMANSHIP






CRAFTSMANSHIP TIES GREAT IDEAS TO GREAT PRODUCTS.

Over 28 years ago we set out to make the best commercial playgrounds the world had ever seen. To do that, we knew we would have to raise the bar. So we created a new and better way of doing things... setting a higher industry standard.

The Playcraft Systems Higher Standard means we don't settle for less than the best. From complete and consistent in-house manufacturing, to the finest materials, to the best and thickest finishes, Playcraft Systems sets the standard in craftsmanship.



King-Clamp™ System


We lead the industry in clamping and fastening technology with our King Clamp. A clamp that allows multiple attachment points for improved installation times, simplified assembly, and clean value priced design flexibility.

FIT AND FINISH

Our metal components are precision welded, hand-cleaned, sandblasted, phosphate washed and sealed thoroughly in a multi-stage bath. Then covered with epoxy primer, and finally powder-coated and baked, yielding an average coating thickness of over 12 mils. An industry first. That discernible Playcraft Systems shine and durability is just another way we raise the bar on quality.

Playcraft Standard


- Superior Welds
- 12+ mil thick average powder-coat finish
- 11-12 gauge extra thick steel tube for strength and durability



VS

Industry Standard

- Inferior Welds
- 2-5 mil average powder-coat finish
- Thinner gauge steel tube





ROTO-MOLDING


At Playcraft Systems, our team of designers and engineers utilize advanced technology and materials to design and manufacture the modern plastic products that our customers deserve and expect. Roto-Molding each plastic component with extra thick walls, using advanced compounded resins with top performing U.V. stabilizers ensures our products outperform the industry with extra strong, colorfast plastics. Plastics that withstand tough use and harsh environments.

Playcraft Standard

- High Performance, Hot Color-Compounded Resins
- Components molded extra thick and designed with double walls for industry leading durability

Industry Standard


- Lower Performance, Dry-blend Resins
- Components molded thinner - compromising durability






DECKING

Playground decking takes a beating. From extreme weather to active play, decks need to be tough! And Playcraft decks are the toughest from top to bottom. Built with extra-thick sheet steel and reinforced with doubled-up gusseting, you won't find a higher quality deck in the industry. And for the finishing touch, we dip each deck in super-thick and durable Play-Tuff coating, the ultimate kid friendly protection against everyday wear and tear.



Playcraft Standard


- Thick and durable Play-Tuff coatings
- Doubled-up gussets for strength
- Extra-thick sheet steel construction



VS

Industry Standard

- Thinner, inferior coatings
- Single gusset construction
- Standard thickness sheet steel





Harvest Baptist Elementary School
Medford, Oregon

SHIPPING & INSTALL

Quality control is extremely important at Playcraft Systems. We check each piece for high quality consistency at every step of production. Then each piece is carefully bagged, wrapped and packed in custom made wood pallets for prompt, safe shipping. With every shipment come comprehensive instructions along with a Playground Equipment Manual specific to your project to ensure a smooth and stress-free installation. We also include a maintenance kit to keep your playground looking great.



INDUSTRY LEADING WARRANTY

Every product we manufacture is designed with quality, safety and value in mind. Every project we undertake is an opportunity to prove that Playcraft Systems is setting a new standard and raising the bar on quality and play expectations... one playground at a time.



Playcraft Systems® warrants its products to be free from defects in materials or workmanship, when properly used, serviced and installed in accordance with published specifications, for a period of one (1) year from the original date of invoice. Playcraft Systems further warrants as follows:

LIFETIME LIMITED WARRANTY

on all stainless steel hardware, metal posts, aluminum posts, aluminum caps and aluminum clamps against structural failure due to natural deterioration or corrosion, or defects in materials or workmanship.

TWENTY-FIVE (25) YEAR LIMITED WARRANTY

on all cast aluminum Spring Rider castings against structural failure due to defects in materials or workmanship.

FIFTEEN (15) YEAR LIMITED WARRANTY

on all metal rails, metal slides, handles, rungs, loops and walls, all Play-Tuff™ coated perforated steel decks, steps, and bridges, all rotationally molded and HDPE sheet plastic components, excluding recycled plastic components, against structural failure due to defects in materials or workmanship.

All warranties above commence on the date of the original invoice from Playcraft Systems®. For the purpose of this warranty, the term LIFETIME encompasses no specific number of years, but rather that Playcraft Systems® warrants to its original customer, for as long as the original customer owns the Products and uses the Products for their intended purpose, that any Products and all components will be free from defects in materials or workmanship. The warranty stated above is valid only if: (1) the products and structures are assembled and installed in conformity with the layout plan and installation instructions furnished by Playcraft Systems®; (2) the products have been maintained and inspected in accordance with Playcraft Systems® maintenance information and other normal and prudent practices; (3) the products have been subjected to normal use for the purpose for which the products were designed and intended; (4) the products have not been subjected to misuse, abuse, vandalism, accident or neglect; (5) the products have not been altered in any manner including, but not limited to, incorporating unauthorized or unapproved parts; and (6) the products have not been modified, altered, or repaired by persons other than Seller's designees in any respect which, in the judgment of Seller, affects the condition or operation of the equipment. This warranty does not cover: (1) cosmetic damages or defects resulting from scratches, dents, marring, fading, discoloring or weathering; (2) damage due to extreme or prolonged exposure to "Environmental Factors", such as wind-blown sand, salt water, salt spray and airborne emissions from industrial sources (sulfur, acids or corrosive chemicals, other than normal photochemical smog); (3) damage caused by "Acts of God", such as hail, flooding, lightning, tornadoes, sandstorms, earthquakes, windstorms, and other extreme weather conditions; or (4) normal wear and tear. If any products covered by this warranty fail within the time period applicable to a defective product, Playcraft Systems® shall, upon being notified of the defect in writing, at its sole option, either repair the defective products or replace the defective products within 30 days of receipt of the written notification. Repair or replacement as provided in this section shall be

TEN (10) YEAR LIMITED WARRANTY

on all shade canopy fabric made of UV Stabilized HDPE monofilament yarn and tape against significant fading.

TEN (10) YEAR LIMITED WARRANTY

on all Play-Cord™ components against breakage.

FIVE (5) YEAR LIMITED WARRANTY

on all Play-Cord™ components against failure due to defects in materials or workmanship.

THREE (3) YEAR LIMITED WARRANTY

on all springs, moving swing parts, swing seats and other swing components, as well as all recycled plastic components against failure due to defects in materials or workmanship.

ONE (1) YEAR LIMITED WARRANTY

on any other product or part not specifically covered above against failure due to defects in materials or workmanship.

the purchaser's exclusive remedy and purchaser expressly agrees that Playcraft Systems® shall not be responsible for any other damages, losses, or costs, including consequential and incidental damages, claimed by purchaser. Playcraft Systems® shall deliver the repaired or replacement products to the purchaser free of charge, but shall not provide labor, reimbursements for labor or reimburse any other costs associated with the removal or disposal of the defective products and/or the installation of any replacement products. Notwithstanding the previous sentence, Playcraft Systems® shall not pay for any costs of shipping replacement parts outside of the continental United States. Any products replaced or repaired consistent with this paragraph shall be guaranteed for the balance of the original warranty period. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDIES OF THE ORIGINAL PURCHASER. PLAYCRAFT SYSTEMS® IS NOT LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH MAY ARISE FROM THE PURCHASE, USE OR MISUSE OF ITS PRODUCTS. SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION MAY NOT APPLY. PLAYCRAFT SYSTEMS® NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME OR IMPLY ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OR USE OF THE EQUIPMENT SOLD. To make a claim under the terms of this warranty, purchaser must submit a written statement detailing the nature of the warranty claim, including an itemization of each defective condition, along with a copy of the original invoice, maintenance records and supporting photo-graphs to Playcraft Systems®, 123 North Valley Drive, Grants Pass, Oregon 97526. Due to our on-going commitment to product development and improvement, Playcraft Systems® reserves the right to change, modify or discontinue certain products without notice. (Rev. M)



2019

PLAYCRAFT SYSTEMS

Commercial Playground Equipment Specifications



Manufactured by Krauss Craft, Inc.
123 North Valley Drive - Grants Pass, OR 97526
Tel: (541) 955-9199 Fax: (541) 955-6130

2019 PLAYCRAFT SPECIFICATIONS

2/04/2019

Please Note: The following playground equipment general specifications were correct at the time of publication. For additional information on any product offered by Krauss Craft, Inc., please contact our factory design department at 1-800-333-8519.

Due to our commitment to safety, innovation and value, Krauss Craft, Inc., the manufacturer of Playcraft systems, reserves the right to change, modify or discontinue products and product specifications at any time.

SECTION 1 - GENERAL SPECIFICATIONS (Playground Equipment)

Metal Hardware shall be zinc plated, galvanized, or made of stainless steel as required to resist rust and corrosion. Tamper resistant hardware shall be used for all principal connections.

Stainless Steel Hardware shall be stainless steel as required to resist rust & corrosion. Tamper resistant hardware shall be used for all principal connections.

Zinc and Stainless Steel Hardware shall be zinc plated, or made of stainless steel as required to resist rust & corrosion. Tamper resistant hardware shall be used for all principal connections.

Galv. and Stainless Steel Hardware shall be galvanized, or made of stainless steel as required to resist rust and corrosion. Tamper resistant hardware shall be used for all principal connections.

Hardware Caps shall be a UV-Stabilized, polypropylene based plastic consisting of two parts, a base and crown. Specified hardware is attached through the base to post support and then finished with a crown to form a smooth tamper-resistant attachment point.

Post Caps shall be precision die-cast from a high strength aluminum alloy and powder coated as specified. Post caps shall be of an **Exclusive** self-sealing design with an overlapping lip and are factory installed and secured in place with a self-sealing rivet. Available for Round-5 and Round-3.5 systems. **IMPORTANT:** Self Sealing Post Caps are a Playcraft Exclusive Design.

Chain used for Swings, Chain Nets, Chain Walks and Suspension Bridges shall be 4/0 and/or 5/0 galvanized steel. Chains shall be thermoplastic coated as required.

High Density Polyethylene - (HDPE) Sheet Stock Parts shall be made from 1/2", 3/4" or 1" thick, high-density, hot extruded polyethylene sheet plastic specially formulated for optimum UV stability and color retention. Parts shall meet or exceed density of .955 g/cc per ASTM D1505, tensile strength of 4000 PSI per ASTM D638. Panels are cut or machined to size with design elements routed in. Parts are available in a variety of solid or dual-color designs. All HDPE Sheet Stock Parts shall comply to ASTM standards: D790 (Flex Modulus Test), D648 (Heat Distortion Temperature Test).

Metal Parts shall be zinc or cadmium plated, galvanized, Play-Tuff™ coated, painted and/or powder coated as required to resist rust and corrosion.

Tube Steel used in most applications shall be heavy-gauge and pre-galvanized. Tube shall be formed and/or fabricated into required components and finished as specified. All Steel Tube parts shall comply with ASTM standards: A-500/A-513 (Steel Tubing).

Powder Coating shall be electrostatically applied to metal components. Surfaces shall be free of excess weld and spatter. Components shall be shot blasted and then further cleaned in a multi-step process that includes a hot phosphatizing bath and rinse and finished with a non-chrome seal for added corrosion resistance. Additionally, components shall be preheated to fully dry prior to coating for superior powder adhesion. Finally, powder shall be applied to all pre-treated components in an **Exclusive** two coat process to achieve an average thickness of 11 mils. All polyester powder coatings shall comply with ASTM standards: D-522 (Flexibility Mandrel Test), D-2794 (Impact Resistance Test), B-117 (Salt Spray Weatherability Test), D-3363 (Pencil Hardness Test), D-2454 (Overbake Resistance Test), D-3359B (Adhesion Crosshatching Test).

PlayTuff™ (PVC Coating) shall be applied to metal components for a 100 mil. minimum average thickness. Prior to coating, components shall be washed, phosphatized and primed. After preheating to a minimum of 350 degrees, components shall be dipped in a UV stabilized Polyvinyl Chloride liquid & shall be salt cured at 400 degrees. All Play-Tuff™ Coated Parts shall comply to ASTM standards: D-624 (Tear Strength Test), D-412 (Tensile Strength Test). PlayTuff™ Coatings are available in Brown, Blue, Green, Tan & Red.

RotoMold shall be made from hot compounded linear low density polyethylene resins. Hot compounded polyethylene resins offer superior durability and fade resistance from UV inhibitors and colorants molded-in. All linear low density polyethylene plastic shall have a minimum 2500 PSI tensile strength per ASTM D 638-02. Parts shall have an average wall thickness of .250". Parts are available in a variety of solid colors. All Roto Molded Parts shall comply with ASTM standards: D-790 (Flex Modulus Test), D-648 (Heat Distortion Temperature Test), ARM-STD (Low Temperature Impact Test).

Steel Decks Steps (platforms, bridges, ramps, steps, etc.) shall be constructed using a combination of 12 gauge sheet steel which shall be formed and fabricated into required designs with deck sides and additional parts of deck being fabricated out of 10 or 12 gauge sheet steel. All steel deck standing surfaces and stepping surfaces shall have a slip-resistant Play-Tuff™ coating minimum of 100 mil average thickness, with a uniform 5/16" diameter hole pattern. Deck faces shall have up to 6 attachment slots (**a Playcraft Systems Exclusive**) to accommodate face mounting components. All sheet steel shall conform to ASTM A 1011-02. **IMPORTANT:** Inferior expanded steel shall not be used on any decks or stepping surfaces.

Steel Walls shall be fabricated using 1.029" O.D. 14 gauge tube steel welded vertically on 4" centers between vertical 1.315" O.D. 12 gauge tube steel balusters and horizontal 1.315" O.D. 12 gauge tube steel rails, top & bottom. Brackets may be welded to the ends of each rail and between the verticals to provide attachment points. Walls shall be finished with a multi-stage baked-on powder coat finish.

Vertical Deck Fillers shall be designed to eliminate the crawl space between decks at different elevations. All deck in-fills shall be made from 12 gauge sheet steel and powder coated after fabrication.

ROUND-5 PLAY SYSTEM - General Specifications

SPECIFICATIONS:

Aluminum Post Mechanical Properties:	
Yield Strength (min):	35,000 PSI
Tensile Strength (min):	38,000 PSI
% Elongation in 2 Inches:	10
Modulus of Elasticity:	10 x 10 ⁶ PSI

Round-5 Aluminum Posts shall be constructed of 5" O.D. round 6061-T651 aluminum tube with a .120" wall thickness. Each post shall be shot blasted and then further cleaned in a multi-step process that includes a hot phosphatizing bath and rinse and finished with a non-chrome seal for added corrosion resistance. Additionally, posts shall be pre-heated to fully dry prior to coating for superior powder adhesion. Finally powder shall be applied to all pre-treated posts in an exclusive two coat process to achieve an average thickness of 11 mils. All post bases shall include a footing pin for securing posts in cement. Some posts may include a die-cast aluminum base cap. All posts shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All polyester powder coatings shall comply with ASTM standards: D-522 (Flexibility Mandrel Test), D-2794 (Impact Resistance Test), B-117 (Salt Spray Weatherability Test), D-3363 (Pencil Hardness Test), D-2454 (Overbake Resistance Test), D-3359B (Adhesion Crosshatching Test).

Steel Post Mechanical Properties:	
Yield Strength (min):	45,000 PSI
Tensile Strength (min):	48,000 PSI
% Elongation in 2 Inches:	25
Modulus of Elasticity:	30 x 10 ⁶ PSI

Round-5 Steel Posts shall be constructed of 5" O.D. round steel tube with a .120" wall thickness and a galvanized Flo-Coat finish inside and out. Each post shall be shot blasted and then further cleaned in a multi-step process that includes a hot phosphatizing bath and rinse and finished with a non-chrome seal for added corrosion resistance. Additionally, posts shall be pre-heated to fully dry prior to coating for superior powder adhesion. Finally powder shall be applied to all pre-treated posts in an exclusive two coat process to achieve an average thickness of 11 mils. All post bases shall include a footing pin for securing posts in cement. Some posts may include a die-cast aluminum base cap. All posts shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All polyester powder coatings shall comply with ASTM standards: D-522 (Flexibility Mandrel Test), D-2794 (Impact Resistance Test), B-117 (Salt Spray Weatherability Test), D-3363 (Pencil Hardness Test), D-2454 (Overbake Resistance Test), D-3359B (Adhesion Crosshatching Test).

Round-5 Attachment Fittings (Sockets and Collars) shall be two-part and precision die-cast from high strength A369 aluminum alloy with an ultimate tensile strength of 47,000 PSI and a yield strength of 28,000 PSI. Separate sockets when combined with collars form a unique and versatile method of component-to-post attachment. Unlike traditional designs using one-piece collar/sockets, our system utilizes separate sockets which can be positioned, as required, around a single collar to form multiple component attachment points for a cleaner, more balanced design. Sockets and Collars shall be powder coated as specified.

Round-5 Play System Footing Requirements shall vary depending on deck heights, components and events attached to the structure. Most equipment is available for surface or in-ground mounting.

ROUND-3.5 PLAY SYSTEM - General Specifications

SPECIFICATIONS:

Aluminum Post Mechanical Properties:	
Yield Strength (min):	35,000 PSI
Tensile Strength (min):	38,000 PSI
% Elongation in 2 Inches:	10
Modulus of Elasticity:	10 x 10 ⁶ PSI

Round-3.5 Aluminum Posts shall be constructed of 3-1/2" O.D. round 6061-T651 aluminum tube with a .120 wall thickness. Each post shall be shot blasted and then further cleaned in a multi-step process that includes a hot phosphatizing bath and rinse and finished with a non-chrome seal for added corrosion resistance. Additionally, posts shall be pre-heated to fully dry prior to coating for superior powder adhesion. Finally powder shall be applied to all pre-treated posts in an exclusive two coat process to achieve an average thickness of 11 mils. All post bases shall include a footing pin for securing posts in cement. Some posts may include a multi-stage powder coated die-cast aluminum base cap. All posts shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All polyester powder coatings shall comply with ASTM standards: D-522 (Flexibility Mandrel Test), D-2794 (Impact Resistance Test), B-117 (Salt Spray Weatherability Test), D-3363 (Pencil Hardness Test), D-2454 (Overbake Resistance Test), D-3359B (Adhesion Crosshatching Test).

Steel Post Mechanical Properties:	
Yield Strength (min):	45,000 PSI
Tensile Strength (min):	48,000 PSI
% Elongation in 2 Inches:	25
Modulus of Elasticity:	30 x 10 ⁶ PSI

Round-3.5 Steel Posts shall be constructed of 3-1/2" O.D. round steel tube with a .120" wall thickness and a galvanized Flo-Coat finish inside and out. Each post shall be shot blasted and then further cleaned in a multi-step process that includes a hot phosphatizing bath and rinse and finished with a non-chrome seal for added corrosion resistance. Additionally, posts shall be pre-heated to fully dry prior to coating for superior powder adhesion. Finally powder shall be applied to all pre-treated posts in an exclusive two coat process to achieve an average thickness of 11 mils. All post bases shall include a footing pin for securing posts in cement. Some posts may include a multi-stage powder coated die-cast aluminum base cap. All posts shall include a minimum loose fill resilient surfacing sticker to be field installed as required. All polyester powder coatings shall comply with ASTM standards: D-522 (Flexibility Mandrel Test), D-2794 (Impact Resistance Test), B-117 (Salt Spray Weatherability Test), D-3363 (Pencil Hardness Test), D-2454 (Overbake Resistance Test), D-3359B (Adhesion Crosshatching Test).

Round-3.5 Attachment Fittings (Sockets and Collars) shall be two-part and precision die-cast from high strength 369.1 aluminum alloy with an ultimate tensile strength of 47,000 PSI and a yield strength of 28,000 PSI. Separate sockets when combined with collars form a unique and versatile method of component-to-post attachment. Unlike traditional designs using one-piece collar/sockets, our system utilizes separate sockets which can be positioned, as required, around a single collar to form multiple component attachment points for a cleaner, more balanced design. Sockets and Collars shall be powder coated as specified.

Round-3.5 Play System Footing Requirements shall vary depending on deck heights, components and events attached to the structure. Most equipment is available for surface or in-ground mounting.

REVOLUTION SYSTEM - General Specifications

SPECIFICATIONS:

The Revolution Direct-Bolt Double-Wall Post System (Patent Pending). Unlike traditional posts, Revolution Posts feature a double wall design. The post is comprised of four primary components; The Core Post, Mounting Sleeve, Top Cap and Bottom Cap.

The Revolution Core Post shall be made from 3-1/2" O.D. 11 gauge galvanized steel tubing.

Steel Post Mechanical Properties:	
Yield Strength (min):	45,000 PSI
Tensile Strength (min):	48,000 PSI
% Elongation in 2 Inches:	25
Modulus of Elasticity:	30 x 10 ⁶ PSI

The Revolution Mounting Sleeve shall be precision die-cast from a high-strength A369 aluminum alloy specially formulated to withstand corrosion in harsh climates/environments. Die Cast Sleeves shall be 5" in diameter and finished with a smooth machined surface. All sleeves shall include factory drilled and threaded component attachment holes. Nylon Plugs shall be included for holes not utilized during play structure assembly.

The Revolution Top Cap shall be precision die-cast from a high-strength aluminum alloy specially formulated to withstand corrosion in harsh climates/environments with a multi-stage baked-on powder coat finish.

The Revolution Bottom Cap shall be precision die-cast from a high-strength aluminum alloy specially formulated to withstand corrosion in harsh climates/environments with a multi-stage baked-on powder coat finish.

Stainless Steel Hardware shall be stainless steel as required to resist rust & corrosion. Tamper resistant hardware shall be used for all principal connections.


Metal Parts shall be zinc or cadmium plated, galvanized, Play-Tuff™ coated, painted and/or powder coated as required to resist rust and corrosion.

Tube Steel used in most applications shall be heavy-gauge and pre-galvanized. Tube shall be formed and/or fabricated into required components and finished as specified. All Steel Tube parts shall comply with ASTM standards: A-500/A-513 (Steel Tubing).

Revolution Play System Footing Requirements shall vary depending on deck heights, components and events attached to the structure. Most equipment is available for surface or in-ground mounting.

Colors

An integral part of any playground environment. Good use of color can inspire the imagination, encourage vigorous play, and set the tone for interaction and socialization. It is our manufacturing expertise blended with the highest quality colorants and materials that make our products the finest in the industry.



Play-Cord™ Cable Colors

Playcraft Play-Cord™ cables are made from tightly woven, nylon-wrapped, multi-strand galvanized steel cable. These high density, abrasion resistant cables are specifically made for playground use.

Play-Cord™ Cable Connector Colors

Available in Red and Black. Additional colors may be special ordered. Call to check for availability.

Powder Coatings

All Playcraft metal components go through an extensive multi-stage powder-coating process that yields a highly durable and lasting protective finish.

- Safe, lead-free coating
- Extremely durable, weather-proof finish
- Enhanced impact & corrosion resistance
- Rich, glossy finish
- Extra thick coatings (avg. 1.1 mils thick)
- Custom colors available for an upcharge

Roto-Molded Plastics

Like a good jelly bean, our colors go all the way through! Playcraft slides, panels, roofs, and other plastic components are molded using hot-blended color compounded resins that stay bright and colorful even after years of wear.

- Hot-blended color compounded resins guarantee vibrant, uniform colors
- Made from specially formulated plastics designed to withstand harsh ultraviolet exposure for superior fade resistance
- Surfaces never too hot or too cold
- Custom colors available for an upcharge



HDPE Sheet Plastics

Our hot-extruded high density polyethylene sheet plastic is available in solid and layered colors for one or two-color component design opportunities.

- Extremely durable and colorful
- Impact and vandal resistant
- Ideal for personalized or custom projects

Available layered colors:

Red-White-Red	Red-Yellow-Red
Blue-White-Blue	Yellow-Blue-Yellow
Black-White-Black	Blue-Yellow-Blue
Tan-Red-Tan	Yellow-Black-Yellow
Tan-Blue-Tan	Gray-Black-Gray
Tan-Green-Tan	Green-Tan-Green
Tan-Brown-Tan	Brown-Tan-Brown
Yellow-Red-Yellow	



Color Schemes

Choosing the right colors for your play system is an important step and our highly trained Playcraft Representatives are always available to help you make the right choice. Choose from any of our popular color schemes shown here, create your own by choosing from our standard colors or contact your local Playcraft Representative for assistance.



Yellow Primary

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Red Primary

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Blue Primary

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Nature

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Earth

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Forest

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Contemporary

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Jester

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Patriotic

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Sporty

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Festive

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Oceanside

- Roto-Molded Plastic ● Posts
- HDPE - Panel Face ● Collars/Clamps
- HDPE - Core/Accent ● Metal Walls/Rails
- HDPE Walls ● Decks



Autumn

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Sunshine

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Candy

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Chic

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Citrus

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Farm

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Fresh

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Pop

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Frozen

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Retro

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Sky

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks



Spring

- Roto-Molded Plastic
- HDPE - Panel Face
- HDPE - Core/Accent
- HDPE Walls
- Posts
- Collars/Clamps
- Metal Walls/Rails
- Decks

PLAYCRAFT SYSTEMS WARRANTY

Playcraft Systems®, warrants its products to be free from defects in materials or workmanship, when properly used, serviced and installed in accordance with published specifications, for a period of one (1) year from the original date of invoice.

Playcraft Systems® further warrants as follows:

LIFETIME LIMITED WARRANTY

on all stainless steel hardware, metal posts, aluminum posts, aluminum caps and aluminum clamps against structural failure due to natural deterioration or corrosion, or defects in materials or workmanship.

TWENTY-FIVE (25) YEAR LIMITED WARRANTY

on all cast aluminum Spring Rider castings against structural failure due to defects in materials or workmanship.

FIFTEEN (15) YEAR LIMITED WARRANTY

on all metal rails, metal slides, handles, rungs, loops and walls, all Play-Tuff™ coated perforated steel decks, steps, and bridges, all rotationally molded and HDPE sheet plastic components, excluding recycled plastic components, against structural failure due to defects in materials or workmanship.

TEN (10) YEAR LIMITED WARRANTY

on all shade canopy fabric made of UV Stabilized HDPE monofilament yarn and tape against significant fading.

TEN (10) YEAR LIMITED WARRANTY

on all Play-Cord™ against cable breakage and Play-Cord™ connectors against breakage and failure due to defects in materials or workmanship.

FIVE (5) YEAR LIMITED WARRANTY

on all Playcraft System® powder coating and Play-Tuff™ coating against cracking and/or peeling due to normal climatic exposure.

THREE (3) YEAR LIMITED WARRANTY

on all springs, moving swing parts, swing seats and other swing components, as well as all recycled plastic components against failure due to defects in materials or workmanship.

ONE (1) YEAR LIMITED WARRANTY

on any other product or part not specifically covered above against failure due to defects in materials or workmanship.

All warranties above commence on the date of the original invoice from Playcraft Systems®. For the purpose of this warranty, the term LIFETIME encompasses no specific number of years, but rather that Playcraft Systems® warrants to its original customer, for as long as the original customer owns the Products and uses the Products for their intended purpose, that any Products and all components will be free from defects in materials or workmanship.

The warranty stated above is valid only if the products and finishes: (1) are assembled and installed in conformity with the layout plan and installation instructions furnished by Playcraft Systems®; (2) have been maintained and inspected in accordance with Playcraft Systems® maintenance information and other normal and prudent practices; (3) have been subjected to normal use for the purpose for which the products were designed and intended; (4) have not been subjected to misuse, abuse, vandalism, accident or neglect; (5) have not been altered in any manner including, but not limited to, incorporating unauthorized or unapproved parts; and (6) have not been modified, altered, or repaired by persons other than Seller's designees in any respect which, in the judgment of Seller, affects the condition or operation of the equipment.

This warranty does not cover: (1) cosmetic damages or defects resulting from scratches, dents, marring, rough handling, improper installation methods, fading, discoloring or weathering; (2) damage due to extreme or prolonged exposure to "Environmental Factors", such as wind-blown sand, salt water, salt spray and airborne emissions from industrial sources (sulfur, acids, chemicals, or corrosive agents, other than normal photochemical smog); (3) damage caused by environmental hazards and "Acts of God", such as hail, flooding, lightning, tornadoes, sandstorms, earthquakes, windstorms, and other extreme weather conditions; or (4) normal wear and tear. No warranty is made with regard to gloss retention or uniformity of gloss and color retention. If any products covered by this warranty fail within the time period applicable to a defective product, Playcraft Systems® shall, upon being notified of the defect in writing, at its sole option, either repair the defective products or replace the defective products within 30 days of receipt of the written notification.

Repair or replacement as provided in this section shall be the purchaser's exclusive remedy and purchaser expressly agrees that Playcraft Systems® shall not be responsible for any other damages, losses, or costs, including consequential and incidental damages, claimed by purchaser. Playcraft Systems® shall deliver the repaired or replacement products to the purchaser free of charge, but shall not provide labor, reimbursements for labor or reimburse any other costs associated with the removal or disposal of the defective products and/or the installation of any replacement products. Notwithstanding the previous sentence, Playcraft Systems® shall not pay for any costs of shipping replacement parts outside of the continental United States. Any products replaced or repaired consistent with this paragraph shall be guaranteed for the balance of the original warranty period.

THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDIES OF THE ORIGINAL PURCHASER. PLAYCRAFT SYSTEMS® IS NOT LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH MAY ARISE FROM THE PURCHASE, USE OR MISUSE OF ITS PRODUCTS. SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION MAY NOT APPLY. PLAYCRAFT SYSTEMS® NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME OR IMPLY ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OR USE OF THE EQUIPMENT SOLD.

To make a claim under the terms of this warranty, purchaser must submit a written statement detailing the nature of the warranty claim, including an itemization of each defective condition, along with a copy of the original invoice, maintenance records and supporting photographs to Playcraft Systems®, 123 North Valley Drive, Grants Pass, Oregon 97526.


Due to our on-going commitment to product development and Improvement, Playcraft Systems® reserves the right to change, modify or discontinue certain products without notice (Rev. O).

SUPERIOR RECREATIONAL PRODUCTS

SHADE

• VOLUME TWELVE PRODUCT GUIDE •


S SUPERIOR
RECREATIONAL PRODUCTS
PLAY





Glide Elbow

With our patent-pending Glide Elbow™ mechanism, installation and removal of your fabric is completed with the use of a wrench or cordless drill with an appropriate sized socket. Not only does our Glide Elbow™ make updating fabric easier, it allows you to easily remove fabric for severe weather. Additionally, metal-on-metal wear is minimized with our fabric hook connection.



Glide Elbow™ Fabric Removal Process



Step 1: Use a small Allen wrench to remove the protective cover to reveal the drive nut inside of the elbow.



Step 2: Use a wrench or power drill with appropriately sized socket to loosen the tension by rotating the drive nut. Remove fabric.

Traditional Shade Fabric Colors



Cream*



Beige*



Latte



Rivergum Green*



Mint Green



Forest Green



Brunswick Green*



Turquoise*



True Blue



Sky Blue*



Navy Blue



Purple



Sun Blaze



Cayenne*



Cedar*



Brown



Yellow*



Pearl Only



Silver



Steel Gray*



Midnight

*Not California Fire Marshal certified

Frame Color Options



Yellow



Butterscotch



Orange



Red



Burgundy



Terracotta



Blue*



Ocean Blue



Deep Periwinkle



Patina*



Spring Green



Green*



Electric Purple



Deep Green



Brown*



Black



Starry Night



Iron Gray



Rubbed Bronze



Feather Gray



Iced Coffee*



White

*Semi-gloss finish.

SHADE

BY SUPERIOR RECREATIONAL PRODUCTS

Shade Structure Material Specifications

FABRIC SPECIFICATIONS

- Shade fabric is made of UV stabilized cloth manufactured by ALNET or approved equal
- The high density polyethylene material shall be manufactured with tensioned fabric structures in mind
- The fabric knit is to be made using monofilament and tape filler which has a weight of 9.38 to 10.32 oz. sq. yd. Material to be Rachel-knitted to ensure material will not unravel if cut
- Cloth meets fire resistance tests as follows:
 - Alnet Extra Block: California State Fire Marshall Reg. #F-93501
 - Others: NFPA 701-99 (Test Method 2) and ASTM E-84

Fabric Properties

Stretch	Stentored
Tear Tests (lbs/ft)	WARP 44.8 WEFT 44
Burst Tests (lbs ft)	828 lbf (ASTM 3786)
Fabric Weight (oz/sqFT)	Avg 1.02 to 1.07 oz.
Fabric Width	9' 10"
Roll Length	150'
Roll Size	63" x 16 1/2"
Weight	120 lbs.
Life Expectancy	10 Years
Fading	Minimum Fading After 6 years, 3 Years for Red and Yellow
Min. Temperature	-77°
Max. Temperature	+167°

Shade Protection and UV Screen Protection Factors

Color	Shade Cover	UVR Block Out
True Blue	93%	89%
Beige	97%	87%
Forest Green	96%	94%
Sun Blaze	94%	91%
Silver	95%	93%
Rivergum Green	95%	92%
Sky Blue	95%	94%
Navy Blue	96%	95%
Turquoise	94%	94%
Yellow	76%	94%
Cream	74%	92%

THREAD

- Shall be 100% expanded PTFE fiber that is high strength and low shrinkage
- Shall have a wide temperature and humidity range
- Abrasion resistant and UV radiation immunity
- Shall be unaffected by non-hydrocarbon based cleaning agents, acid rain, mildew, chlorine, saltwater, and pollution
- Lockstitch thread - 1200 Denier or equal
- Chain stitch thread - 2400 Denier or equal

STEEL TUBING

- All fabricated steel must be in accordance with approved shop drawings and calculations
- All steel is cleaned, degreased, or etched to ensure proper adhesion of Superdurable powder coat in accordance with manufacturer's specifications
- All Steel used on this project needs to be new and accompanied by the mill certificates if requested. Structural steel tubing up to 5"-7 gauge shall be galvanized per Allied Steel FLO-COAT specifications. Schedule 40 black pipe fabrications shall be sand-blasted and primed as described below
- All non-hollow structural shapes comply with ASTM A-36, unless otherwise noted
- All hollow structural steel shapes shall be cold formed HSS ASTM A-53 grade C, unless otherwise noted
- Plate products shall comply with ASTM A-36

SUPERDURABLE POWDER COATING & PRIMING

- All non-galvanized steel shall be sand-blasted and primed prior to Superdurable powder coating using reclaimable blast media in a mixture of GL50 & GL80 Steel Grit
- All non-galvanized steel must be coated with rust inhibiting primer prior to applying the Superdurable powder coat. Primer shall be Marine Grade Cardinal Industrial Finishes Corp. E396-GRI372 epoxy Superdurable powder coating semi-gloss smooth zinc rich primer
- Welds shall be primed with rust inhibiting primer prior to applying the Superdurable powder coat. Primer shall be Marine Grade Cardinal Industrial Finishes Corp E396-GRI372 epoxy Superdurable powder coating semi-gloss smooth zinc rich primer
- All steel parts shall be coated for rust protection and finished with a minimum 3.5 mil thick UV-inhibited weather resistant Superdurable powder coating

Powder Coat Tests		Results
ASTM	Gloss at 60°	85-95
HOI TM 10.219	PCI Powder Smoothness	7
ASTM D2454-91	Over-Bake Resistance Time	200%
ASTM D3363-92A	Pencil Hardness	H-2H
ASTM D2794-93	Dir/Rev Impact, Gardner	140/140 in/lbs
ASTM D3359-95B	Adhesion, Cross Hatch	5B Pass
ASTM D522-93A	Flexibility Mandrel	¼" dia. No fracture
ASTM B117-95	Salt Spray	1,000 hours
UL D10V2	Organic Coating Steel Enclosures, Elect Eq.	Recognized

Powder Coat Process Characteristics

N.3.1	Specific Gravity	1.68+/-0.05
N.3.2	Theoretical Coverage	114+/- 4 ft ² /lb/mil
N.3.3	Mass Loss During Cure	<1%
N.3.4	Maximum Storage Temperature	75° F

Application Criteria

N.5.1	Electrostatic Spray Cold	Substrate:0.032 in. CRS
N.5.2	Cure Schedule	10 minutes at 400° F
N.5.3	Pretreatment	Bonderite 1000
N.5.4	Film Thickness	3.5 Mils

WELDING

- All shop welds shall be executed in accordance with the latest edition of the American Welding Society Specifications
- Welding procedures shall comply in accordance with the AWS D1.1-AWS Structural Welding Code-Steel
- All welds to be performed by a certified welder. All welds shall be continuous where length is not given, unless otherwise shown or noted on drawings
- All welds shall develop the full strength of the weaker member. All welds shall be made using E70xx.035 wire
- Shop connections shall be welded unless noted otherwise. Field connections shall be indicated on the drawings. Field welded connections are not acceptable
- All fillet welds shall be a minimum of ¼" unless otherwise noted
- All steel shall be welded shut at terminations to prevent internal leakage
- Internal weld sleeving is not acceptable
- On-site welding of any component is not acceptable

SEWING

- On-site sewing of a fabric will not be accepted
- All corners shall be reinforced with extra non-tear cloth and strap to distribute the load
- The perimeters that contain the cables shall be double lock stitched

INSTALLATION HARDWARE

- Bolt and fastening hardware shall be determined based on calculated engineering loads
- All bolts shall comply with SAE-J429 (Grade 8) or ASTM A325 (Grade BD). All nuts shall comply with ASTM F-594, alloy Group 1 or 2
- Upon request, Stainless Steel hardware shall comply with ASTM A-304
- 1/4" galvanized wire rope shall be 7x19 strand with a breaking strength of 7,000 lbs. for shades generally under 575 sq. ft. unless requested larger by the customer. For shades over 575 sq. ft., cable shall be 5/16" with a breaking strength of 9,800 lbs. Upon request, 1/4" Stainless Steel wire rope shall be 7x19 strand with a breaking strength of 6,400 lbs. 5/16" Stainless Steel wire rope shall be 7/19 strand with a breaking strength of 9,000 lbs.
- All fittings required for proper securing of the cable are hot dipped galvanized

CONCRETE

- Concrete work shall be executed in accordance with the latest edition of American Concrete Building Code ACI 318 unless specified by the governing municipality
- Concrete specifications shall comply in accordance with, and detailed as, per plans as follows:
 1. 28 Days Strength $F'c = 2500$ psi
 2. Aggregate: HR
 3. Slump: 3-5
 4. Portland Cement shall conform to C-150
 5. Aggregate shall conform to ASTM C-33
- All reinforcement shall conform to ASTM A-615 grade 60

CONCRETE CONTINUED ON NEXT PAGE

- Reinforcing steel shall be detailed, fabricated and placed in accordance with the latest ACI Detailing Manual and manual of Standard Practice
- Whenever daily ambient temperatures are below 80° F, the contractor may have mix accelerators and hot water added at the batch plant (see table)
- The contractor shall not pour any concrete when daily ambient temperature is below 55° F

Concrete Temperate Chart

Temperature Range	% Accelerator	Type Accelerator
75-80°	1%	High Early (non calcium)
70-75°	2%	High Early (non calcium)
Below 70°	3%	High Early (non calcium)

FOOTINGS

- All anchor bolts set in new concrete shall be ASTM A-307, or ASTM F-1554 if specified by engineer
- All anchor bolts shall be zinc plated unless specified otherwise
- Footing shall be placed in accordance with and conform to engineered specifications and drawings

Shade Warranty

Superior Recreational Products (SRP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once SRP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by SRP, good construction practices, and has been subjected only to normal use and exposure.

- Lifetime* Warranty on stainless steel hardware
- 20-Year Limited Warranty on steel shade structures
- 10-Year Limited Warranty on shade fabric
- 5-Year Limited Warranty on cables and powder coat
- 1-Year Limited Warranty on moving parts and materials not covered above

The Limited Warranty excludes abnormal conditions, contingent liability, cosmetic defects such as scratches, dents, marring, stripping, peeling, or fading; damage due to incorrect installation, vandalism, misuse, accident wear and tear from normal use; exposure to extreme weather, immersion in salt or chlorine water, damage due to sand, salt spray, or other abrasive and corrosive material; unauthorized repair or modification, abnormal use, or lack of maintenance. The warranty does not cover damages due to "acts of God" such as hail, flooding, lightning, tornadoes, sand storms, shifts of terrain, earthquakes, mudslides, and windstorms.

SRP does not warrant product for defects caused by erection, harsh site conditions, lack of maintenance, and/or other conditions beyond SRP's control. SRP will not be held responsible for any materials that were not properly stored prior to installation. SRP reserves the right to void the limited warranty if it not installed per the installation instructions and/or unauthorized modifications.

In the unlikely event of failure, SRP reserves the right to alter the design, color, or contributing factors to rectify the condition and help prevent any future reoccurrence(s). SRP has the option to repair or replace any defect in materials.

The warranty is void if any changes, modifications, additions, or attachments are made to the product without the written consent of the manufacturer.

No signs, objects, ornaments, fans, lights, fixtures, or decorations may be hung from the structure unless specifically designed and engineered by the manufacturer or has manufacturers written approval.

SRP excludes any implied warranty of merchantability, fitness, or purpose, and there are no warranties which extend beyond the description of the face hereof. Under no circumstances will SRP be responsible for any indirect, special, consequential, incidental, or liquidated damages due to breach of warranty and such damages are specifically excluded from the warranty.

The owner shall notify SRP with original Sales Order Number issued from SRP to arrange for an inspection within 30 days after discovery of any defect under this warranty and before any alteration or repair is made or attempted. This Limited Warranty shall be null and void if the owner makes any alterations in design.

This warranty is the only express warranty given by the company. No person has authority to change or add to these obligations and liabilities. The company reserves the right to determine whether the fault is caused by faulty workmanship, material, or the part that is defective.

SRP will repair or replace at its discretion any defective part/s on an Ex-Works basis only. It is the responsibility of the customer to return the whole unit or the defective part/s at their own cost back to SRP for inspection along with proof of the date of purchase. SRP will not be liable for any costs incurred by the customer as a result of replacing the defective part/s, including but not limited to the costs of site visits and the labor costs involved with the removal and reinstallation of the whole unit or the defective part/s. Furthermore SRP will not be liable for any claimed compensation while the unit is not working or not present at the site whatsoever. This guarantee does not entitle the customer to a complete new product due to a defective component.

LIMITED WARRANTY: STRUCTURAL STEEL

SRP offers a 20-year Limited Warranty on structural steel frames for shade canopies against failure due to rust-through corrosion under normal environmental conditions. Should the fabric or parts need to be replaced under the warranty, SRP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 10% per annum over the last ten years.

Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

LIMITED WARRANTY: POWDER COAT

Superior Recreational Products offers a 5-year Limited Warranty for powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a ΔE of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a ΔE of <5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

SHADE FABRIC

Traditional shade fabric made with PTFE fiber that is high strength and low shrinkage and VALMEX® MEHATOP F 1 waterproof fabric, carries a 10-year limited warranty. This warranties that the sewing thread used on the traditional shade fabric will be free from defects in material and workmanship and will not be damaged by exposure to sunlight, weather, and water. All other warranties are disclaimed.

SRP fabrics carry a 10-Year Limited Manufacturer's Warranty from the date of delivery against failure from significant fading**, deterioration, breakdown, outdoor heat, cold, or discoloration. Should the fabric need to be replaced under the warranty, SRP will manufacture and ship new fabric at no charge for the first six years, thereafter pro-rated at 18% per annum over the last four years.

**The colors red and yellow are warranted against significant fading for only two years. If the corners of the fabric are equipped with both holes in the fabric corner PLUS reinforcing straps, BOTH the strap and fabric hole must be placed over each corner hook or the fabric warranty is void.

Fabric curtains, valences, or flat vertical panels are not covered under the warranty.

Fabric is not warranted where it is installed on a structure that is not engineered and built by SRP or its agents.

This warranty shall be void if damage to or failure to the shade is caused by contact with chemicals, chlorine, bleaching agents, hydrocarbons or hydrocarbon containing solvents, misuse, vandalism, or any act of God, including but not limited to wind in excess of the wind limitations set forth below.

All fabric tops are warranted for sustained winds up to 76mph (Hurricane Force 1) and for gusts of up to 3 seconds duration up to 90mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season."

These structures have been designed to eliminate any friction between the rafters and the fabric. The warranty will, therefore, be voided if any modification (temporary or permanent) is made to the rafter, cross pieces, or ridge beams, or if the fastening apparatus or canopy are not secured accordingly.

Structures are warranted for winds up to 90 or 105 mph only if shade canopies have been removed as per requirement set forth above in the fabric paragraph. Removal and re-installation must be performed by a qualified person or authorized dealer.

ALUMINUM AND STEEL FRAME WATERPROOF UMBRELLAS

Although all aluminum and steel frame waterproof umbrellas are designed to withstand high wind speeds and have been engineered/tested in wind speeds which exceed 70 mph, SRP does not recommend or warrant the deployment or use of any collapsible umbrella in wind conditions which exceed 45 mph unless where specifically designated and approved in writing by qualified SRP engineers. Horizon umbrellas outfitted with SRP's additional bracing supports will be warranted for wind conditions up to 60 mph and 3-second wind gusts. SRP's warranty will only cover umbrellas that have been properly secured (installed according to manufacturer's installation instructions with a level canopy and plum column) to an approved footer or other approved mounting system. SRP recommends that all retractable umbrellas be securely closed when not in use.

SRP's Cabanas are designed to withstand high wind speeds and have been engineered/tested in wind speeds which exceed 90 mph. However, SRP does not recommend the use of any Cabana in wind conditions which exceed 75 MPH unless where specifically designated and approved in writing by qualified SRP engineers. SRP's warranty will only cover Cabanas that have been properly secured to an approved footer or other mounting system.

WATERPROOF HYPAR, WAVECREST, PANORAMA, AND CUSTOM STRUCTURES

SRP's fixed waterproof structures are warranted for sustained winds up to 76 mph (Hurricane Force 1) and for gusts of up to 3 seconds duration and up to 90 mph. Removal of the shade fabric is required if damaging winds are called for. Damage due to snow and/or ice accumulation is not covered by this warranty. Canopies should be removed during the "off season." SRP will only warranty products which are properly secured to a footer according to engineering drawings or approved anchoring system.

Further, SRP will not cover any damage to any umbrella frame, canopy, shade, or base device which occurs as a result of contact with the ground or any other foreign object including damage which occurs as a result of sudden and severe weather events or other extreme acts of nature.

Please contact SRP directly if requesting products and mounting foundations to be warranted in sustained wind conditions which exceed the stated warranties per each model.

PRICING POLICY

All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency. Prices are subject to change without notice.

CANCELLATION AND RETURN POLICY

To view our return policy, please visit superiorrecreationalproducts.com/returns. For information on Return Material Authorizations please call 1.800.327.8774.

SHIPPING POLICY

To view our shipping policy, please visit superiorrecreationalproducts.com/shipping. For any further information please call 1.800.327.8774.

*For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by Superior Recreational Products using approved Superior Recreational Products parts. Superior Recreational Products will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice number.

Appendix

Proper Care, Maintenance, and Safe Removal of the Shade Canopy

AVOID

SNOW, ICE, AND HIGH WINDS: Remove the canopy in winter conditions as ice and snow loads are not covered by the warranty. The same goes for winds in excess of hurricane force 1.

SHARP OBJECTS: Always avoid dragging the fabric across surfaces, etc. Roll or fold the fabric and carry it. Avoid sharp objects, bolts, snags, and other protrusions including mounting hardware.

OBSTRUCTIONS: Keep foliage, such as tree limbs, shrubbery, and bushes, trimmed back and away from fabric at least three to four feet.

SOURCES OF HEAT: Avoid contact with heat sources such as hot lights, torches, and avoid using grills, etc. under the fabric.

CLEANING THE FABRIC

The fabric itself is generally maintenance free with the exception of necessary removal due to weather or seasonal requirements. The fabric does not harbor mildew or mold, but residues such as tree sap, leaves, bird droppings, dust and dirt may need to be removed. To clean the fabric, use water and mild soap. A soft mop or soft broom may also be used. Cleaners that do not contain hydrocarbons, solvents, bleach or ammonia may be used. Use of solvents, hydrocarbons, bleach, and ammonia type cleaners will void the fabric warranty. A pressure washer may be used if necessary using a wide-spray nozzle.

CABLES AND HARDWARE

It is recommended that the cables be replaced every 3 to 4 years or if corrosion is visible, whichever comes first. The cable ends must be wrapped with tape to secure any wires; thus, preventing the wires from tearing the fabric. Taping must be done when removing old cable as well as when installing new cable. Clamps should be replaced when the cable is replaced. If the cable appears slack on a still day (no wind), immediately have the cable and clamps re-tightened by a qualified person. The cable should not be slack.

GLIDE ELBOW™

Lubricate Glide Elbows™ annually and before operating. A waterproof grease is recommended such as a lithium-based grease or anti-seize thread lubricant.

STORAGE

Fabric must be stored in a clean, dry place free from snags, sharp edges, etcetera. The storage area must be rodent-free. Wrap all hardware fittings with rags or some other protector, as they can damage the fabric.

UNINSTALLING THE SHADE CANOPY

NECESSARY CARE: It is important to take necessary care when handling the fabric during removal and installation to prevent damage to the fabric as well as SAFE control of the fabric in a breeze or wind. The fabric is tough and engineered for use as a shade, but it can tear or cut when or if pulled over a snag or sharp item; it can puncture from bolts or other protruding objects; and it can melt from objects such as like cigarettes, matches, hot torch tips, sparks and the like. In addition, care must be exercised to avoid the fabric hooks after the fabric is unhooked from the elbow corners and sides of the structure where there are intermediate supports. It is best to wrap any connected mounting hardware to prevent it from harming the fabric.

PROPER AND SAFE: Based on the size of the canopy, several persons may be needed to properly and safely handle the fabric during the uninstalling process. You will need several commercial ladders or other means to work safely at heights such as scissor lifts, etc. It is advised that you pad the post side of the ladder and tie the ladder to the post. The pad is to protect the post finish. Also keep in mind that every 100 square feet of fabric (10' X 10') weighs approximately five pounds; a large canopy can get heavy fast. For proper control of the fabric, read below. It is best to remove the fabric on a still day. Do not attempt to remove the canopy in strong or gusty winds.

REMOVAL OF THE CANOPY: Do not attempt to remove the canopy in strong or gusty winds.

STANDARD ELBOWS: For shade structures with Standard Elbows, loosen the turnbuckle several turns in order to put enough slack in the cable to allow the fabric and cable to unhook from all the elbow hooks. Attach 3/8" or larger ropes to each corner of the fabric and cable before unhooking to secure and properly control the fabric from ground level. If uninstalling in breezy conditions, choose the windy side of the fabric and tie these corners to the posts with the ropes with enough slack to allow for unhooking the fabric from the structure. These ropes are to prevent the shade from flying away in the breeze and to help prevent injury to ground personnel. Once the corners have been secured to the posts, unhook the fabric and cables from each corner.

On the side away from the wind, release the corners of the fabric and cable and have a person hold on to each rope. It may help to wrap the rope around a column to help hold it from getting caught in the wind. Fold the fabric back away from the hooks. Now it will be necessary to remove the cable clamps to allow the cable to be free from the structure and the turnbuckle. If the cable ends are frayed, wrap them with tape. It is usually not necessary nor is it recommended that the cable be removed from the canopy. With a person on each rope, starting at the windy side, gently pull the canopy down in between the framework of the structure. The side away from the wind can be guided with the ropes toward the persons pulling the canopy down. It is important when reinstalling the canopy, that it is put back in its original orientation to the structure. Starting at the turnbuckle corner, the fabric and cable corners should be returned to their original positions.

GLIDE ELBOWS: For shade structures with Glide Elbows, remove the protective covers from the ends of the glide elbows. Then, using the proper wrench, turn the hex nuts on the end of the Glide Elbow to run the glide hooks to their top most position. Do not loosen the cable clamps, leave the cable intact. Attach 3/8" ropes to each corner of the fabric and cable before unhooking to secure and properly control the fabric from ground level. If uninstalling in breezy conditions, choose the windy side of the fabric and tie these corners to the posts with the ropes with enough slack to allow for unhooking the fabric from the structure. These ropes are to prevent the shade from flying away in the wind and to help prevent injury to ground personnel. Once the corners have been secured to the posts, unhook the fabric and cables. On the side away from the wind, release the corners of the fabric and cable and have a person hold on to each rope. Fold the fabric back away from the hooks. It is a good idea to put the Glide Elbow protective covers back in place. With Glide Elbow installations it is not necessary to loosen or remove the cable clamps nor to remove the cable from the canopy. If the cable ends are frayed, wrap them with tape. When uninstalling the canopy, mark or identify the corner of origin in such a way that when reinstalling the canopy, it is put back in its original orientation to the structure. The fabric and cable corners should be returned to their original positions when reinstalling the canopy. The cable and fabric should tighten properly when the glide elbows are adjusted down into their tension positions.

SHADE SAILS WITH FANS: For shade sails equipped with fans, loosen the adjustable threaded rod several turns in order to put enough slack in the cable to allow the shackle pin to be removed (do not remove the pins until the fabric corners have been secured with ropes). Attach 3/8" or larger ropes to each corner of the fabric and fan before unhooking to secure and properly

control the fabric from ground level. If uninstalling in breezy conditions, choose the windy side of the fabric and tie these corners to the posts with the ropes with enough slack to allow for unhooking the shackle from the structure. These ropes are to prevent the shade from flying away in the breeze and to help prevent injury to ground personnel. Once the corners have been secured to the posts, unhook the shackles and lower the fabric and cable to the ground.

REINSTALLING HINTS

Using the same rope technique, install from the windy side (if it is breezy) making sure to secure these ropes to the posts. Then, throw the remaining corner ropes over the structure and gently pull the canopy into position. The cables and fabric corners can now be fastened on the hooks (and cable guides if so equipped). Next reinstall the clamps if applicable and tightened the cable with the turnbuckle or the Glide Elbows. Do not attempt to install the canopy in strong or gusty winds.

Tab 4 – Qualifications and Experience



3125 Skyway Circle, Melbourne, FL 32934

Introduction

Advanced Recreational Concepts focuses on supplying traditional and conceptual commercial playground, shade, and safety surfacing solutions with a large variety of eco-friendly products. Our main objective is to deliver the best value and unequalled service that not only satisfies, but exceeds our customers' expectations. We have everything to make your shade project a reality.

Advanced Recreational Concepts, LLC is a Florida-based Limited Liability Corporation headquartered at 3125 Skyway Circle, Melbourne, FL 32934.

Play Space Services, INC is a Florida-based Corporation headquartered at 3125 Skyway Circle, Melbourne, FL 32934.

Each organization is owned and presided over by Laz Gonzalez. All work will be directed and managed from the corporate headquarters of all operations in Melbourne, FL.

- Advanced Recreational Concepts will be responsible for planning, design, and overall management of the project
- Play Space Services will be responsible for estimating/ordering materials, managing site preparedness, and installation
- All communication will be handled by your project lead – Matt Gagnon from Advanced Recreational Concepts



Tab 4 – Qualifications and Experience



Project References

REFERENCE #1

a. Project Owner Name: **Seminole County**
Project Site Address: **3450 E Lake Mary Blvd. Sanford, FL**
Project Phone Number: **407-945-9910**
Project Manager: **Rick Bundy Wharton Smith**

b. Project Name: **Seminole County Baseball Complex**

c. Scope of Work: Supplied, delivered, and installed shade structures

d. Project Completion Date: December 2016

e. Project Value: \$300,000

Project Managers employed by Advanced Recreational Concepts during project and currently: Sally-Ann Ball, John Murphy, Laz Gonzalez



Tab 4 – Qualifications and Experience



Project References

REFERENCE #2

a. Project Owner Name: **Good Samaritan Society**
Project Site Address: **1500 Aldersgate Dr. Kissimme, FL. 34746**
Project Phone Number: **407-515-2892**
Project Manager: **Kelly Lyons**

b. Project Name: **8 Acre Park Playground Surfacing**

c. Scope of Work: Supplied, delivered, and installed custom amphitheater shade.


d. Project Completion Date: September 2015

e. Project Value: \$60,000

Project Managers employed by Advanced Recreational Concepts during project and currently: Sally-Ann Ball, Paul Bickham, John Murphy, Laz Gonzalez



Tab 4 – Qualifications and Experience



Project References

REFERENCE #3

a. Project Owner Name: **City of Sarasota**
Project Site Address: **1845 34th St. Sarasota, FL. 34234**
Project Phone Number: **813-523-2437**
Project Manager: **Neil Gaines**

b. Project Name: **Robert L Taylor Community Park**

c. Scope of Work: Supplied, delivered, and installed playground and shade structures.


d. Project Completion Date: February 2015

e. Project Value: \$122,000

Project Managers employed by Advanced Recreational Concepts during project and currently: Matt Gagnon, Paul Bickham, John Murphy, Laz Gonzalez



Tab 5 – Price Form (Schedule A)




Where fun has no boundaries ...



CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

SCHEDULE A: PRICE SCHEDULE FORM

The Proposer's price shall cover all costs associated with providing a design, the supply and installation costs associated with the new playground equipment, shade cover, and fall zone material at Butler Park, and completion and delivery of all documentation, and permitting as applicable. This playground must be a minimum of 5,000 square feet, and will offer approximately one-third of the play space for children ages 2 – 5; and two-thirds play structures for children ages 5 – 12; will include at least two (2) swing sets; will include a stand-alone shade structure that provides a minimum coverage of fifty percent (50%) of the playground square footage, and will include fall zone material.

Submission of a Responsive Proposal certifies that the Proposer submitted line items generated from the forms provided by the City. If any errors have been made by the Proposer in preparing the Price Schedule, the Proposer hereby consents that such errors will be applied by the City in the manner most beneficial to the City.

The Proposal should provide a total itemized list, including unit prices of the components, materials, labor, and equipment proposed for the supply and installation of the Butler Park playground equipment. Attach additional pages as needed to provide the unit prices, which will not count towards the total page count. However, the total not to exceed lump sum amount must be provided on the Price Schedule Form below. The Proposal should provide the total calendar days to supply and install all playground equipment from receipt of written Notice to Proceed by the City. Time is of the essence for completion of this project.

Through the signing of this Price Schedule Form, Proposer attests his/her proposal is guaranteed for a period of not less than **ONE HUNDRED EIGHTY (180) DAYS** from the date of the official proposal opening.

ITEM DESCRIPTION	TOTAL NOT TO EXCEED LUMP SUM PRICE (Numeric):
Provide Design Option Details, and Supply and Install Playground Equipment as specified herein.	\$ 199,854.17

TOTAL NOT TO EXCEED LUMP SUM PRICE (Type/Print):

one hundred ninety nine thousand eight hundred fifty-four dollars and seventeen cents

CALENDAR DAYS TO COMPLETE THE WORK FROM NTP: 90 days or less

PROPOSER COMMENTS:

BUSINESS NAME: Advanced Recreational Concepts

NAME (PERSON AUTHORIZED TO BIND THE COMPANY): Lazaro Gonzalez

SIGNATURE:  **DATE:** 08.12.2019

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL.



Advanced Recreational Concepts, LLC

Melbourne, FL 32934

Phone: 321-775-0605 / Fax: 321-242-2216

Proposal

Organization City of North Port
4970 City Hall Blvd.
North Port, FL 34286

Prepared For Justin Daly
Ship To Butler Park Community Center
6205 W. Price Blvd.
North Port, FL 34287

Date 8/9/2019
Quotation # 21830
Prepared By Matt Gagnon - EN
Payment Terms Net 30
Prices Valid Until 9/30/2019
Project Name Butler Playground Bid
Customer Phone
County Sarasota

Product ID	Description	Qty	U/M	Price	Total
	PROPOSAL IS FOR SUPPLY, DELIVERY AND INSTALLATION				
PR-R5	Playcraft Systems - R506F819A Custom Play System	1		35,875.00	35,875.00
PR-R5	Playcraft Systems - R50880B5A Custom Play System	1		17,958.00	17,958.00
A2-2123-ADAX1	Playcraft Systems - Arch Swing (1INC)	1		2,120.00	2,120.00
A2-2123-PS-AB	Playcraft Systems - Arch Swing (Left, 1PS)	1		1,902.00	1,902.00
A2-2123-2B-AB	Playcraft Systems - Arch Swing (Left, 2B)	1		1,335.00	1,335.00
A2-2015	Playcraft Systems - Disc Swing	1		4,603.00	4,603.00
A2-1302	Playcraft Systems - Safety Sign 2-5	1		1,052.00	1,052.00
A2-1302	Playcraft Systems - Safety Sign 5-12	1		1,052.00	1,052.00
A2-1346	Playcraft Systems - Toddler Sallie Spring Rider	1		951.00	951.00

100% Financing Available – Flexible Terms
Ask Your ARC Sales Representative For More Information

Subtotal
Sales Tax (0.0%)
Total

Signature _____ Print Name/Title _____ Date _____ P.O. # _____

Upon acceptance of this proposal please sign above and initial the 'ARC Site Preparation Check List' and the 'ARC General Terms and Conditions' exhibits attached. Please return initialed copies to ARC.



Advanced Recreational Concepts, LLC

Melbourne, FL 32934

Phone: 321-775-0605 / Fax: 321-242-2216

Proposal

Organization City of North Port
4970 City Hall Blvd.
North Port, FL 34286

Prepared For Justin Daly
Ship To Butler Park Community Center
6205 W. Price Blvd.
North Port, FL 34287

Date 8/9/2019
Quotation # 21830
Prepared By Matt Gagnon - EN
Payment Terms Net 30
Prices Valid Until 9/30/2019
Project Name Butler Playground Bid
Customer Phone
County Sarasota

Product ID	Description	Qty	U/M	Price	Total
A2-1905	Playcraft Systems - Thunder Dome	1		7,018.00	7,018.00
A2-4286-6G	Playcraft Systems - 6ft Bench with Back - Inground Mount	2		536.00	1,072.00
A2-4250-S6	Playcraft Systems - 6ft Picnic Table	1		1,035.00	1,035.00
Drawings	Florida Signed and Sealed Drawings (3 Sets) WITH CALCULATIONS provided.	2		1,000.00	2,000.00
Shipping	Freight - Playcraft Systems	1		9,425.00	9,425.00
Custom Shade	Superior Recreational Products - Super Dome Square Hip Shade 50' x 50' x 12 Entry Height - Four (4) Columns on Base Plates @ 12x12x1/4" - Rafters at 10x6x1/4 Without Glide Elbows	1		32,982.00	32,982.00
Drawings	Florida Signed and Sealed Drawings (3 Sets) WITH CALCULATIONS provided.	1		1,500.00	1,500.00
Shipping	Freight - Superior Recreational Products	1		5,632.77	5,632.77
Borders	12" High Borders with Spike	72		39.95	2,876.40
ADA Ramp	Full ADA Ramp	1		750.00	750.00

100% Financing Available – Flexible Terms
Ask Your ARC Sales Representative For More Information

Subtotal
Sales Tax (0.0%)
Total

Signature _____ Print Name/Title _____ Date _____ P.O. # _____

Upon acceptance of this proposal please sign above and initial the 'ARC Site Preparation Check List' and the 'ARC General Terms and Conditions' exhibits attached. Please return initialed copies to ARC.



Advanced Recreational Concepts, LLC

Melbourne, FL 32934

Phone: 321-775-0605 / Fax: 321-242-2216

Proposal

Organization City of North Port
4970 City Hall Blvd.
North Port, FL 34286

Prepared For Justin Daly
Ship To Butler Park Community Center
6205 W. Price Blvd.
North Port, FL 34287

Date 8/9/2019
Quotation # 21830
Prepared By Matt Gagnon - EN
Payment Terms Net 30
Prices Valid Until 9/30/2019
Project Name Butler Playground Bid
Customer Phone
County Sarasota

Product ID	Description	Qty	U/M	Price	Total
Shipping	Freight - APS	1		891.00	891.00
ADA Wood Mulch	Supply and Delivery of ADA Wood Mulch of Approx. 202 cu. yds. for coverage area with a Depth of 12"	202		55.00	11,110.00
Vendor Trip Surcharge	Wood Mulch Vendor Trip Surcharge	2		425.00	850.00

100% Financing Available – Flexible Terms
Ask Your ARC Sales Representative For More Information

Subtotal
Sales Tax (0.0%)
Total

Signature _____ Print Name/Title _____ Date _____ P.O. # _____

Upon acceptance of this proposal please sign above and initial the 'ARC Site Preparation Check List' and the 'ARC General Terms and Conditions' exhibits attached. Please return initialed copies to ARC.



Advanced Recreational Concepts, LLC

Melbourne, FL 32934

Phone: 321-775-0605 / Fax: 321-242-2216

Proposal

Organization City of North Port
4970 City Hall Blvd.
North Port, FL 34286

Prepared For Justin Daly
Ship To Butler Park Community Center
6205 W. Price Blvd.
North Port, FL 34287

Date 8/9/2019
Quotation # 21830
Prepared By Matt Gagnon - EN
Payment Terms Net 30
Prices Valid Until 9/30/2019
Project Name Butler Playground Bid
Customer Phone
County Sarasota

Product ID	Description	Qty	U/M	Price	Total
	<p>INSTALLATION</p> <p>PROJECT NOTES:</p> <ul style="list-style-type: none"> - Pricing is Based on Clear Access to Site to Include Machinery - Pricing is Based on Staging/Delivery Area being Next to Installation Area - Pricing is Based on Offloading of Products on Site and Immediate Installation - Underground Utility Locate Provided by PSS - Palm Tree Removal by PSS (up to QTY 5) - Dumpsters for packaging materials by PSS <p>NOTE: Total Price reflects spoils from footers to be dispersed onsite. Should this not be allowed, a change order for additional Dumpsters will be necessary.</p> <p>NOTE: Total Price reflects all portions of project being accepted. Should any portion of job not be picked up, new quote will be generated.</p>				

100% Financing Available – Flexible Terms
Ask Your ARC Sales Representative For More Information

Subtotal
Sales Tax (0.0%)
Total

Signature _____ Print Name/Title _____ Date _____ P.O. # _____

Upon acceptance of this proposal please sign above and initial the 'ARC Site Preparation Check List' and the 'ARC General Terms and Conditions' exhibits attached. Please return initialed copies to ARC.



Advanced Recreational Concepts, LLC

Melbourne, FL 32934

Phone: 321-775-0605 / Fax: 321-242-2216

Proposal

Organization City of North Port
4970 City Hall Blvd.
North Port, FL 34286

Prepared For Justin Daly
Ship To Butler Park Community Center
6205 W. Price Blvd.
North Port, FL 34287

Date 8/9/2019
Quotation # 21830
Prepared By Matt Gagnon - EN
Payment Terms Net 30
Prices Valid Until 9/30/2019
Project Name Butler Playground Bid
Customer Phone
County Sarasota

Product ID	Description	Qty	U/M	Price	Total
Installation	Installation of Playground to Include the Following: - One (1) Playcraft Playground including all necessary Concrete Footers - One (1) 3-Bay Swingset - One (1) Disc Swing - One (1) Spring Rider - One (1) Thunder Dome - Two (2) 6ft Benches - One (1) 6" Picnic table - Two (2) Playground Safety Signs - Seventy Two (72) 12" Borders - One (1) ADA Full Ramp - 6,300 SqFt of Filter Fabric (includes overlap)	1		23,037.00	23,037.00
Installation	Installation of Shade to Include the Following: - One (1) 50' x 50' x 10' Entry Height Super Dome Hip Shade (19.5' Peak Height) - Four (4) Concrete Footers Approx 6.91' x 6.91' x 3'D each	1		21,327.00	21,327.00
Payment Bond	5% Payment and Performance Bond	1		5,000.00	5,000.00
Tree Removal	Tree Removal - Five (5) Trees Removed	1		2,750.00	2,750.00

100% Financing Available – Flexible Terms
Ask Your ARC Sales Representative For More Information

Subtotal
Sales Tax (0.0%)
Total

Signature _____ Print Name/Title _____ Date _____ P.O. # _____

Upon acceptance of this proposal please sign above and initial the 'ARC Site Preparation Check List' and the 'ARC General Terms and Conditions' exhibits attached. Please return initialed copies to ARC.



Advanced Recreational Concepts, LLC

Melbourne, FL 32934

Phone: 321-775-0605 / Fax: 321-242-2216

Proposal

Organization City of North Port
4970 City Hall Blvd.
North Port, FL 34286

Prepared For Justin Daly
Ship To Butler Park Community Center
6205 W. Price Blvd.
North Port, FL 34287

Date 8/9/2019
Quotation # 21830
Prepared By Matt Gagnon - EN
Payment Terms Net 30
Prices Valid Until 9/30/2019
Project Name Butler Playground Bid
Customer Phone
County Sarasota

Product ID	Description	Qty	U/M	Price	Total
Permitting	Permitting and administration - Note that this includes submission of documentation either specified and included in this proposal, such as engineered drawings or provided by the owner - should any additional testings or documentation be required - such as soil bearings, site drawings or surveys and so forth, costs associated with them will be the responsibility of the owner.	1		3,750.00	3,750.00

100% Financing Available – Flexible Terms
Ask Your ARC Sales Representative For More Information

Subtotal \$199,854.17
Sales Tax (0.0%) \$0.00
Total \$199,854.17

Signature _____ Print Name/Title _____ Date _____ P.O. # _____

Upon acceptance of this proposal please sign above and initial the 'ARC Site Preparation Check List' and the 'ARC General Terms and Conditions' exhibits attached. Please return initialed copies to ARC.

Tab 6 – Submission Requirements And Required Submittal Forms

 **ARC**
Where fun has no boundaries . . .





City of North Port
Purchasing
4970 City Hall Boulevard
North Port, Florida 34286
Phone: (941) 429-7170

AUGUST 12, 2019

TO: PROSPECTIVE PROPOSERS

RE: RFP NO. 2020-06: SUPPLY AND INSTALL PLAYGROUND EQUIPMENT, SHADE COVER AND FALL ZONE MATERIAL AT BUTLER PARK

RFP DUE DATE: 2:00 PM, AUGUST 20, 2019

19

ADDENDUM NO. 1

Proposers are hereby notified that this addendum shall be made part of the above-named proposal and agreement documents. The following changes to the above proposal are issued to modify, and/or clarify the proposal and agreement documents (the deletions are as ~~striketroughs~~ and additions as underlined). These items shall have the same force and effect as the original documents, and proposals to be submitted on the specified date shall conform with the additions, deletions and revisions as listed herein.

QUESTIONS/ANSWERS:

QUESTION #1: Is a CAD file/drawing available for the site plan.

ANSWER #1: Yes, see attached Site Plan drawing, Sheet C-7, dated April 2019 (1 page), and the Butler Parking Lot CAD drawing (1 page).

QUESTION #2: Can one permit be used to cover both the installation of the playground equipment and shade structure?

ANSWER #2: Yes, one permit may be used to cover the installation of the playground equipment and shade structure providing the Contractor is responsible for both the equipment and shade structure installation. If these work activities are performed by different Contractors/Sub-Contractors, then two (2) permits will be required.

QUESTION #3: Can some integrated shade/sails be incorporated into the design?

ANSWER #3: Yes, providing the overall shade coverage including the stand-alone shade cover is no less than fifty percent (50%) of the playground square footage. The City's preference is to utilize stand-alone shade structure(s). The design may include multiple shade covers/sails to achieve the minimum coverage requirement.

QUESTION #4: Are there any additional requirements the City has regarding the seating/benches requested in the RFP?

ANSWER #4: The preference is to have these seating areas in the shade. No quantity requirements have been established.

QUESTION #5: What is the number of benches the City wants at the site, and do the benches need to be in the shade (it is all about price)?

ANSWER #5: The preference is to have these seating areas in the shade. No quantity requirements have been established.

PB

QUESTION #6: Are there any additional requirements the City has regarding the swings?

ANSWER #6: No, however, the composition of the swings may incorporate more than one type of swing in a set. I.E. the bays of the swing set may include various types such as toddler, ADA compliant, and adult/child swing. Additionally, the swings can be located in one area of the playground space.

QUESTION #7: Can there be some open/"dead" space in the playground design?

ANSWER #7: The City's preference is that the playground equipment fills the space in the most effective way to maximize play value. However, some open space may be included to allow for future expansion or installations.

QUESTION #8: Is the Contractor responsible for hauling away and proper disposal of the extra dirt removed during grading, footer installations, or other work activities?

ANSWER #8: Haul off and proper disposal of dirt, soils, building materials, and all other debris shall be the responsibility of the contractor.

QUESTION #9: Can the City clarify what is meant by "Drainage Materials" as specified in the first paragraph of the Scope of Project found on page 24 of the RFP?

ANSWER #9: The Contractor shall grade the project site sufficiently and install geotextile fabric to maximize the drainage efficiency of the playground area. If in your firm's opinion additional drainage materials or work is required this information should be detailed in the proposal for the City's consideration.

QUESTION #10: Are landing mats required in this scope of work?

ANSWER #10: Landing mats are to be included in the proposed design only if required to be in compliance with all applicable ADA, CPSC, ASTM, IPEMA requirements, and Federal, State, and local regulations.

QUESTION #11: Is a sidewalk installation included in the scope of work to access the playground?

ANSWER #11: No.

QUESTION #12: What are the acceptable fence materials required for security?

ANSWER #12: A 6' high construction fence encompassing the perimeter of the entire construction site including equipment and materials must be installed.

QUESTION #13: Is silt fencing for erosion control required? Are there any other erosion control requirements for this project?

ANSWER #13: Yes. Erosion control is required on all construction sites as well as compliance with the City's BMP policy. These items are covered during the permitting process.

QUESTION #14: We are finding out through our manufacturers that due to the size of the structure we need to provide, an easy-off system is not available due to engineering limitations. The engineering on the mechanism will not support a shade that size. 1100 square feet is the max for shade size. This is a standard in the industry. How would you like us to proceed?

ANSWER #14: As noted, 50% of the playground must be covered in shade. The City prefers easy off systems or similar mechanisms that limit staff and time required for removal. Multiple structures can be proposed to provide the shade cover requested.

PB

QUESTION #15: We determined that (3) Palm Trees need to be removed from the playground site. Do the Palm trees have to be relocated on site or can the contractor discard them? Does the contractor have to replace them?

ANSWER #15: If trees are removed, new trees will need to be planted to replace the removed trees. The trees installed to replace the removed trees must be in compliance with the City's current tree ordinance(s) and approved by the City.

QUESTION #16: Site elevation is an issue due to the slope. The slope is about 16 to 18 inches from one end to the other. There are several options available:

- A. Does the contractor bring in topsoil to even out the slope? Will the city provide the topsoil since there was so much at the site?
- B. Can the contractor excavate the area that is high and move the dirt to the lower end to level the play area? As a result of the excavation, the border timbers around the excavated area will be below grade about 8".

ANSWER #16: Options A and B above are both acceptable approaches to the project. The City may have topsoil to provide to the contractor, however, this is not certain as the future playground site is adjacent to the active construction site for the Aquatic Center parking lot. As a result, the elevations of the playground area may have some changes as the aquatic center is completed.

QUESTION #17: I have attached a site plan of the proposed site. Does the City agree with this location?

ANSWER #17: The document provided does not include reference points to the overall site. Please see the attached site plan (Kimley Horn, Sheet C-7, dated April 2019). The playground must be installed completely within the "Future Playground Location" as indicated.

CLARIFICATIONS/REVISIONS:

On page 27 of RFP 2020-06, under the "Assembly/Installation and Inspection" section the height of the security fence is hereby amended to 6' tall.

"Notwithstanding any permitting requirements, the Contractor will supply and install a temporary security fence, a minimum of 4' six feet (6') tall, around the construction site during the entire installation process."

Firms are required to acknowledge receipt of this addendum on their proposal forms. All other terms and conditions of the original proposal and agreement documents remain the same.

Justin M. Daly

Justin Daly
Contract Administrator I
Finance Department/Purchasing Division
4970 City Hall Blvd.
North Port, Florida 34286
Tel: 941.429.7102
Fax: 941.429.7173
E-mail: jdaly@cityofnorthport.com

Receipt of Addendum No. 1 shall be noted within the Proposal Form in the appropriate section.

End of Addendum No. 1

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

STATEMENT OF ORGANIZATION
(Information Sheet for Transactions and Conveyances Corporation Identification)

The following information will be provided to the City of North Port for incorporation in legal documents. It is, therefore, vital all information is accurate and complete. Please be certain all spelling, and capitalization is exactly as registered with the state or federal government.

Name of Respondent: Advanced Recreational Concepts

DBA (if any): _____

Type of Entity (Sole Proprietor, Corporation, LLC, LLP, Partnership, etc): LLC

Business Address: 3125 Skyway Cir. Melbourne, FL 32934

Phone: 321-775-0600 Fax: _____

E-Mail info@arcflorida.com

Print Name and Title of person authorized to bind: Lazaro Gonzalez

Federal Identification Number: 20-0520823

Signature: _____


Respondent shall submit proof that it is authorized to do business in the State of Florida unless registration is not required by law.

(Please Check One)

Is this a Florida Corporation: Yes or No

If not a Florida Corporation,

In what state was it created: _____

Name as spelled in that State: _____

What kind of corporation is it: "For Profit" or "Not for Profit"

Is it in good standing: Yes or No

Authorized to transact business
in Florida: Yes or No

State of Florida Department of State Certificate of Authority Document No.: L03000023078

Does it use a registered fictitious name: Yes or No

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

STATEMENT OF ORGANIZATION CONTINUED

Names of Officers:

President: Lazaro Gonzalez Secretary: _____

Vice President: _____ Treasurer: _____

Director: _____ Director: _____

Other: _____ Other: _____

Name of Corporation (As used in Florida):

Advanced Recreational Concepts, LLC.


(Spelled exactly as it is registered with the state or federal government)

Corporate Address:

Post Office Box: _____
City, State Zip: _____
Street Address: 3125 Skyway Cir
City, State, Zip: Melbourne, FL. 32934

STATE OF Florida
COUNTY OF Brevard

Sworn to and subscribed before me this 15 day of August, 2019, by Lazaro Gonzalez who is personally known to me or has produced his/her driver's license as identification.



Tamara L. Ortiz
Notary Public - State of Florida
Print Name: Tamara L. Ortiz
Commission No: GG261965

NOTARY SEAL:

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

EQUIPMENT AND SUBCONTRACTOR/SUPPLIER LIST

Equipment is located at: 3125 Skyway Cir. Melbourne, FL .32934

The following is a listing of your major equipment, inclusive of manufacturer, year and condition. List the condition of equipment/vehicles utilized for this project in accordance with the following scale: **1-Excellent; 2-Good; 3-Fair; 4-Poor.** (Attach additional sheets, if required.)

Description	Manufacturer	Year	Condition	Leased/Owned (If leased, date of expiration)

SOURCE OF SUPPLY AND SUBCONTRACTOR FORM

The following sources of supply and subcontractors shall be used for **RFP NO. 2020-06 SUPPLY AND INSTALL PLAYGROUND EQUIPMENT, SHADE COVER, FALL ZONE AT BUTLER PARK.** If Proposer does not have a source of supply or subcontractor, insert "to be determined". When a source or subcontractor is determined, selection will be subject to City approval. (If not applicable, state N/A).

SUBCONTRACTOR(S)

(PLEASE INCLUDE ADDRESS/TELEPHONE NUMBER & E-MAIL)

1. Playspace Services 3125 Skyway Cir/. Melbourne, FL. 32934 321-775-0600
2. _____
3. _____
4. _____

SUPPLIER(S)

1. Playcraft Systems 123 North Valley Dr. Grants Pass, OR 97526
2. SRP Shade 150 Adamson Industrial Blvd. Carrollton, GA 30117
3. _____
4. _____

Date: _____

Signed (Person authorized to bind the company): 

Name (printed): Lazaro Gonzalez Title: Owner

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

REFERENCES/CLIENT LISTING

The Contractor shall provide a minimum of three (3) business related references for which they are currently providing, or have provided within the last three (3) years, services similar to the scope of services required by this RFP. Attach additional sheets if necessary.

1. Company/Entity Name: City of Sarasota

Address: 1761 12th St.

City: Sarasota State FL Zip Code 34236

Name of Contact Person: John Kretzer Title: _____

Telephone# 727-434-0426 Fax: _____ E-Mail: john.kretzer@sarasotaFL.gov

Contract Period: 8+ years Type of Product Supplied: Playground,shade,shelter,surfacing,and amenities

Governmental or Private: Government Dollar Value of Contract \$ \$500,000

2. Company/Entity Name: Sarsota County

Address: 1660 Ringling Blvd., 5th Florr

City: Sarasota State FL Zip Code 34236

Name of Contact Person: Mary Davis Wallace Title: _____

Telephone# 919-412-4022 Fax: _____ E-Mail: mwallace@scgov.net

Contract Period: 10+ years Type of Product Supplied: Playground,shade,shelter,surfacing,and amenities

Governmental or Private: Government Dollar Value of Contract \$ \$2,000,000.00

3. Company/Entity Name: Mantee County

Address: 1112 Mantee Ave.

City: Bradenton State FL Zip Code 34205

Name of Contact Person: Debra Levenworth Title: _____

Telephone# 941-737-3000 Fax: _____ E-Mail: debra.levenworth@mymantee.org

Contract Period: 10+ years Type of Product Supplied: Playground,shade,shelter,surfacing,and amenities

Governmental or Private: Government Dollar Value of Contract \$ \$500,000

COMPANY NAME: Advanced Recreational Concepts

SIGNATURE:  _____

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

DRUG FREE WORKPLACE FORM

The undersigned Contractor in accordance with Florida Statute 287.087 hereby certifies that Advanced Recreational Concepts does:
(Company Name)

1. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.
2. Inform employees about the dangers of drug abuse in the workplace, the business's policy of maintaining a drug free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.
3. Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in subsection (1).
4. In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of Chapter 893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.
5. Impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee's community, by any employee who is so convicted.
6. Make a good faith effort to continue to maintain a drug free workplace through implementation of this section.

Check one:

- As the person authorized to sign this statement, I certify that this Contractor complies fully with above requirements.
- As the person authorized to sign this statement, this Contractor **does not** comply fully with the above requirements.



Proposer's Signature

08.15.2019

Date

THIS PAGE MAY BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

PUBLIC ENTITY CRIME INFORMATION

As provided by F.S. §287.133, a person or affiliate who has been placed on the convicted Vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a Vendor, Supplier, SubVendor, or Vendor under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted Vendor list.

I, Lazaro Gonzalez, being an authorized representative of the Respondent, Advanced Recreational Concepts, located at 3125 Skyway Cir

City: Melbourne State: FL Zip Code: 32934, have read and understand the contents above. I further certify that Respondent is not disqualified from replying to this solicitation because of F.S. §287.133.


Signature:  Date: 08.15.19

Telephone #: 321-775-0600 Fax #: _____

Federal ID #: 20-0520823


STATE OF Florida
COUNTY OF Brevard

Sworn to and subscribed before me this 15 day of August, 2019, by Lazaro Gonzalez who is personally known to me or has produced his/her driver's license as identification.


Notary Public - State of Florida

Print Name: Tamara L. Ortiz

Commission No: GG261965



NOTARY SEAL:

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

NON-COLLUSIVE AFFIDAVIT

State of _____ }
County of _____ } SS.

Before me, the undersigned authority, personally appeared:
Lazaro Gonzalez who, being first duly sworn, deposes and says that:

1. He/She is the Owner (Owner, Partner, Officer, Representative or Agent) of Advanced Recreational Concepts, the Respondent that has submitted the attached reply;
2. He/She is fully informed respecting the preparation and contents of the attached reply and of all pertinent circumstances respecting such reply;
3. Such reply is genuine and is not a collusive or sham reply;
4. Neither the said Respondent nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affiant, have in any way colluded, conspired, connived or agreed, directly or indirectly, with any other respondent, Contractor, or person to submit a collusive or sham reply in connection with the work for which the attached reply has been submitted; or have in any manner, directly or indirectly sought by agreement or collusion, or communication or conference with any respondent, Contractor, or person to fix the price or prices in the attached reply or of any other respondent, or to fix any overhead, profit, or cost elements of the reply price or the reply price of any other respondent, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against (Recipient), or any person interested in the reply work.


Signed, sealed and delivered this 15th day of August, 2019.

By: _____

Lazaro Gonzalez
(Printed Name)
Owner
(Title)

STATE OF Florida
COUNTY OF Brevard

Sworn to and subscribed before me this 15 day of August, 2019, by Lazaro Gonzalez who is personally known to me or has produced his/her driver's license as identification.



Notary Public - State of Florida
Print Name: Tamara L. Ortiz
Commission No: GG261965

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

LOBBYING CERTIFICATION

“The undersigned hereby certifies, to the best of his or her knowledge and belief, that”:

STATE OF _____

COUNTY OF _____

This 15th day August of 2019

Lazaro Gonzalez, being first duly sworn, deposes and says that he or she is the authorized representative of Advanced Recreational Concepts (Name of the Firm, Contractor or individual), and that the Contractor and any of its agents agree to have no contact or communication with, or discuss any matter related in any way to any active City of North Port solicitation, with any City of North Port elected officials, officers, their appointees or their agents or any other staff or outside individuals working with the city in respect to this request other than the designated Procurement Official Contact and to abide by the restrictions outlined in the General Terms and Conditions of the Solicitation. Technical questions directed to the project manager, is prohibited. These persons shall not be lobbied, either individually or collectively, regarding any questions for bid, proposal, qualification and/or any other solicitations released by the city. To do so is grounds for immediate disqualification from the selection process. The selection process is not considered final until such a time as the Commission has made a final and conclusive determination.

(a) No City appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence either directly or indirectly an officer or employee of the City, City Commission in connection with the awarding of any City Contract.

(b) If any funds other than City appropriated funds have been paid or will be paid to any person for influencing or attempting to influence a member of City Commission or an officer or employee of the City in connection with this contract, the undersigned shall complete and submit Standard Form-L “Disclosure Form to Report Lobbying”, in accordance with its instructions.

Signed, sealed and delivered this 15th day of August, 2019.

By: [Signature]


Lazaro Gonzalez

(Printed Name)
Owner

(Title)

STATE OF Florida
COUNTY OF Brevard

Sworn to and subscribed before me this 15 day of August, 2019, by Lazaro Gonzalez who is personally known to me or has produced his/her driver's license as identification.



Notary Public - State of Florida
Print Name: Tamara L. Ortiz
Commission No. GG261965

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

CONFLICT OF INTEREST FORM

F.S. §112.313 places limitations on public officers (including advisory board members) and employees' ability to contract with the City either directly or indirectly. Therefore, please indicate if the following applies:

PART I.

- I am an employee, public officer or advisory board member of the City
_____ (List Position Or Board)

- I am the spouse or child of an employee, public officer or advisory board member of the City
Name: _____

- An employee, public officer or advisory board member of the City, or their spouse or child, is an officer, partner, director, or proprietor of Respondent or has a material interest in Respondent. "Material interest" means direct or indirect ownership of more than 5 percent of the total assets or capital stock of any business entity. For the purposes of [§112.313], indirect ownership does not include ownership by a spouse or minor child.
Name: _____

- Respondent employs or contracts with an employee, public officer or advisory board member of the City
Name: _____

- None Of The Above

PART II:

Are you going to request an advisory board member waiver?

- I will request an advisory board member waiver under §112.313(12)
- I will NOT request an advisory board member waiver under §112.313(12)
- N/A

The City shall review any relationships which may be prohibited under the Florida Ethics Code and will disqualify any Contractors whose conflicts are not waived or exempt.

COMPANY: Advanced Recreational Concepts

SIGNATURE: _____

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

Scrutinized Company Certification Form

Company Name: Advanced Recreational Concepts

Authorized Representative Name and Title: Lazaro Gonzalez Owner

Address: 3125 Skyway Cir City: Melbourne State: FL ZIP: 32934

Phone Number: 321-775-0600 Email Address: info@arcflorida.com

A company is ineligible to, and may not, bid on, submit a proposal for, or enter into or renew a contract with the City of North Port for goods or services of any amount if, at the time of bidding on, submitting a proposal for, or entering into or renewing such contract, the company is on the Scrutinized Companies that Boycott Israel List, created pursuant to Florida Statutes, section 215.4725, or is engaged in a boycott of Israel.

A company is ineligible to, and may not, bid on, submit a proposal for, or enter into or renew a contract with the City of North Port for goods or services of \$1 million or more if, at the time of bidding on, submitting a proposal for, or entering into or renewing such contract, the company is on the Scrutinized Companies with Activities in Sudan List, the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, created pursuant to Florida Statutes, section 215.473, or with companies engaged in business operations in Cuba or Syria.

CHOOSE ONE OF THE FOLLOWING

- This bid, proposal, contract or contract renewal is for goods or services of less than \$1 million. As the person authorized to sign on behalf of the above-named company, and as required by Florida Statutes, section 287.135(5), I hereby certify that the above-named company is not participating in a boycott of Israel.
- This bid, proposal, contract or contract renewal is for goods or services of \$1 million or more. As the person authorized to sign on behalf of the above-named company, and as required by Florida Statutes, section 287.135(5), I hereby certify that the above-named company is not participating in a boycott of Israel, is not on the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, and it does not have business operations in Cuba or Syria.

I understand that pursuant to Florida Statutes, section 287.135, the submission of a false certification may result in the termination of the contract if one is entered into, and may subject the above-named company to civil penalties, attorney's fees and costs.

Certified By:  AUTHORIZED REPRESENTATIVE SIGNATURE

Print Name and Title: Lazaro Gonzalez

Date Certified: 08.15.2019

Solicitation/Contract/PO Number: 2020-06

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

CITY OF NORTH PORT
REQUEST FOR PROPOSAL NO. 2020-06
Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park

CITY OF NORTH PORT
BID BOND

In compliance with F.S. Chapter 255.051

STATE OF FLORIDA, CITY OF NORTH PORT


KNOW ALL BY THESE PRESENTS, that Advanced Recreational Concepts, LLC, authorized by law to do business as a Building contractor in the State of Florida, as Principal, and Merchants Bonding Company, a Corporation chartered and existing under the laws of the State of Iowa, as Surety, with its principal offices in the City of West Des Moines, and authorized to do business in the State of Florida, and in accordance with Section 255.051, Florida Statutes, are held and firmly bound unto the City of North Port, Florida, in the full and just sum of 5% of the Total Bid Price, in good and lawful money of the United States of America, to be paid upon demand by the City of North Port, to which payment well and truly to be made, we bind ourselves, our heirs, executors, administrators, and assigns, joint and severally and firmly by these presents.

The condition of the obligation is such, that whereas the Principal has submitted the attached Bid, dated August 20, 2019, for (RFP 2020-06, Supply and Install Playground Equipment, Shade Cover, Fall Zone Material at Butler Park).

NOW, THEREFORE, if the Principal shall withdraw said bid prior to the date of opening the same, or shall within 10 days after the prescribed forms are presented to him for signature enter into a written Contract with City of North Port, Florida, in accordance with the bid as accepted and give a Performance and Payment Bond with good and sufficient surety or sureties as may be required for the faithful performance and proper fulfillment of such Contract and for the prompt payment of all persons furnishing labor or materials in connection therewith or, in the event of failure to enter into such Contract and give such bond within the time specified, if the Principal shall pay the City the difference between the amount specified in said bid and the amount for which the City may procure the required work and/or supplies provided the latter amount to be excess of the amount specified in said bid, then the above obligations shall be void; otherwise, to remain in full force and effect.

IN THE WITNESS WHEREOF, the above written parties have executed this instrument under their several seals dated August 12, 2019, the name and corporate seal of each corporate party being hereto affixed and these presents duly signed by its undersigned representative, pursuant to authority of its governing body.

Advanced Recreational Concepts, LLC

 (SEAL)

(Principal)

Lazaro Gonzalez

Printed Name

Merchants Bonding Company (SEAL)

(Surety's Name)



(By-As Attorney-in-Fact, Surety)

Witness as to Principal:



(By)

Witness as to Surety:



Affix Corporate Seals and attach proper Power of Attorney for Surety. Tyler D DeBord

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

MERCHANTS
BONDING COMPANY™
POWER OF ATTORNEY

Know All Persons By These Presents, that MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., both being corporations of the State of Iowa (herein collectively called the "Companies") do hereby make, constitute and appoint, individually, Pamela J Thompson; Steve P Farmer; Tyler D DeBord

their true and lawful Attorney(s)-in-Fact, to sign its name as surety(ies) and to execute, seal and acknowledge any and all bonds, undertakings, contracts and other written instruments in the nature thereof, on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

This Power-of-Attorney is granted and is signed and sealed by facsimile under and by authority of the following By-Laws adopted by the Board of Directors of Merchants Bonding Company (Mutual) on April 23, 2011 and amended August 14, 2015 and adopted by the Board of Directors of Merchants National Bonding, Inc., on October 16, 2015.

"The President, Secretary, Treasurer, or any Assistant Treasurer or any Assistant Secretary or any Vice President shall have power and authority to appoint Attorneys-in-Fact, and to authorize them to execute on behalf of the Company, and attach the seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof."

"The signature of any authorized officer and the seal of the Company may be affixed by facsimile or electronic transmission to any Power of Attorney or Certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligations of the Company, and such signature and seal when so used shall have the same force and effect as though manually fixed."

In connection with obligations in favor of the Florida Department of Transportation only, it is agreed that the power and authority hereby given to the Attorney-in-Fact includes any and all consents for the release of retained percentages and/or final estimates on engineering and construction contracts required by the State of Florida Department of Transportation. It is fully understood that consenting to the State of Florida Department of Transportation making payment of the final estimate to the Contractor and/or its assignee, shall not relieve this surety company of any of its obligations under its bond.

In connection with obligations in favor of the Kentucky Department of Highways only, it is agreed that the power and authority hereby given to the Attorney-in-Fact cannot be modified or revoked unless prior written personal notice of such intent has been given to the Commissioner-Department of Highways of the Commonwealth of Kentucky at least thirty (30) days prior to the modification or revocation.

In Witness Whereof, the Companies have caused this instrument to be signed and sealed this 5th day of April, 2017.




MERCHANTS BONDING COMPANY (MUTUAL)
MERCHANTS NATIONAL BONDING, INC.

By *Larry Taylor*
President

STATE OF IOWA
COUNTY OF DALLAS ss.

On this this 5th day of April, 2017, before me appeared Larry Taylor, to me personally known, who being by me duly sworn did say that he is President of MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC.; and that the seals affixed to the foregoing instrument are the Corporate Seals of the Companies; and that the said instrument was signed and sealed in behalf of the Companies by authority of their respective Boards of Directors.



Alicia K. Gram

Notary Public

(Expiration of notary's commission does not invalidate this instrument)

I, William Warner, Jr., Secretary of MERCHANTS BONDING COMPANY (MUTUAL) and MERCHANTS NATIONAL BONDING, INC., do hereby certify that the above and foregoing is a true and correct copy of the POWER-OF-ATTORNEY executed by said Companies, which is still in full force and effect and has not been amended or revoked.

In Witness Whereof, I have hereunto set my hand and affixed the seal of the Companies on this 12th day of August, 2019.



William Warner Jr.

Secretary

9:16 AM

Advanced Recreational Concepts, LLC

08/02/19

Balance Sheet

Accrual Basis

As of June 30, 2019

	Jun 30, 19
ASSETS	
Current Assets	
Checking/Savings	
Chase Bank-Checking	56,948.54
Sunshine Bank - Payroll	1,084.56
Total Checking/Savings	58,033.10
Accounts Receivable	
Accounts Receivable	
Accounts Receivable - Deposits	-249,479.70
Accounts Receivable - Other	1,118,387.44
Total Accounts Receivable	868,907.74
Total Accounts Receivable	868,907.74
Other Current Assets	
Advances	500.00
Due from Donald Mauldin	3,573.67
Due from Play/Space Services	38,163.36
Inventory Asset	328,583.55
Prepaid Insurance	15,869.53
Total Other Current Assets	386,690.11
Total Current Assets	1,313,630.95
Fixed Assets	
Building	1,370,223.60
Building Improvements	4,607.14
Land	283,950.00
Office Equipment	116,319.74
zAccum Depreciation	-565,924.47
Total Fixed Assets	1,209,176.01
TOTAL ASSETS	2,522,806.96
LIABILITIES & EQUITY	
Liabilities	
Current Liabilities	
Accounts Payable	
Accounts Payable	1,226,941.31
Total Accounts Payable	1,226,941.31
Other Current Liabilities	
Accounts Payable-Open P.O.	41,335.68
Due to Playspace	7,413.07
Note Payable-Chase Line of Cred	290,000.00
Property Tax Payable	10,197.48
Sales Tax Payable	6,091.31
Unemployment Tax Payable	277.86
Use Tax Payable	645.34
Total Other Current Liabilities	355,960.74
Total Current Liabilities	1,582,902.05
Long Term Liabilities	
Loan from Buy Out (L/P-Laz)	169,969.14
Note Payable-Chase Mortgage Sky	904,705.34
Total Long Term Liabilities	1,074,674.48
Total Liabilities	2,657,576.53

9:16 AM

Advanced Recreational Concepts, LLC

08/02/19

Balance Sheet

Accrual Basis

As of June 30, 2019

	<u>Jun 30, 19</u>
Equity	
Distribution	-93,769.89
Members Capital	-285,583.37
Net Income	244,583.69
	<hr/>
Total Equity	-134,769.57
	<hr/>
TOTAL LIABILITIES & EQUITY	<u><u>2,522,806.96</u></u>

9:17 AM

Advanced Recreational Concepts, LLC

08/02/19

Profit & Loss

Accrual Basis

January through June 2019

	Jan - Jun 19	% of Income
Ordinary Income/Expense		
Income		
Sales		
Amenities	127,257.18	4.6%
Freight	263,389.53	9.5%
Installation	134,968.54	4.9%
Misc.	52,320.25	1.9%
Playground Equipment	1,152,013.27	41.4%
RT Products	157,081.90	5.6%
Shades	601,511.29	21.6%
Shelters	145,204.94	5.2%
Turf	77,981.04	2.8%
Wood Mulch	90,995.55	3.3%
Sales - Other	-1,588.31	-0.1%
Total Sales	2,801,135.18	100.7%
zSales Discount	-20,840.23	-0.7%
Total Income	2,780,294.95	100.0%
Cost of Goods Sold		
Commissions	110,458.69	4.0%
Cost of Goods Sold		
Cost of Goods Sold Amenities	97,748.49	3.5%
Cost of Goods Sold Freight	146,853.86	5.3%
Cost of Goods Sold Installation	121,709.38	4.4%
Cost of Goods Sold Misc	30,644.67	1.1%
Cost of Goods Sold Playgrounds	789,732.52	28.4%
Cost of Goods Sold RT Products	139,216.48	5.0%
Cost of Goods Sold Shades	430,296.45	15.5%
Cost of Goods Sold Shelters	104,296.00	3.8%
Cost of Goods Sold Turf	73,886.91	2.7%
Cost of Goods Sold Wood Mulch	63,208.25	2.3%
Discount - Sales	24,113.10	0.9%
Postage and Delivery	30.39	0.0%
Sales Salary	77,722.95	2.8%
Total Cost of Goods Sold	2,099,459.45	75.5%
Use Tax Expense	12,052.00	0.4%
Total COGS	2,221,970.14	79.9%
Gross Profit	558,324.81	20.1%
Expense		
Advertising	2,721.94	0.1%
Automobile Expense	2,709.88	0.1%
Bank Service Charges	112.95	0.0%
Contributions	725.00	0.0%
Credit Card Co.'s Fees/Charges	13,015.94	0.5%
Depreciation Expense	18,648.78	0.7%
Dues and Subscriptions	22,465.66	0.8%
Education & Training	459.90	0.0%
Equipment Rental	417.56	0.0%
Fees	50.00	0.0%

9:17 AM

Advanced Recreational Concepts, LLC

Profit & Loss

08/02/19

January through June 2019

Accrual Basis

	Jan - Jun 19	% of Income
Insurance		
Dental	83.90	0.0%
Liability Insurance	8,863.56	0.3%
Life Insurance - Company Paid	238.50	0.0%
LT Disability - Company Paid	884.29	0.0%
Medical	7,991.26	0.3%
Property/Content/LOB Insurance	5,720.82	0.2%
Umbrella	5,909.04	0.2%
Vision Insurance	-15.25	-0.0%
Work Comp Insurance	614.88	0.0%
Total Insurance	30,291.00	1.1%
Interest Expense		
Loan Interest	8,734.24	0.3%
Skyway Loan Interest	25,775.63	0.9%
Total Interest Expense	34,509.87	1.2%
Licenses and Permits	50.00	0.0%
Miscellaneous		
Janitorial	9,100.90	0.3%
Total Miscellaneous	9,100.90	0.3%
Payroll Expenses		
401K Safe Harbor Company Match	3,196.22	0.1%
Payroll Expenses - Other	101,535.09	3.7%
Total Payroll Expenses	104,731.31	3.8%
Postage and Delivery	2,045.11	0.1%
Professional Fees		
Accounting	257.50	0.0%
Consulting	11,760.00	0.4%
Legal Fees	187.50	0.0%
Total Professional Fees	12,205.00	0.4%
Repairs		
Building Repairs	3,148.44	0.1%
Computer Repairs	388.39	0.0%
Equipment Repairs	2,327.89	0.1%
Total Repairs	5,864.72	0.2%
Supplies		
Cleaning	288.61	0.0%
Marketing	8.56	0.0%
Office	3,449.77	0.1%
Total Supplies	3,746.94	0.1%
Taxes		
Payroll Taxes FICA	14,306.95	0.5%
Payroll Taxes FUTA	385.63	0.0%
Payroll Taxes SUTA	1,181.00	0.0%
Property	10,197.48	0.4%
Total Taxes	26,071.06	0.9%
Telephone	8,183.94	0.3%
Travel & Ent		
Entertainment	3,118.74	0.1%
Meals	7,819.21	0.3%
Travel	31,372.10	1.1%
Total Travel & Ent	42,310.05	1.5%

9:17 AM

08/02/19

Accrual Basis

Advanced Recreational Concepts, LLC

Profit & Loss

January through June 2019

	Jan - Jun 19	% of Income
Utilities		
Gas and Electric	7,077.73	0.3%
Internet	6,625.83	0.2%
Water	485.99	0.0%
Total Utilities	14,189.55	0.5%
Total Expense	354,627.06	12.8%
Net Ordinary Income	203,697.75	7.3%
Other Income/Expense		
Other Income		
Management Fee Playspace	40,460.94	1.5%
Other Income	35.00	0.0%
Purchase Discounts	210.00	0.0%
Sales Tax Commission	180.00	0.0%
Total Other Income	40,885.94	1.5%
Net Other Income	40,885.94	1.5%
Net Income	244,583.69	8.8%



[Department of State](#) / [Division of Corporations](#) / [Search Records](#) / [Detail By Document Number](#) /

[Previous On List](#) [Next On List](#) [Return to List](#)

Entity Name Search

Search

No Events **No Name History**

Detail by Entity Name

Florida Limited Liability Company
ADVANCED RECREATIONAL CONCEPTS, LLC

Filing Information

Document Number	L03000023078
FEI/EIN Number	20-0520823
Date Filed	06/24/2003
State	FL
Status	ACTIVE

Principal Address

3125 SKYWAY CIRCLE
MELBOURE, FL 32934

Changed: 04/29/2007

Mailing Address

3125 SKYWAY CIRCLE
MELBOURNE, FL 32934

Changed: 04/29/2007

Registered Agent Name & Address

BRADLEY, RICHARD
212 S 7TH STREET
FT. PIERCE, FL 34950

Address Changed: 03/20/2014

Authorized Person(s) Detail

2019 FLORIDA LIMITED LIABILITY COMPANY ANNUAL REPORT

DOCUMENT# L03000023078

Entity Name: ADVANCED RECREATIONAL CONCEPTS, LLC

Current Principal Place of Business:

3125 SKYWAY CIRCLE
MELBOURE, FL 32934

Current Mailing Address:

3125 SKYWAY CIRCLE
MELBOURNE, FL 32934 US

FEI Number: 20-0520823

Certificate of Status Desired: Yes

Name and Address of Current Registered Agent:

BRADLEY, RICHARD
212 S 7TH STREET
FT. PIERCE, FL 34950 US

The above named entity submits this statement for the purpose of changing its registered office or registered agent, or both, in the State of Florida.

SIGNATURE: _____

Electronic Signature of Registered Agent

_____ Date

Authorized Person(s) Detail :

Title MGR
Name GONZALEZ, LAZARO
Address 2014 S RIVER RD
City-State-Zip: MELBOURNE BEACH FL 32951

I hereby certify that the information indicated on this report or supplemental report is true and accurate and that my electronic signature shall have the same legal effect as if made under oath; that I am a managing member or manager of the limited liability company or the receiver or trustee empowered to execute this report as required by Chapter 605, Florida Statutes; and that my name appears above, or on an attachment with all other like empowered.

SIGNATURE: LAZARO GONZALEZ

MANAGING MEMBER

01/17/2019

Electronic Signature of Signing Authorized Person(s) Detail

Date



RICK SCOTT, GOVERNOR

JONATHAN ZACHEM, SECRETARY



**STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

CONSTRUCTION INDUSTRY LICENSING BOARD

THE BUILDING CONTRACTOR HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

GONZALEZ, LAZARO

ADVANCED RECREATIONAL CONCEPTS, LLC
3125 SKYWAY CIRCLE
MELBOURNE FL 32934

LICENSE NUMBER: CBC1261271

EXPIRATION DATE: AUGUST 31, 2020

Always verify licenses online at MyFloridaLicense.com



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



RICK SCOTT, GOVERNOR

JONATHAN ZACHEM, SECRETARY



**STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION**

CONSTRUCTION INDUSTRY LICENSING BOARD

THE BUILDING CONTRACTOR HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

GONZALEZ, LAZARO

PLAY/SPACE SERVICES, INC.
2014 S RIVER RD
MELBOURNE BEACH FL 32951

LICENSE NUMBER: CBC059700

EXPIRATION DATE: AUGUST 31, 2020

Always verify licenses online at MyFloridaLicense.com



Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

01/28/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	Tom Collins Insurance Agency, Inc. 1555 Indian River Blvd, Suite 130 Vero Beach, FL 32960 License #: A051876	CONTACT NAME: Shannon Purvis	
		PHONE (A/C, No, Ext): (772)778-9222	FAX (A/C, No): (772)778-9255
		E-MAIL ADDRESS: s.purvis@tomcollinsinsurance.com	
		INSURER(S) AFFORDING COVERAGE	NAIC #
INSURED	Play/Space Services, Inc. Advanced Recreational Concepts LLC. 3125 Skyway Circle Melbourne, FL 32934	INSURER A: Everest National Insurance Company	10120
		INSURER B: Hartford Accident & Indemnity Company	22357
		INSURER C:	
		INSURER D:	
		INSURER E:	
		INSURER F:	

COVERAGES

CERTIFICATE NUMBER: 00000000-0

REVISION NUMBER: 1

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:	Y	Y	CF4GL00671-191	01/27/2019	01/27/2020	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
B	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY			21 UEC HV7562	02/03/2019	02/03/2020	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
	UMBRELLA LIAB <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> DED <input type="checkbox"/> RETENTION \$						<input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS-MADE EACH OCCURRENCE \$ AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N	N/A				<input type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

City of North Port

CERTIFICATE HOLDER

City of North Port
4970 City Hall Boulevard
North Port, FL 34286

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

(SMP)

© 1988-2015 ACORD CORPORATION. All rights reserved.

State of Florida

Minority Business Certification


Advanced Recreational Concepts

Is certified under the provisions of
287 and 295.187, Florida Statutes, for a period from:

10/16/2017 to 10/16/2019



Erin Rock, Secretary
Florida Department of Management Services



Advanced Recreational Concepts

Thank you for allowing us the time to present
Advanced Recreational Concepts for your project.

For Any Clarification or Additional Information
Please Contact Us at:

866-957-2355
info@arcflorida.com
www.arcflorida.com


ARC
Where fun has no boundaries . . .

