

**Proposal For
City of North Port
Water and Wastewater Treatment
Chemicals
RFB No. 2022-01**

By

**Amaya Solutions Inc.
dba American Water Chemicals
1802 Corporate Center Lane
Plant City, FL 33563
Contact: Breanna Clark
Tel: 813-246-5448**

**Bid Opening Date:
October 22, 2021
2:00 PM**

Table of Contents

Section 1.....	Bid Form Excel Tabulation Price Sheet Bidder Checklist
Section 2.....	Insurance Requirements & Acknowledgment Statement of Organization Equipment and Source of Supply/ Subcontractor list Qualifications and References Non-Collusive Affidavit Conflict of Interest Public Entity Crime Information Drug-Free Work Place Form Scrutinized Company Certification Lobbying Certification Vendor's Certification for E-Verify System Addendum Acknowledgment
Section 3.....	Product Data Sheets Safety Data Sheets NSF Certificate NSF Listings State of FL Corporate Registration Proof of Signature Authority

Section 1

**ATTACHMENT 3:
BID FORM**

Name of Bidder/Company Name: Amaya Solutions, Inc. dba American Water Chemicals
Business Address: 1802 Corporate Center Lane
City/State/Zip Code: Plant City, FL 33563
Bidder/Company Telephone Number: 813-246-5448
E-mail Address: customerservice@membranechemicals.com
Contractor License #: N/A
FEID #: 84-4097612

To the City Commission of the City of North Port pursuant to and in compliance with your notice inviting sealed bids (Invitation to Bid), Instructions to Bidders, and the other documents relating thereto, the undersigned Bidder, having familiarized himself/herself with the terms of the Contract documents, local conditions affecting the performance of the Contract, and the cost of the work at the place where the work is to be done, hereby proposes and agrees to perform within the time stipulated in the Contract, including all of its component parts and everything required to be performed, and to provide and furnish any and all of the labor, material, tools, expendable equipment, and all utility and transportation services and design of certain items necessary to perform the Contract and complete in a workmanlike manner, all of the work required in connection with the construction of said work all in strict conformity with the plans and specifications and other Contract documents for the prices hereinafter set forth.

The undersigned, as Bidder, does hereby declare that he has read the Request for Bids, Instructions to Bidders, General Provisions, Special Provisions, Technical Specifications & Conditions, Attachments, Exhibits, Insurance Requirements, Bid Form, Permit Fees, Plan Revisions, Plans, and any other reports or documentation for: **RFB 2022-01 WATER AND WASTEWATER TREATMENT CHEMICALS** and further agrees to furnish all items listed on the attached Bid Form in accordance with the unit price line items as indicated on the bid schedule form(s) submitted. The above specified documents are herein incorporated into the Bid Form.

The undersigned as Bidder, declares that the only persons or parties interested in this submittal as principals are those named herein: that this submittal is made without collusion with any person, firm, or corporation: and he/she proposes and agrees, if the proposal is accepted, that he/she will execute a Contract with the City in the form set forth in the Contract documents and that he/she will accept in full payment thereof the following prices, to wit:

PROJECT TOTAL: _____ \$ 138,951.80

Through the signing of this Bid Form, Bidder attests his/her bid is guaranteed for a period of not less than **NINETY (90) DAYS** from the date of the official bid opening.

Date: 10/15/2021
Signed (Person authorized to bind the company): _____
Name (printed): Rudy Canezo Title: Treasurer

THIS PAGE MUST BE COMPLETED AND SUBMITTED

RFB 2022-01 CHEMICALS ATTACHMENT 1
 BID FORM - TABULATION- COST SCHEDULE

Bidders are required to complete all fields shaded in green. All other fields will be automatically calculated.

NAME OF BUSINESS: Amaya Solutions Inc.

CONTACT PERSON: Rudy Canezo, Breanna Clark

EMAIL ADDRESS: rcanezo@membranesystems.com, bcavanaugh@membranesystems.com

AUTHORIZED SIGNATURE: 

ITEM #	DESCRIPTION	EST QTY	UNIT	TOTAL UNIT COST	EXTENDED COST
1	CHEMICALS				
1	SODIUM HYDROXIDE SOLUTION NaOH at 50% (CAUSTIC SODA)	36,500	GALLON		\$ -
2	ALUMINUM SULFATE (40%)	900,000	GALLON		\$ -
3	COAGULANT AID	6,400	POUND		\$ -
4	POWDERED ACTIVATED CARBON	4,800	POUND		\$ -
5	SODIUM HYPOCHLORITE SOLUTION NaOCl 12.5%	260,000	GALLON		\$ -
6	SULFURIC ACID	22,000	GALLON		\$ -
7	AMMONIUM SULFATE 10% LIQUID	17,300	GALLON		\$ -
8	FLOCCULANT POLYMER (WSTEWATER DRUM THICKENER)	10,000	GALLON		\$ -
9	LIQUID CO2 (CARBON DIOXIDE)	9,125	POUND		\$ -
10	SCALE INHIBITOR	8,400	GALLON	\$ 12.505	\$ 105,042.00
11	CORROSION INHIBITOR (ORTHOPHOSPHATE BLEND)	4,300	GALLON	\$ 7.886	\$ 33,909.80
12	CALCIUM CHLORIDE 32%	36,500	GALLON		\$ -
13	SODIUM HYDROSULFIDE	21,000	GALLON		\$ -
TOTAL					\$ 138,951.80

BIDDER CHECKLIST ATTACHMENTS TO BE COMPLETED AND RETURNED WITH BID	SUBMIT THIS CHECKLIST
SEALED RFB ENVELOPE LABEL	
	Check (v)
ATTACHMENT 1: Insurance Requirements and Acknowledgement (page 51 acknowledgement to be submitted)	<input checked="" type="checkbox"/>
ATTACHMENT 2: Excel Tabulation Price Sheet (must complete and Submit in excel format on USB DRIVE). DO NOT RECREATE THIS FORM.	<input checked="" type="checkbox"/>
ATTACHMENT 3: Bid Form	<input checked="" type="checkbox"/>
ATTACHMENT 4: Statement of Organization	<input checked="" type="checkbox"/>
ATTACHMENT 5: Addenda and Bond Form	Form Not Provided
ATTACHMENT 6: Equipment and Source of Supply/Subcontractor List	<input checked="" type="checkbox"/>
ATTACHMENT 7: Qualifications and References	<input checked="" type="checkbox"/>
ATTACHMENT 8: Non-Collusive Affidavit	<input checked="" type="checkbox"/>
ATTACHMENT 9: Conflict of Interest	<input checked="" type="checkbox"/>
ATTACHMENT 10: Public Entity Crime Information	<input checked="" type="checkbox"/>
ATTACHMENT 11: Drug-Free Workplace Form	<input checked="" type="checkbox"/>
ATTACHMENT 12: Affidavit Claiming Status as a Local Business or North Port Local Business Status (If not claiming, state N/A)	N/A
ATTACHMENT 13: Scrutinized Company Certification Form	<input checked="" type="checkbox"/>
ATTACHMENT 14: Lobbying Certification	<input checked="" type="checkbox"/>
ATTACHMENT 15: Vendor's Certification For E-Verify System	<input checked="" type="checkbox"/>

ENVELOPES MUST BE MARKED
"SEALED BID ENVELOPE LABEL BELOW (NEXT PAGE)".

PLEASE NOTE: Courier Packages (Fedex, UPS, etc.) shall be clearly marked.

If not using label provided on the next page, please include the following on the outside envelope: COMPANY NAME, RFB #, RFB TITLE, DATE DUE, TIME DUE, SUBMITTED BY, NAME OF COMPANY, E-MAIL ADDRESS, TELEPHONE.

Date: 10/15/2021 _____

Signed (Person authorized to bind the company): _____

Name (printed): Rudy Canezo _____ Title: Treasurer _____

Section 2

ATTACHMENT 2:**INSURANCE REQUIREMENTS**

Contractor and subcontractors shall procure and maintain until all of their obligations have been discharged, including any warranty periods under this Contract are satisfied, insurance against claims for injury to persons or damage to property which may arise from or in connection with the performance of the work hereunder by the Contractor, his agents, representatives, employees or subcontractors.

The insurance requirements herein are minimum requirements for this Contract and in no way limit the indemnity covenants contained in this Contract. The City in no way warrants that the minimum limits contained herein are sufficient to protect the Contractor from liabilities that might arise out of the performance of the work under this Contract by the Contractor, his agents, representatives, employees, or subcontractors. Contractor is free to purchase such additional insurance as may be determined necessary.

LIMITS OF INSURANCE - Contractor shall provide coverage with limits of liability not less than those stated below. An excess liability policy or umbrella liability policy may be used to meet the minimum liability requirements provided that the coverage is written on a "following form" basis.

Requirements:**1. Commercial General Liability – Occurrence Form (CG 00 01)**

Policy shall include bodily injury, property damage, broad form contractual liability and Explosion, Collapse and Underground (XCU) coverage. The general aggregate limit shall apply separately to this project/location or the general aggregate limit shall be twice the required occurrence limit.

The Contractor shall procure and maintain, and require all subcontractors to procure and maintain a comprehensive general liability policy, including, but not limited to

- General Aggregate \$1,000,000
- Each Occurrence \$1,000,000
- products and completed ops \$1,000,000
- damage to rented premises \$100,000
- fire damage \$100,000

- a) The policy shall be endorsed to include the following additional insured language: "City of North Port and its officers, employees, agents and volunteers" shall be named as an additional insured with respect to liability arising out of the activities performed by, or on behalf of the Contractor.
- b) Contractor's subcontractors shall be subject to the same minimum requirements identified above.
- c) Policy shall be endorsed for a waiver of subrogation against the City of North Port.

2. Commercial Automobile Liability

Bodily injury and property damage for any owned, hired, and non-owned vehicles used in the performance of this Contract. Automobile liability must be written on a standard ISO form (CA 00 01) covering any auto (Code 1), or if Contractor has no owned autos, hired (Code 8) and non-owned (Code 9) autos.

- Combined Single Limit (CSL) (Ea Accident) \$1,000,000
- Bodily Injury (per person) \$1,000,000
- Bodily Injury (per accident) \$1,000,000
- Property Damage (per accident) \$1,000,000

- a. The policy shall be endorsed to include the following additional insured language: "City of North Port and its officers, employees, agents and volunteers" shall be named as an additional insured with

respect to liability arising out of the activities performed by, or on behalf of the Contractor, including automobiles owned, leased, hired or borrowed by the Contractor".

- b. Contractor's sub-contractors shall be subject to the same minimum requirements identified in this section.
- c. Policy shall contain a waiver of subrogation against the City of North Port.

3. Worker's Compensation and Employers' Liability (PER CHAPTER 440. FLORIDA STATUTES)

The Contractor shall procure and maintain Worker's Compensation insurance for all his employees to be engaged in work on the project under this Contract and, in case any such work is sublet, the Contractor shall require the subcontractor similarly to provide Worker's Compensation insurance for all of the latter's employees to be engaged in such work unless such employees are covered by protection afforded by the Contractor's Workers Compensation insurance. For additional information contact the Department of financial Services, Workers' Compensation Division at 850.413.1601 or on the web at www.fldfs.com. In case any class of employees engaged in hazardous work on the project under this Contract is not protected under the Worker's Compensation Statute, the Contractor shall provide, and shall cause each subcontractor to provide, Employer's Liability Insurance for the protection of such of his employees not otherwise protected under such provisions. The minimum liability limits of such insurance shall not be less than herein specified or in that amount specified by law for that type of damage claim.

Proof of such insurance shall be filed by the Contractor with the City within ten (10) days after the execution of this Contract.

Workers' Compensation Employers' Liability

- Each Accident, each employee, bodily injury or disease \$1,000,000
- a. Policy shall contain a waiver of subrogation against the City of North Port.
 - b. Contractor's sub-contractors shall be subject to the same minimum requirements identified in this section.
 - c. If the contractor has no employees, the contractor must submit to the City the Workers Compensation Exemption from the State of Florida.

4. Contractors' Pollution Legal Liability (if project involves environmental hazards) – If Required.

- Each Occurrence or Claim \$500,000
- Policy Aggregate \$500,000

GENERAL REQUIREMENTS:

A. The City of North Port is to be named additional insured on **Comprehensive Commercial General Liability Policy and Auto Policy**. All certificates of insurance must be on file with and approved by the City before commencement of any work activities under this Contract.

Any and all deductibles to the above referenced policies are to be the responsibility of the Contractor. The Contractor's insurance is considered primary for any loss regardless of any insurance maintained by the City. The Contractor is responsible for all insurance policy premiums, deductibles, or SIR (self-insured retentions) or any loss or portion of any loss that is not covered by any available insurance policy.

All insurance policies must be issued by companies of recognized responsibility licensed to do business in Florida and must contain a provision that prohibits cancellation unless the City is provided notice as stated within the policy. It is the Contractor's responsibility to provide notice to the City.

B. WAIVER OF SUBROGATION: All required insurance policies, with the exception of Workers Compensation, are to be endorsed with a waiver of subrogation. The insurance companies, by proper endorsement or thru other means, agrees to waive all rights of subrogation against the City, its officers, officials, employees and volunteers, and the City's insurance carriers, for losses paid under the terms of these policies that arises from the contractual relationship or work performed by the Contractor for the City. It is the Contractor's responsibility to notify their insurance company of the Waiver of Subrogation and request written authorization or the proper endorsement. Additionally, the Contractor, its officers, officials, agents, employees, volunteers, and any Subcontractors, agrees to waive all rights of subrogation against the City and its insurance carriers for any losses paid, sustained or incurred, but not covered by insurance, that arise from the contractual relationship or work performed. This waiver also applies to any deductibles or self-insured retentions the Contractor or its agents may be responsible for.

C. POLICY FORM:

1. All policies, required by this Contract, **with the exception of Workers Compensation**, or unless specific approval is given by Risk Management through the City's Purchasing Office, are to be **written on an occurrence basis**, shall name the City of North Port, its Commissioners, officers, agents, employees and volunteers as additional insured as their interest may appear under this Contract. Insurer(s), with the exception of Professional Liability and Workers Compensation, shall agree to waive all rights of subrogation against the City of North Port, its Commissioners, officers, agents, employees, or volunteers.
2. Insurance requirements itemized in this Contract, and required of the Contractor, shall be provided by or on behalf of all subcontractors to cover their operations performed under this Contract. The Contractor shall be held responsible for any modifications, deviations, or omissions in these insurance requirements as they apply to subcontractors.
3. Each insurance policy required by this Contract shall:
 - a. Apply separately to each insured against whom claim is made and suit is brought, except with respect to limits of the insurer's liability.
 - b. Be endorsed to state that coverage shall not be suspended, voided or cancelled by either party except after notice is delivered in accordance with the policy provisions. The Contractor is to notify the City Purchasing Office by written notice via certified mail, return receipt requested.
4. The City shall retain the right to review, at any time, coverage, form, and amount of insurance.

RFB NO. 2022-01 WATER AND WASTEWATER TREATMENT CHEMICALS

- 5. The procuring of required policies of insurance shall not be construed to limit Contractor's liability nor to fulfill the indemnification provisions and requirements of this Contract. The extent of Contractor's liability for indemnity of the City shall not be limited by insurance coverage or lack thereof, or unreasonably delayed for any reason, including but not limited to, insurance coverage disputes between the Contractor and its carrier.
- 6. The Contractor shall be solely responsible for payment of all premiums for insurance contributing to the satisfaction of this Contract and shall be solely responsible for the payment of all deductibles and retentions to which such policies are subject, whether or not the City is an insured under the policy.
- 7. Claims Made Policies will be accepted for professional and hazardous materials and such other risks as are authorized by the City's Risk Office. All Claims Made Policies contributing to the satisfaction of the insurance requirements herein shall have an extended reporting period option or automatic coverage of not less than two (2) years. If provided as an option, the Contractor agrees to purchase the extended reporting period on cancellation or termination unless a new policy is affected with a retroactive date, including at least the last policy year.
- 8. Certificates of Insurance Evidencing Claims Made or Occurrences form coverage and conditions to this Contract, as well as the contract number and description of work, are to be furnished to the City's Purchasing Office (4970 City Hall Boulevard, Suite 337, North Port, FL 34286) prior to commencement of work AND a minimum of thirty (30) calendar days prior to expiration of the insurance contract when applicable. All insurance certificates shall be received by the City's Purchasing Office before the Contractor will be allowed to commence or continue work. The Certificate of Insurance issued by the underwriting department of the insurance carrier shall certify compliance with the insurance requirements provided herein.

Bidders should carefully review their existing insurances and consider their ability to meet these requirements prior to submission. The requirements should be forwarded to their agent, broker, and insurance providers for review

Unless otherwise specified, it shall be the responsibility of the contractor to ensure that all subcontractors comply with the same insurance requirements spelled out above.

All certificates of insurance must be on file with and approved by the City of North Port Risk Division before the commencement of any work activities.

Bidder Statement:

We understand the requirements requested and agree to fully comply.

BIDDER'S NAME TITLE Amaya Solutions, Inc TITLE Rudy Canezo, Treasurer

AUTHORIZED SIGNATURE DATE  DATE 10/15/2021

THIS PAGE MUST BE COMPLETED AND SUBMITTED

**ATTACHMENT 4:
STATEMENT OF ORGANIZATION**

The following information will be provided to the City of North Port for incorporation in legal documents. It is, therefore, vital all information is accurate and complete. Please be certain all spelling, and capitalization is exactly as registered with the state or federal government.

Company Name Amaya Solutions, Inc. dba American Water Chemicals

813-246-5448 customerservice@membranechemicals.com 813-623-6678

Telephone # **E-Mail** **Fax #**
1802 Corporate Center Lane

Main Office Address
Plant City Florida 33563

City **State** **Zip Code**

Address of Office Servicing City of North Port, if different than above: **SAME AS ABOVE**

Office Address

City **State** **Zip Code**

Telephone # **E-mail** **Fax #**

Name & Title of Firm Representative

Federal Identification Number: 84-4097612

Bidder shall submit proof that it is authorized to do business in the State of Florida unless registration is not required by law.

(Please Check One)

Is this a Florida Corporation: Yes or No

If not a Florida Corporation,

In what state was it created: Delaware

Name as spelled in that State: Amaya Solutions, Inc.

What kind of corporation is it: "For Profit" or "Not for Profit"

Is it in good standing: Yes or No

Authorized to transact business in Florida: Yes or No

State of Florida Department of State Certificate of Authority Document No.: F20000003944

Does it use a registered fictitious name: Yes or No

RFB NO. 2022-01 WATER AND WASTEWATER TREATMENT CHEMICALS

Names of Officers:

President: Mohannad Almalki Secretary:
Vice President: Treasurer: Rudy Canezo
Director: Director:
Other: Other:

Name of Corporation (As used in Florida):

Amaya Solutions Inc.
(Spelled exactly as it is registered with the state or federal government)

Corporate Address:

Post Office Box:
City, State Zip:
Street Address: 1802 Corporate Center Lane
City, State, Zip: Plant City, FL 33563

STATE OF FLORIDA
COUNTY OF Hillsborough

Sworn to (or affirmed) and subscribed before me by means of [X] physical presence or [] online notarization, this 15 day of October 2021, by Rudy Canezo.

[Signature]
Notary Public - State of Florida

Personally Known [X] OR Produced Identification
Type of Identification Produced



Date: 10/15/2021

Signed (Person authorized to bind the company): [Signature]

Name (printed): Rudy Canezo Title: Treasurer

THIS PAGE MUST BE COMPLETED AND SUBMITTED

ATTACHMENT 6:

EQUIPMENT AND SUBCONTRACTOR/SUPPLIER LIST

Equipment is located at: N/A

The following is a listing of your equipment, inclusive of manufacturer, year and condition. List the condition of equipment/vehicles utilized for this project in accordance with the following scale: **1-Excellent: 2-Good: 3-Fair: 4-Poor.** (Attach additional sheets, if required.)

Description	Manufacturer	Year	Condition	Leased/Owned (If leased, date of expiration)
N/A				

SOURCE OF SUPPLY AND SUBCONTRACTOR FORM

The following sources of supply and subcontractors shall be used for the **RFB NO. 2022-01 WATER AND WASTEWATER TREATMENT CHEMICALS.** If Bidder does not have a source of supply or subcontractor, insert "to be determined". When a source or subcontractor is determined, selection will be subject to City approval. (If not applicable, state N/A).

SUBCONTRACTOR(S)


(PLEASE INCLUDE ADDRESS/TELEPHONE NUMBER & E-MAIL)

1. N/A
2. _____
3. _____

SUPPLIER(S)

1. N/A
2. _____
3. _____

Date: 10/15/2021

Signed (Person authorized to bind the company): 

Name (printed): Rudy Caneso Title: Treasurer

THIS PAGE MUST BE COMPLETED AND SUBMITTED

**ATTACHMENT 7:
QUALIFICATIONS AND REFERENCES**

Prime bidder must be fully licensed to do business in the State of Florida and be currently licensed as a Certified General Contractor in the State of Florida and provide proof of licensure with the submitted Bid Proposal. Bidders must have successfully completed, as a Prime or Subcontractor, at least one (2) projects, in the past six (6) years, of similar type, size and dollar value of the project described herein.

1. Business/Customer Name: City of Cape Coral

Name of Contact Person/Title: Robert Woods Plant Manager - South RO

Telephone# 239-574-0877 Fax _____ E-mail rwoods@capecoral.net

Address 2090 SW 32nd Street, Cape Coral, FL 33914

Phone Number 239-574-0877

Duration of Contract or business relationship 15 Years

Type of Services Provided Supply of Antiscalant

Contract Period: FROM 10/2019 TO 10/2022

Contract Price \$ 75,000/Year Contract Price at Completion of the Project \$ N/A

2. Business/Customer Name: Collier County

Name of Contact Person/Title: Tim James, Chief Plant Operator

Telephone# 239-252-6115 Fax _____ E-mail timothyjames@colliergov.net

Address 3851 City Gate Drive, Naples, FL 34117

Phone Number 239-252-6115

Duration of Contract or business relationship 14 Years

Type of Services Provided Supply of Antiscalant and Corrosion Inhibitor

Contract Period: FROM 04/2017 TO 04/2022

Contract Price \$ 160,000/Year Contract Price at Completion of the Project \$ N/A

Date: 10/15/2021

Signed (Person authorized to bind the company): _____

Name (printed): Rudy Canezo Title: Treasurer

THIS PAGE MUST BE COMPLETED AND SUBMITTED

RFB NO. 2022-01 WATER AND WASTEWATER TREATMENT CHEMICALS

3. Business/Customer Name: City of Palm Coast

Name of Contact Person/Title: Fred Greiner, Utility Chief Operator

Telephone# 386-569-8384 Fax _____ E-mail fgreiner@palmcoastgov.com

Address 50 Citiation Blvd, Palm Coast, FL 32164

Contract Period: FROM N/A TO N/A

Contract Price \$ _____ Contract Price at Completion of the Project \$ _____

Phone Number 386-569-8384

Duration of Contract or business relationship 11 Years

Type of Services Provided Supply of Antiscalant

Contract Period: FROM N/A TO N/A

Contract Price \$ 25,000/Year Contract Price at Completion of the Project \$ N/A

4. Business/Customer Name: City of Port St. Lucie

Name of Contact Person/Title: Bilmer Serrano, Cheif Water Operator

Telephone# 772-873-6400 Fax _____ E-mail bserrano@cityofpsl.com

Address 7599 LTC Parkway, Port St. Lucie FI 34986

Phone Number 772-873-6400

Duration of Contract or business relationship 13 years

Type of Services Provided Supply of Antisclant and Corrosion Inhibitor

Contract Period: FROM 11/2016 TO 11/2023

Contract Price \$ 163,000/Year Contract Price at Completion of the Project \$ N/A

Date: 10/15/2021

Signed (Person authorized to bind the company): 

Name (printed): Rudy Canezo Title: Treasurer

THIS PAGE MUST BE COMPLETED AND SUBMITTED

ATTACHMENT 8:
NON-COLLUSIVE AFFIDAVIT

State of Florida
County of Hillsborough } SS.

Before me, the undersigned authority, personally appeared:

Rudy Canezo who, being first duly sworn, deposes and says that:

1. He/She is the Treasurer (Owner, Partner, Officer, Representative or Agent) of Amaya Solutions, Inc, the Respondent that has submitted the attached reply:
2. He/She is fully informed respecting the preparation and contents of the attached reply and of all pertinent circumstances respecting such reply:
3. Such reply is genuine and is not a collusive or sham reply:
4. Neither the said Respondent nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affiant, have in any way colluded, conspired, connived or agreed, directly or indirectly, with any other respondent, firm, or person to submit a collusive or sham reply in connection with the work for which the attached reply has been submitted: or have in any manner, directly or indirectly sought by agreement or collusion, or communication or conference with any respondent, firm, or person to fix the price or prices in the attached reply or of any other respondent, or to fix any overhead, profit, or cost elements of the reply price or the reply price of any other respondent, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against (Recipient), or any person interested in the reply work.

Signed, sealed and delivered this 15th day of October, 2021.

By: Rudy Canezo
(Printed Name)
Treasurer
(Title)

STATE OF FLORIDA

COUNTY OF Hillsborough

Sworn to (or affirmed) and subscribed before me by means of physical presence or online notarization, this 15 day of October 2021, by Rudy Canezo.

[Signature]
Notary Public – State of Florida

Personally Known OR Produced Identification _____
Type of Identification Produced _____

THIS PAGE MUST BE COMPLETED AND SUBMITTED

**ATTACHMENT 9:
CONFLICT OF INTEREST FORM**

F.S. §112.313 places limitations on public officers (including advisory board members) and employees' ability to contract with the City either directly or indirectly. Therefore, please indicate if the following applies:

PART I.

I am an employee, public officer or advisory board member of the City
_____ (List Position Or Board)

I am the spouse or child of an employee, public officer or advisory board member of the City
Name: _____

An employee, public officer or advisory board member of the City, or their spouse or child, is an officer, partner, director, or proprietor of Respondent or has a material interest in Respondent. "Material interest" means direct or indirect ownership of more than 5 percent of the total assets or capital stock of any business entity. For the purposes of [§112.313], indirect ownership does not include ownership by a spouse or minor child.

Name: _____

Respondent employs or contracts with an employee, public officer or advisory board member of the City
Name: _____

None of The Above

PART II:

Are you going to request an advisory board member waiver?

I will request an advisory board member waiver under §112.313(12)

I will NOT request an advisory board member waiver under §112.313(12)

N/A

The City shall review any relationships which may be prohibited under the Florida Ethics Code and will disqualify any bidders whose conflicts are not waived or exempt.

COMPANY: Amaya Solutions, Inc

SIGNATURE:  _____

This page must be completed and submitted

ATTACHMENT 10: PUBLIC ENTITY CRIME INFORMATION

As provided by F.S. §287.133, a person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a Contract to provide any goods or services to a public entity, may not submit a bid on a Contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a Contractor, supplier, Subcontractor, or Consultant under a Contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list.

I, Rudy Canezo, being an authorized representative of the Respondent Amaya Solutions, Inc

Located at: 1802 Corporate Center Lane

City: Plant City State: Florida Zip Code: 33563, have read and understand the contents above. I further certify that Respondent is not disqualified from replying to this solicitation because of F.S. §287.133.

Signature: Date: 10/15/2021

Telephone #: 813-246-5448 Fax #: 813-6236678

Federal ID #: 84-4097612 E-mail: rcanezo@membranechemicals.com

State of Florida

County of Hillsborough

STATE OF FLORIDA

COUNTY OF Hillsborough

Sworn to (or affirmed) and subscribed before me by means of [X] physical presence or [] online notarization, this 15 day of October 2021, by Rudy Canezo.

[Signature] Notary Public – State of Florida

Personally Known [X] OR Produced Identification

Type of Identification Produced Date: 10/15/2021



Breanna Clark Notary Public State of Florida Comm# HH123298 Expires 1/27/2025

Signed (Person authorized to bind the company): [Signature]

Name (printed): Rudy Canezo Title: Treasurer

THIS PAGE MUST BE COMPLETED AND SUBMITTED

**ATTACHMENT 11:
DRUG-FREE WORKPLACE FORM**

The undersigned Respondent in accordance with Florida Statute §287.087 hereby certifies that: Amaya Solutions, Inc (Company Name) does:

1. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.
 2. Inform employees about the dangers of drug abuse in the workplace, the business’s policy of maintaining a drug free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.
 3. Give each employee engaged in providing the commodities or Contractual services that are under bid a copy of the statement specified in subsection (1).
 4. In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or Contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of Chapter 893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.
 5. Impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee’s community, by any employee who is so convicted.
 6. Make a good faith effort to continue to maintain a drug free workplace through implementation of this section.
- As the person authorized to sign the statement, I certify that Respondent complies fully with the above requirements.

Check one:

- As the person authorized to sign this statement, I certify that this firm complies fully with above requirements.
- As the person authorized to sign this statement, this firm **does not** comply fully with the above requirements.



Signature
 Rudy Canezo

Print Name
 10/15/2021

Date

THIS PAGE MUST BE COMPLETED AND SUBMITTED

ATTACHMENT 13:

Scrutinized Company Certification Form

Company Name: Amaya Solutions, Inc

Authorized Representative Name and Title: Rudy Canezo, Treasurer

Address: 1802 Corporate Center Lane City: Plant City State: Florida ZIP: 33563

Phone Number: 813-246-5448 Email Address: rcanezo@membranechemicals.com


A company is ineligible to, and may not, bid on, submit a proposal for, or enter into or renew a Contract with the City of North Port for goods or services of any amount if, at the time of bidding on, submitting a proposal for, or entering into or renewing such Contract, the company is on the Scrutinized Companies that Boycott Israel List, created pursuant to Florida Statutes, section 215.4725, or is engaged in a boycott of Israel.

A company is ineligible to, and may not, bid on, submit a proposal for, or enter into or renew a Contract with the City of North Port for goods or services of \$1 million or more if, at the time of bidding on, submitting a proposal for, or entering into or renewing such Contract, the company is on the Scrutinized Companies with Activities in Sudan List, the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, created pursuant to Florida Statutes, section 215.473, or with companies engaged in business operations in Cuba or Syria.

CHOOSE ONE OF THE FOLLOWING

- This bid, proposal, Contract or Contract renewal is for goods or services of less than \$1 million. As the person authorized to sign on behalf of the above-named company, and as required by Florida Statutes, section 287.135(5), I hereby certify that the above-named company is not participating in a boycott of Israel.
- This bid, proposal, Contract or Contract renewal is for goods or services of \$1 million or more. As the person authorized to sign on behalf of the above-named company, and as required by Florida Statutes, section 287.135(5), I hereby certify that the above-named company is not participating in a boycott of Israel, is not on the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, and it does not have business operations in Cuba or Syria.

I understand that pursuant to Florida Statutes, section 287.135, the submission of a false certification may result in the termination of the Contract if one is entered into, and may subject the above-named company to civil penalties, attorney's fees and costs.

Certified By: 
AUTHORIZED REPRESENTATIVE SIGNATURE

Print Name and Title: Rudy Canezo, Treasurer

Date Certified: 10/15/2021

Solicitation/Contract/PO Number (Completed by Purchasing): _____

THIS PAGE MUST BE COMPLETED AND SUBMITTED

ATTACHMENT 14:
LOBBYING CERTIFICATION

"The undersigned hereby certifies, to the best of his or her knowledge and belief, that":

STATE OF Florida

COUNTY OF Hillsborough

This 15 day October of 2021, being first duly sworn, deposes and says that he or she is the authorized representative of Amaya Solutions, Inc (Name of the Contractor, firm or individual), and that the vendor and any of its agents agree to have no contact or communication with, or discuss any matter related in any way to any active City of North Port solicitation, with any City of North Port elected officials, officers, their appointees or their agents or any other staff or outside individuals working with the City in respect to this request other than the designated Procurement Official Contact and to abide by the restrictions outlined in the General Terms and Conditions of the Solicitation. Technical questions directed to the project manager, is prohibited. These persons shall not be lobbied, either individually or collectively, regarding any questions for bid, proposal, qualification and/or any other solicitations released by the City. To do so is grounds for immediate disqualification from the selection process. The selection process is not considered final until such a time as the Commission has made a final and conclusive determination.

(a) No City appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence either directly or indirectly an officer or employee of the City, City Commission in connection with the awarding of any City Contract.

(b) If any funds other than City appropriated funds have been paid or will be paid to any person for influencing or attempting to influence a member of City Commission or an officer or employee of the City in connection with this Contract, the undersigned shall complete and submit Standard Form-L "Disclosure Form to Report Lobbying", in accordance with its instructions.

Signed, sealed and delivered this 15th day of October, 2021.

By: Rudy Canezo
(Printed Name)
Treasurer
(Title)

STATE OF FLORIDA
COUNTY OF Hillsborough

Sworn to (or affirmed) and subscribed before me by means of physical presence or online notarization, this 15 day of October 2021, by Rudy Canezo.

[Signature]
Notary Public - State of Florida

Personally Known OR Produced Identification
Type of Identification Produced

THIS PAGE MUST BE COMPLETED AND SUBMITTED



Breanna Clark
Notary Public
State of Florida
Comm# HH123298
Expires 4/27/2025

ATTACHMENT 15:
VENDOR'S CERTIFICATION FOR E-VERIFY SYSTEM

STATE OF Florida
COUNTY OF Hillsborough

The undersigned Vendor/Consultant/Contractor (Vendor), after being duly sworn, states the following:

1. Vendor is a person or entity that has entered into or is attempting to enter into a contract with the City of North Port (City) to provide labor, supplies, or services to the City in exchange for salary, wages or other remuneration.
2. Vendor has registered with and will use the E-Verify System of the United States Department of Homeland Security to verify the employment eligibility of:
 - a. All persons newly hired by the Vendor to perform employment duties within Florida during the term of the contract; and
 - b. All persons, including sub-contractors, sub-vendors or sub-consultants, assigned by the Vendor to perform work pursuant to the contract with the City.
3. If the Vendor becomes the successful Contractor who enters into a contract with the City, then the Vendor will comply with the requirements of Section 448.095, Fla. Stat. "Employment Eligibility", as amended from time to time.
4. Vendor will obtain an affidavit from all subcontractors attesting that the subcontractor does not employ, contract with, or subcontract with, an unauthorized alien as defined in 8 United States Code, Section 1324A(H)(3).
5. Vendor will maintain the original affidavit of all subcontractors for the duration of the contract.
6. Vendor affirms that failure to comply with the state law requirements can result in the City's termination of the contract and other penalties as provided by law.

VENDOR: Amaya Solutions, Inc. (Vendor's Company Name)

[Signature] (Vendor signature)
Rudy Canezo (Vendor's name printed)
Treasurer (Title)

Sworn to and subscribed before me by means of physical presence or online notarization, this 16 day of October, 2021, by Rudy Canezo, as Treasurer.

[Signature]
 Notary Public

Personally Known OR Produced Identification _____
Type of Identification Produced _____

 **Breanna Clark**
 Notary Public
 State of Florida
 Comm# HH123298
 Expires 4/27/2025

THIS PAGE MUST BE COMPLETED AND SUBMITTED

Addendum Acknowledgment

We here by certify that we have received and acknowledged each of the addendums below.

Addendum One, Oct 4, 2021
Addendum Two, Oct 6, 2021
Addendum Three, Oct 8, 2021
Addendum Four, Oct 13, 2021
Addendum Five, Oct 14, 2021
Addendum Six, Oct 18, 2021

A handwritten signature in blue ink, appearing to read 'Breanna Clark', is written over a horizontal line.

Breanna Clark
Customer Service/Inside Sales

Section 3

Product Information Sheet

AWC[®] A-102 Ultra

Membrane Antiscalant-Broad Spectrum

ADVANTAGES

- A broad spectrum antiscalant designed to inhibit inorganic scale formation in membrane separation processes
- Inhibits calcium carbonate scale up to a Calcium Carbonate Nucleation Index (CCNI) of 2.2
- Effectively inhibits formation of calcium sulfate, calcium fluoride, barium sulfate, strontium sulfate and silica
- Stabilizes metal ions to prevent metal oxides precipitation and disperses existing metal oxides/hydroxides, silt and clay particles
- Approved for use by all major membrane manufacturers
- Environmentally compatible, especially where discharge of waste into the environment is a concern
- Certified by NSF to NSF/ANSI Standard 60

TYPICAL PROPERTIES

Appearance	Clear colorless to yellow liquid
Odor	Characteristic
Solubility in water	Complete
pH (as is) @ 25°C	< 3.5
Specific Gravity	1.10 ± 0.05

PACKAGING

5 gallon pails, 55 gallon non-returnable plastic drums, 275 gallon totes and bulk shipments

SAFETY & HANDLING

Store in a cool, dry place. In accordance with good safety practice, handle with care and avoid contact with eyes and prolonged or repeated contact with skin. For more information, see the Safety Data Sheet provided with this product.

CHEMICAL FEEDING AND CONTROL

Injection:

AWC A-102 Ultra should be injected continuously into the RO feedwater line, always downstream of multimedia filters, and preferably downstream of the cartridge filters in the presence of a static mixer. In the absence of a static mixer, dosing upstream of the cartridge filters will serve as a substitute to improve mixing.

Dosing:

The dosage required to inhibit scale formation will typically be in the range of 1- 5 ppm, depending on feed water quality and system operating parameters. Dosage can be determined using Proton[®] membrane antiscalant projection software, or can be provided by an AWC technical representative.

Dilution:

AWC A-102 Ultra is designed to be fed neat. However, if the minimum output of the dosing pump exceeds the required dosage, then dilution will be necessary. For product dilution, **always use water that is free of any detectable hardness** – deionized water or RO permeate are preferred due to their higher purity, but softened water is also acceptable.

This product contains a preservative to prevent biological growth in the feed tank. Dilution in excess of 10X will impact the potency of the preservative. If dilution beyond 10X is unavoidable, it is recommended to replace the diluted product frequently, preferably every 7 – 10 days.



Product Information Sheet

ADVANTAGES

- Corrosion inhibitor for the treatment of potable water systems
- Inhibits corrosion by forming a stable, evenly distributed protective film on the inside of distribution piping and metal surfaces
- Poly/ortho product designed for use with moderately low hardness water. It is not recommended for use with soft water
- Inhibits corrosion of steel distribution system water lines, iron and galvanized piping, and lead and copper plumbing
- Decreases the potential for THM formation when dosed with chlorine and protects against the release of asbestos or cement from water mains. Also substantially reduces leaching of lead from piping and lessens the occurrence of microbial-induced corrosion, providing longer system life.
- Saves money by reducing corrosion, lowering chlorine demand and decreasing hydrant flushing, leaks and failures
- Certified by NSF to NSF/ANSI Standard 60

TYPICAL PROPERTIES

Appearance	Colorless to light yellow liquid
Odor	Odorless
Solubility in water	Complete
pH (as is) @ 25°C	4 - 7
Specific Gravity	1.40 ± 0.10

AWC[®] A-782

Water Distribution System Corrosion Inhibitor

SAFETY & HANDLING

May be toxic by ingestion in concentrated form. Do not take internally. If ingested, drink at least two (2) glasses of water and get immediate medical attention. Contact with eyes causes irritation. If eyes are contacted, immediately flush with clean water for 15 minutes and if irritation persists, get medical attention. In case of skin contact, wash with soap and water. For more information, see the Safety Data Sheet provided with this product.

CHEMICAL FEEDING AND CONTROL

Normally fed continuously to the system being treated by means of a chemical metering pump. In most applications, product is fed as a concentrate, without the necessity of dilution. This product will perform best when water pH is maintained between 7.5–8.5. Dosing rate is based on water quality. The overall product applications and the specific chemical feed and control methods employed must be specified by the technical representative servicing the facility system. The specific control ranges will be specified by the technical representative and can also assist you in determining the appropriate dose rate for your system.

PACKAGING

5 gallon pails, 55 gallon non-returnable plastic drums, 275 gallon totes



SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
 1802 CORPORATE CENTER LANE
 PLANT CITY, FL 33563

IDENTITY

AWC® A-102 Ultra

Section I Company and Product Identification

AMERICAN WATER CHEMICALS® 1802 Corporate Center Lane Plant City, FL 33563 Telephone Number: (813)-246-5448	ChemTel phone Number: In the U.S.: 1-800-255-3924 International: 1-813-248-0585 Australia: 1-300-954-583 Brazil: 0-800-591-6042 China: 400-120-0751 India: 000-800-100-4086 Mexico: 800-099-0731
Date Prepared: March, 1999	Date Revised: March, 2021

Trade Name	AWC® A-102 Ultra
Product Family	RO, NF Scale Inhibitor

Section II – Hazards Identification

Signal Word : WARNING Acute Toxicity: Oral, Category 5 Concentrated product may be harmful if swallowed. Skin Corrosion/Irritation, May be slightly irritating to skin. Serious Eye Damage/ Eye Irritation: Category 2B	
GHS Hazard Phrases	H303+H313 - May be harmful if swallowed or in contact with skin. H320 - Causes eye Irritation.
GHS Precaution Phrases	Read label before use. Wear protective gloves/ eye protection/ face protection.
GHS Response Phrases	Call a poison center/doctor/...if you feel unwell
GHS Storage and Disposal Phrases	Please refer to section 7 for storage and section 13 for Disposal information

Route(s) of Entry:	Inhalation? No	Skin? No	Ingestion? Yes
Health Hazards (Effects of Acute and Chronic Overexposure)			
Inhalation: None Known			
Eye Contact: Irritation, redness, watering eyes, itchiness			
Skin Contact: Irritation.			
Ingestion (Swallowing): Nauseous			

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
 1802 CORPORATE CENTER LANE
 PLANT CITY, FL 33563

Section III - Hazard Ingredients/Composition Information

Hazardous Components (Chemical Name)	CAS #	%	EC #
Water	7732-18-5	50-80	N/A
Blend of Organophosphonates	Proprietary	> 10%	N/A
Blend of Dispersants	Proprietary	> 10%	N/A

Section IV – First Aid Procedures

Inhalation: Immediately remove to fresh air. Get medical attention if nasal, throat or lung irritation develops.
Eye Contact: Remove contact lenses. Hold eyelids apart. Immediately flush with plenty of low pressure water for at least 15 minutes. Call a physician. Remove material from skin and clothing.
Skin Contact: Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Thoroughly wash before reuse or discard. Wash skin with soap and water until clean. Get medical help if irritation occurs.
Ingestion (Swallowing): If conscious, immediately give several glasses of water or milk. Do not induce vomiting. (Do not give food to an unconscious person). Take immediately to hospital or physician.

MOST IMPORTANT SYMPTOMS	
Symptoms/Injuries	Irritation, redness, itchiness
Symptoms/Injuries after eye contact	Irritation, redness, watering eyes, itchiness
Symptoms/Injuries after ingestion	Significant adverse health effects are not expected to develop if only small amounts (less than a mouthful) are swallowed.

Section V - Fire Fighting Measures

Flash Point (Method Used) None	Flammable Limits: NE
Extinguishing Media: Water spray, foam, dry chemical, or carbon dioxide	
Auto ignition temp: Noncombustible.	
Special Fire Fighting Procedures and Protective Equipment: Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.	
Unusual Fire and Explosion Hazard: Decomposes in a fire giving off irritant fumes.	
Hazardous Decomposition or Combustion Byproducts: Elemental oxides.	

Section VI – Accidental Release Measures

Steps to Be Taken in Case Material is Released or Spilled: Steps to Be Taken in Case Material is Released or Spilled: Ventilate area. Use specified protective equipment. Contain and absorb on absorbent material. Place in waste disposal container. Flush area with water. Wet area may be slippery. Spread sand/grit.

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
 1802 CORPORATE CENTER LANE
 PLANT CITY, FL 33563

Additional Information: Planning ahead is essential for handling spills. Proper equipment and trained employees should be readily available to correct a spill situation. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers and public waters. Avoid release to the environment.

Section VII - Handling and Storage

Precautions to Be taken in Handling (General):	Use appropriate protective wear. Observe all recommended safety precautions until container is cleaned, reconditioned or destroyed. The reuse of this material's container for non-industrial purposes is prohibited and any reuse must be in consideration of the data provided in this material safety data sheet.
Precautions for safe storage and any incompatibilities	Keep container closed when not in use. Protect from freezing. Do not store in elevated temperatures. Keep away from direct sunlight.

Section VIII – Exposure Controls and Personal Protection

Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	TWA ACGIH	STEL ACGIH	Other Limits Recommended
None has been established	None	None	None	NA

Primary Route of Exposure: Body contact.
Target Organs: None Known
Respiratory Protection: Approved NIOSH respirator.
Skin Protection: Rubber or plastic-impervious and/or waterproof.
Protective Gloves: Rubber, nitrile, neoprene, PVL. Eye Protection: Splash proof safety goggles.
Other Protective Clothing or Equipment: Eye wash facility and safety shower in immediate area. Rubber boots. Rubbers over leather shoes are not recommended.

Section IX - Physical/Chemical Characteristics

Boiling Point: > 100°C (212°F)	Freezing point: -10 °C (14 °F)
Viscosity : Brookfield)@25°C: < 100 cp	Specific Gravity (H2O = 1): 1.10 ± 0.05
Solubility in Water: Complete	pH: < 3.5
Appearance and Odor: Clear colorless to yellow liquid with characteristic odor.	

NR: NOT REQUIRED, NE: NOT ESTABLISHED, NA: NOT APPLICABLE

Section X – Stability & Reactivity Data

Stability: Stable under normal conditions.
Conditions to avoid: Do not expose to extreme temperatures.
Incompatibility (Materials to Avoid): May react with strong oxidizers

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Hazardous Decomposition Products: None known
Hazardous Polymerization: Does not occur
Condition to avoid: None known
Additional Information: none

Section XI– Toxicological Information

Available data on closely related material indicates the following: ORAL LD50(Rats): >2,400 mg/kg (Estimated value) DERMAL LD50(Rabbits): >7,940 mg/kg (Estimated value) EYE IRRITATION: Not established SKIN IRRITATION: Not established
Mutagenic: Not listed.
Teratogenic: Not listed.
Reproductive Toxicity: Not listed.
Primary Route of Exposure: Body contact.
Target Organs: Not Listed

Section XII – Ecological Information

Available data on closely related material indicates the following: Aquatic Toxicity: Daphnia Magna 48 Hr. acute toxicity LC50=2700 mg/L, no effect level = 1540 mg/L Fathead Minnow 96 Hr. acute toxicity, no effect level = 5000 mg/L Biodegradation: BOD-28 = 1 mg/g BOD-5 = 1 mg/g COD = 116 mg/g TOC = 26 mg/g
--

Section XIII - Disposal Consideration

Waste Disposal Method: Waste Disposal Method: Water contaminated with this product may be sent to a sanitary sewer treatment facility, in accordance with any local agreement, a permitted waste treatment facility or discharge under a permit. Product as is- Incinerate or land dispose in an approved land fill. If this undiluted product is discarded as a waste, the US RCRA hazardous waste identification number is not applicable. The state and local requirements for waste disposal may be more restrictive or otherwise different from federal regulations. Consult state and local regulations regarding the proper disposal of this material.

Section XIV - Transport information

D.O.T. Proper Shipping Name: N/A	D.O.T. Hazard Class: N/A D.O.T. LABEL: N/A
ID No: N/A	Packing Group: N/A

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS®
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Section XV - Regulatory information

Workplace Classification: This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR1 910.1200).
This product is not a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS).
SARA TITLE III: Section 311/312 Categorizations (40CFR370): This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.
SARA TITLE III: Section 313 information (40CFR372): This product does not contain a chemical which is listed in section 313 at or above de minimum concentrations.
CERCLA Information (40CFR302.4): Releases of this material to air, land or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.
US. Toxic Substances Control Act (TSCA): All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Australian Inventory of Chemical Substances: All components of this product are listed in the Australian Inventory of Chemical Substances (AICS).
Potable Water Approval: This product is NSF/ANSI Standard 60 certified. Maximum use level = 10mg/L

Section XVI - Other information

NFPA RATINGS:

Health	Flammability	Reactivity
1	0	0

The data contained in this safety data sheet has been prepared based upon an evaluation of the ingredients contained in the product, their concentrations in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required.

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

IDENTITY

AWC® A-782

Section I Company and Product Identification

AMERICAN WATER CHEMICALS® 1802 CORPORATE CENTER LANE PLANT CITY, FL 33563 Telephone Number: (813)-246-5448	ChemTel phone Number: In the U.S.: 1-800-255-3924 International: 1-813-248-0585 Australia: 1-300-954-583 Brazil: 0-800-591-6042 China: 400-120-0751 India: 000-800-100-4086 Mexico: 800-099-0731
Date Prepared: 11/21/03	Date Revised: October 2020

Trade Name	AWC® A-782
Product Family	Corrosion Inhibitor

Section II – Hazards Identification

<p>Signal Word : WARNING Acute Toxicity: Oral, Category 5 May be harmful if swallowed. Skin Corrosion/Irritation, Category 5 May be harmful in contact with skin Inhalation: Category 5 May be harmful if inhaled</p>	
GHS Hazard Phrases	H303 + H313: May be harmful if swallowed or in contact with skin H333: May be harmful if inhaled.
GHS Precaution Phrases	P103: Read label before use
GHS Response Phrases	P311: Call a poison center/doctor/...if you feel unwell
GHS Storage and Disposal Phrases	Please refer to section 7 for storage and section 13 for Disposal information

Route(s) of Entry:	Inhalation? Yes	Skin? No	Ingestion? Yes
Health Hazards (Effects of Acute and Chronic Overexposure)			
Inhalation: May be harmful if inhaled.			
Eye Contact: May cause eye irritation.			
Skin Contact: May be slightly irritating to skin			

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Ingestion (Swallowing): May be Harmful if swallowed. Phosphates are slowly and incompletely absorbed when ingested, and seldom result in systemic effects. Such effects, however, have occurred. Symptoms may include vomiting, lethargy, diarrhea, blood chemistry effects, heart disturbances and central nervous system effects. The toxicity of phosphates is due to their ability to sequester calcium.

Section III - Hazard Ingredients/Composition Information

Hazardous Components (Chemical Name)	CAS #	%	EC #	Risk Phrases
Polyphosphate, Sodium Salt	Proprietary	10-36%	N/A	R22,38
Orthophosphate, Sodium Salt	Proprietary	10-36%	N/A	R22,38
Water	N/A	<55 %	N/A	N/A

Section IV – First Aid Procedures

Inhalation: Immediately remove to fresh air. If breathing has stopped, give artificial respiration or oxygen. See a physician if irritation of the eyes, skin or respiratory tract occurs.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes holding lids apart to ensure flushing of the entire surface. Call a physician. Remove material from skin and clothing. Remove contact lenses immediately if possible.

Skin Contact: Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Thoroughly wash before reuse or discard. Get medical help if irritation occurs.

Ingestion (Swallowing): If conscious, immediately give several glasses of water or milk. Do not induce vomiting. NEVER give anything by mouth to an unconscious person. Take immediately to hospital or physician.

MOST IMPORTANT SYMPTOMS	
Symptoms/Injuries	May be slightly irritating to skin.
Symptoms/Injuries after eye contact	May be irritating to eyes.
Symptoms/Injuries after ingestion	May cause vomiting, lethargy, diarrhea.

Section V - Fire Fighting Measures

Flash Point (Method Used) None	Flammable Limits: NE
Extinguishing Media: Water spray, dry chemical, CO2, or other class B extinguishing agent. This material does not burn. Use extinguishing media appropriate to the surrounding fire conditions	
Auto ignition temp: Noncombustible.	
Special Fire Fighting Procedures and Protective Equipment: This material does not burn. Move containers from fire area if it can be done without risk. Otherwise, use water in flooding quantities as a spray or fog to keep fire-exposed containers cool and absorb heat to help prevent rupture. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective equipment (Bunker Gear) will not provide adequate protection. Chemical resistant clothing (e.g. chemical splash suit and positive pressure self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) may be necessary.	
Unusual Fire and Explosion Hazard: N/A	

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
 1802 CORPORATE CENTER LANE
 PLANT CITY, FL 33563

Hazardous Decomposition or Combustion Byproducts: N/A

Section VI – Accidental Release Measures

Steps to Be Taken in Case Material is Released or Spilled: When handling spill and leaks, follow good industrial hygiene and safety practices as outlined in this document. Dispose of in compliance with local regulations pertaining to phosphates. In case of spills, prevent discharge to the environment (use dykes for large spills). Absorb spillage with earth, sand, clay, sawdust or other inert absorbent material which does not react with spilled chemical. Place all spilled material, contaminated sorbent materials, contaminated dirt, and other contaminated material in chemical waste container. Flush residual spill area with large amounts of water.

Additional Information: Planning ahead is essential for handling spills. Proper equipment and trained employees should be readily available to correct a spill situation. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers and public waters. Avoid release to the environment.

Section VII - Handling and Storage

Precautions to Be taken in Handling (General):	Empty drums as thoroughly as possible to facilitate disposal. Do not use with incompatible materials such as strong acids and strong bases. Label and avoid damaging containers. Maintain handling equipment. Practice good housekeeping. It is good practice to keep storage containers closed when not in use and when empty. Provide ventilation to minimize exposure. Use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.
Precautions for safe storage and any incompatibilities	Keep container closed when not in use. Protect from freezing. Do not store in elevated temperatures. Keep away from direct sunlight.

Section VIII – Exposure Controls and Personal Protection

Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	TWA8 ACGIH	STEL ACGIH	Other Limits Recommended
None has been established	None	None	None	NA

Primary Route of Exposure: Inhalation	
Target Organs: None Known	
Respiratory Protection: Approved NIOSH respirator.	
Skin Protection: Rubber or plastic-impervious and/or waterproof.	
Protective Gloves: Wear impervious rubber or plastic gloves.	Eye Protection: Wear chemical goggles and a face shield and have eyewash station immediately available.
Other Protective Clothing or Equipment: Eye wash facility and safety shower in immediate area. Rubber boots. Rubbers over leather shoes are not recommended. Use local natural or mechanical exhaust ventilation to minimize exposure at sources of air contamination such as open process equipment. Engineering or administrative controls should be implemented to control mist	

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
 1802 CORPORATE CENTER LANE
 PLANT CITY, FL 33563

Section IX - Physical/Chemical Characteristics

Boiling Point: >101°C (213°F)	Percent Volatile: NE
Viscosity : NE	Specific Gravity (H2O = 1) 1.40± 0.10
Solubility in Water: Complete	pH: 4 – 7
Appearance and Odor: Clear liquid - colorless to slight yellow tint	

NR: NOT REQUIRED, NE: NOT ESTABLISHED, NA: NOT APPLICABLE

Section X – Stability & Reactivity Data

Stability: Stable under normal conditions of storage and handling. Usually stable in alkaline aqueous solution, but breaks down (hydrolyzes) to orthophosphate under acidic conditions.
Conditions to avoid: Do not expose to extreme temperatures.
Incompatibility (Materials to Avoid): Strong Oxidizing Agents (eg. perchlorates, peroxides) and strong acids (eg. Sulfuric acid) - reaction may be violent if mixed with this product at full strength. However, this product can safely be dosed into a water supply that contains dosage levels of oxidizers or acids that meet drinking water standards.
Hazardous Decomposition Products: When involved in a fire, the material may form toxic fumes of phosphorous oxides.
Hazardous Polymerization: Does not occur
Condition to avoid: None known
Additional Information: none

Section XI– Toxicological Information

<p>Available data on closely related material indicates the following: ORAL LD50(Rats): =3053 mg/kg Skin Irritation (rabbit, guinea pig): Negligible irritation and no visible tissue damage was observed after a 50% solution was applied to intact and abraded skin. Acute Overexposure: Irritating to body tissue with which it comes into contact. Chronic Overexposure: No known cases of chronic poisoning due to phosphate solutions have been reported. May sequester calcium and cause calcium phosphate deposits in the kidneys. Carcinogenicity: None of the components have been classified as a carcinogen by OSHA, NTP, and IARC. Medical Conditions Generally Aggravated by Exposure: Phosphate solution will cause further irritation of tissue, open wounds, burns or mucous membranes.</p>
Mutagenic: Not listed.
Teratogenic: Not listed.
Reproductive Toxicity: Not listed.
Primary Route of Exposure: Inhalation

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Target Organs: Not Listed

Section XII – Ecological Information

Biodegradation: No specific biodegradation data is available for this product.

Section XIII - Disposal Consideration

Waste Disposal Method: Always dispose of in accordance with federal, state and local regulations pertaining to phosphates. Consult your attorney or appropriate regulatory officials for information on such disposal. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3.

Section XIV - Transport information

D.O.T. Proper Shipping Name: N/A	D.O.T. Hazard Class: N/A D.O.T. LABEL: N/A
ID No: N/A	Packing Group: N/A

Section XV - Regulatory information

US Federal Regulations
TSCA: All components in this product are listed on the TSCA inventory. Health & Safety Reporting List: None of the chemicals in this product are on the Health & Safety Reporting List. Chemical Test Rules: None of the chemicals in this product are under a Chemical Test Rule. Section 12b: None of the chemicals in this product are listed under TSCA Section 12b. TSCA Significant New Use Rule: None of the chemicals in this product have a SNUR under TSCA. CERCLA Hazardous Substances and corresponding RQs: None of the chemicals in this product have an RQ.
None of the chemicals in this product have a TPQ. SARA Codes: Acute Section 313:
None of chemicals in this product are reportable under Section 313. Clean Air Act:
This material does not contain any hazardous air pollutants.
This material does not contain any Class 1 or Class 2 Ozone depleters. Clean Water Act: None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA. OSHA: None of the chemicals in this product are considered highly hazardous by OSHA.
State: None of the chemicals in this product are present on state lists from CA, PA, WI, MA, or NJ. California Prop 65:
California No Significant Risk Level: None of the chemicals in this product are listed.
European/International Regulations
European Labeling in Accordance with EC Directives: Hazard Symbols: None
Risk Phrases: 22 Harmful if swallowed. 38 Irritating to skin
Safety Phrases: 2 Keep out of reach of children 61 Avoid releases to the environment. WGK (Water Danger/Protection): None
Canada - DSL/NDSL:
All components are listed on Canada's DSL List Canada – WHMIS:
None of the components in this product could be classified as hazardous in accordance with the hazard criteria of the Controlled Products Regulations. Canadian Ingredient Disclosure List: None of the components in this

SAFETY DATA SHEET

AMERICAN WATER CHEMICALS
1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

product are listed on the Canadian Ingredient Disclosure List.
Potable Water Approval: This product is NSF/ANSI Standard 60 certified.

Section XVI - Other information

NFPA RATINGS:

Health	Flammability	Reactivity
1	0	0

The data contained in this material safety data sheet has been prepared based upon an evaluation of the ingredients contained in the product, their concentrations in the product and potential interactions. The information is offered in good faith and is believed to be accurate. It is furnished to the customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required.

NSF International

789 N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

American Water Chemicals, Inc.

Facility: Plant City, FL

AS COMPLYING WITH NSF/ANSI 60 AND ALL APPLICABLE REQUIREMENTS.
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



Certification Program
Accredited by the
American National
Standards Institute



Certification Program
Accredited by the
Standards Council
of Canada

This certificate is the property of NSF International and must be returned upon request. This certificate remains valid as long as this client has products in Listing for the referenced standards. For the most current and complete Listing information, please access NSF's website (www.nsf.org).

A handwritten signature in black ink that reads "Theresa Bellish".

June 6, 2016

Certificate# 0X343 - 04

Theresa Bellish

General Manager, Water Systems



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Monday, October 18, 2021** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/PwsChemicals/Listings.asp?TradeName=AWC+A%2D102+Ultra&>

NSF/ANSI/CAN 60 Drinking Water Treatment Chemicals - Health Effects

American Water Chemicals, Inc.

1802 Corporate Center Lane
Plant City, FL 33563
United States
888-217-8757
813-246-5448
[Visit this company's website](#)

Facility : Plant City, FL

Miscellaneous Treatment Chemical

Trade Designation

AWC A-102 Ultra
AWC A-102 Ultra (50% Solution)

Product Function

Reverse Osmosis Antiscalant
Reverse Osmosis Antiscalant

Max Use

15mg/L
15mg/L

Number of matching Manufacturers is 1
Number of matching Products is 2
Processing time was 0 seconds

CONNECT WITH NSF



©2012 NSF International. All rights reserved.



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Monday, October 18, 2021** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/PwsChemicals/Listings.asp?TradeName=AWC+A%2D782&>

NSF/ANSI/CAN 60

Drinking Water Treatment Chemicals - Health Effects

American Water Chemicals, Inc.

1802 Corporate Center Lane
 Plant City, FL 33563
 United States
 888-217-8757
 813-246-5448

[Visit this company's website](#)

Facility : Plant City, FL

Miscellaneous Corrosion Chemicals

Trade Designation
 AWC A-782

Product Function
 Corrosion & Scale Control

Max Use
 23mg/L

Number of matching Manufacturers is 1

Number of matching Products is 1

Processing time was 0 seconds

CONNECT WITH NSF



©2012 NSF International. All rights reserved.

State of Florida

Department of State

I certify from the records of this office that AMAYA SOLUTIONS, INC. is a Delaware corporation authorized to transact business in the State of Florida, qualified on September 11, 2020.

The document number of this corporation is F20000003944.

I further certify that said corporation has paid all fees due this office through December 31, 2021, that its most recent annual report/uniform business report was filed on January 18, 2021, and that its status is active.

I further certify that said corporation has not filed a Certificate of Withdrawal.

*Given under my hand and the
Great Seal of the State of Florida
at Tallahassee, the Capital, this
the Eighteenth day of January,
2021*



Ronald R. Lee
Secretary of State

Tracking Number: 4037269567CC

To authenticate this certificate, visit the following site, enter this number, and then follow the instructions displayed.

<https://services.sunbiz.org/Filings/CertificateOfStatus/CertificateAuthentication>



[Department of State](#) / [Division of Corporations](#) / [Search Records](#) / [Search by Entity Name](#) /

[Previous On List](#) [Next On List](#) [Return to List](#)

No Events **No Name History**

Detail by Entity Name

Foreign Profit Corporation
AMAYA SOLUTIONS, INC.

Filing Information

Document Number	F20000003944
FEI/EIN Number	84-4097612
Date Filed	09/11/2020
State	DE
Status	ACTIVE

Principal Address

1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Mailing Address

1802 CORPORATE CENTER LANE
PLANT CITY, FL 33563

Registered Agent Name & Address

ALMALKI, MOHANNAD
1802 CORPORATE CENTER LN
PLANT CITY, FL 33563

Officer/Director Detail

Name & Address

Title DIRP, SEC

ALMALKI, MOHANNAD
1802 CORPORATE CENTER LN

PLANT CITY, FL 33563

Title TREASURER

CANEZO, RUDY B
1802 CORPORATE CENTER LN
PLANT CITY, FL 33563

Annual Reports

Report Year	Filed Date
2021	01/18/2021
2021	06/25/2021

Document Images

06/25/2021 -- AMENDED ANNUAL REPORT	View image in PDF format
01/18/2021 -- ANNUAL REPORT	View image in PDF format
09/11/2020 -- Foreign Profit	View image in PDF format

[Previous On List](#) [Next On List](#) [Return to List](#)

Amaya solutions

Search

No Events **No Name History**