

## City of North Port

### **RESOLUTION NUMBER 2025-R-72**

A RESOLUTION OF THE CITY COMMISSION OF THE CITY OF NORTH PORT, FLORIDA; APPROVING A PRELIMINARY SUBDIVISION PLAT FOR WEST LAKE A 156-LOT RESIDENTIAL SINGLE-FAMILY SUBDIVISION ON APPROXIMATELY 164.48 ACRES LOCATED SOUTH AND WEST OF PRETO BOULEVARD AND NORTH OF PLAYMORE ROAD; PROVIDING FOR FINDINGS; PROVIDING FOR PRELIMINARY SUBDIVISION PLAT APPROVAL; PROVIDING FOR CONFLICTS; PROVIDING FOR SEVERABILITY; AND PROVIDING AN EFFECTIVE DATE.

**WHEREAS**, on June 18, 2025, Main Street Ranchlands, LLLP (the "Applicant") submitted an application to the City of North Port, Florida (the "City") for approval of a Subdivision Preliminary Plat (the "Preliminary Plat") for West Lake, (the "Property"); and

WHEREAS, the property described above has a Future Land Use Designation of Village, within a Village Zoning District; and

WHEREAS, residential single-family homes and accessory structures are permitted uses in the Village Future Land Use Designation, Village Zoning District, and the Village D District Pattern Plan; and

WHEREAS, the proposed preliminary subdivision plat as submitted is consistent with the City's Comprehensive Plan and, Unified Land Development Code (ULDC); and

**WHEREAS,** the applicant has submitted all applicable bylaws, covenants, deeds, articles of incorporation, dedications, and other legal documents regarding ongoing maintenance of subdivision common areas; and

**WHEREAS**, the Planning and Zoning Advisory Board, designated as the local planning agency, held a properly noticed public hearing on November 6, 2025, to receive public comment on the subject matter of this resolution and to make its recommendation to the City Commission; and

**WHEREAS,** the City Commission finds that approval of the requested preliminary subdivision plat does not violate the general intent and purpose of the Unified Land Development Code and is in the best interest of the public health, safety, and welfare.

### NOW THEREFORE, BE IT RESOLVED BY THE CITY COMMISSION OF THE CITY OF NORTH PORT, FLORIDA:

### **SECTION 1 - FINDINGS**

- 1.01 The above recitals are true and correct and are incorporated in this resolution.
- 1.02 The preliminary subdivision plat is consistent with the approved Village D Pattern Plan.
- 1.03 The Development Review Committee reviewed the application and preliminary subdivision plat finding that proposed subdivision meets the requirements of 2.2.9.B.(3)a. of the Unified Land Development Code (ULDC), is consistent with the Comprehensive Plan, meets all applicable requirements in Chapter 1 through 6 of the ULDC, and that sufficient legal documentation has been provided to establish responsibility for ongoing maintenance of the subdivision common areas.

### SECTION 2 - PRELIMINARY SUBDIVISION PLAT APPROVAL

2.01 That the City Commission approve the West Lake preliminary subdivision plat for a 156-lot single-family community on approximately 164.48 acres as illustrated in Exhibit A. This project includes 156 single-family lots, private road tracts, multi-use trail tracts, a lift station, lake tracts, open space/common area tracts, wetland tracts, including preservation areas, and a future amenity tract. The proposed density is 0.95 units/acre, with 64% allocated as open space. The property is legally described as:

DESCRIPTION (as prepared by the certifying Surveyor and Mapper):

A tract of land of lying in Sections 31 & 32, Township 29 South, Range 20 East and Section 5, Township 40 South, Range 20 East, Sarasota County, Florida, being more particularly described as follows:

Begin at the southwest corner of Preto Boulevard (variable width public right-of-way) per Official Records Instrument Number 2020005361 of the Public Records of Sarasota County, Florida, said point being the point of curvature of a curve to the right, having a radius of 1,082.00 feet and a central angle of 09°55'51"; the following two (2) calls are along the north line of Playmore Road (variable width public right-of-way) per Official Records Instrument Number 2007188871 of said Public Records: (1) thence Northwesterly along the arc of said curve, a distance of 187.54 feet, said curve having a chord bearing and distance of N.55°57'49"W., 187.30 feet to a point of curvature of a reverse curve to the left having a radius of 1,210.00 feet and a central angle of 23°17'32"; (2) thence Northwesterly along the arc of said curve, a distance of 491.90 feet, to the point of tangency of said curve; thence continue Westerly along said curve and along the north line of said Playmore Road per Official Records Instrument Number 2013134805 of said Public Records, having a radius of 1,210.00 feet and a central angle of 12°41'08", a distance of 267.90 feet, to a point on the east boundary line of Islandwalk at West Villages, Phase 5 recorded in Plat Book 51, Page 190 of said Public Records, also being the point of curvature of a non-tangent curve to the right, having a radius of 2,999.79 feet and a central angle of 01°46'15"; thence Northerly along the arc of said curve and along said east boundary line of Islandwalk at West Villages, Phase 5, a distance of 92.71 feet, said curve having a chord bearing and distance of N.17°10'20"E., 92.70 feet, to the end of said curve; the following two (2) calls are along the north boundary line of said Islandwalk at West Villages, Phase 5: (1) thence

N.89°05'35"W., a distance of 1,251.87 feet; (2) thence S.89°54'47"W., a distance of 259.05 feet; thence N.00°14'53"E. along the east boundary line of Islandwalk at the West Villages, Phase 1C recorded in Plat Book 47, Page 22 of said Public Records and Islandwalk at the West Villages, Phase 1B recorded in Plat Book 46, Page 10 of said Public Records and Islandwalk at the West Villages, Phase 1A recorded in Plat Book 45, Page 37 of said Public Records, a distance of 4,493.66 feet; the following two (2) calls are along the south boundary line of Wellen Park Public Safety Complex recorded in Plat Book 55, Page 324 of said Public Records: (1) thence S.89°38'39"E., a distance of 56.65 feet; (2) thence S.52°38'39"E., a distance of 110.70 feet to a point on the west right-of-way line of abovementioned Preto Boulevard, also being the point of curvature of a non-tangent curve to the left, having a radius of 465.00 feet and a central angle of 96°42'05"; the following fourteen (14) calls are along said west right-of-way line of Preto Boulevard: (1) thence Southerly along the arc of said curve, a distance of 784.81 feet, said curve having a chord bearing and distance of S.13°53'13"E., 694.92 feet, to the point of curvature of a reverse curve to the right having a radius of 630.00 feet and a central angle of 14°22'16"; (2) thence Southeasterly along the arc of said curve, a distance of 158.02 feet, to the point of tangency of said curve; (3) thence S.47°52'00"E., a distance of 684.51 feet to a point of curvature of a curve to the right having a radius of 630.00 feet and a central angle of 20°21'07"; (4) thence Southeasterly along the arc of said curve, a distance of 223.78 feet, to the point of curvature of a reverse curve to the left having a radius of 760.00 feet and a central angle of 28°53'12"; (5) thence Southeasterly along the arc of said curve, a distance of 383.17 feet, to the point of tangency of said curve; (6) thence S.56°24'04"E., a distance of 787.81 feet to a point of curvature of a curve to the right having a radius of 470.00 feet and a central angle of 60°32'51"; (7) thence Southeasterly along the arc of said curve, a distance of 496.68 feet, to the point of tangency of said curve; (8) thence S.04°08'47"W., a distance of 862.25 feet to a point of curvature of a curve to the left having a radius of 760.00 feet and a central angle of 48°10'58"; (9) thence Southerly along the arc of said curve, a distance of 639.12 feet, to the point of curvature of a reverse curve to the right having a radius of 630.00 feet and a central angle of 66°29'38"; (10) thence Southerly along the arc of said curve, a distance of 731.14 feet, to the point of tangency of said curve; (11) thence S.22°27'27"W., a distance of 21.87 feet; (12) thence N.67°32'33"W., a distance of 4.00 feet; (13) thence S.22°27'27"W., a distance of 214.49 feet to a point of curvature of a curve to the right having a radius of 50.00 feet and a central angle of 96°36'49"; (14) thence Westerly along the arc of said curve, a distance of 84.31 feet, to the POINT OF BEGINNING.

Containing 7,164,860 square feet or 164.4826 acres, more or less.

### **SECTION 3 – CONDITIONS**

- 3.01 That the preliminary subdivision plat shall be subject to the owner/developer complying with the following conditions:
  - a. Develop the property in accordance with the approved preliminary subdivision plat as referenced in Section 2 and attached hereto as Exhibit "A."
  - b. Obtain and provide copies of all applicable permits from other jurisdictional agencies as applicable prior to commencing construction.

### **SECTION 4 – CONFLICTS**

4.01 In the event of any conflict between the provisions of this resolution and any other resolution, in whole or in part, the provisions of this resolution will prevail to the extent of the conflict.

### **SECTION 5 – SEVERABILITY**

5.01 If a court of competent jurisdiction finds that any section, subsection, sentence, clause, phrase, or provision of this resolution is for any reason invalid or unconstitutional, that provision will be deemed a separate, distinct, and independent provision and will not affect the validity of the remaining portions of the resolution.

### **SECTION 6- EFFECTIVE DATE**

6.01 This resolution takes effect immediately.

ADOPTED by the City Commission of the City of North Port, Florida, in public session on November 18, 2025.

	CITY OF NORTH PORT, FLORIDA
	PHIL STOKES MAYOR
ATTEST	
HEATHER FAUST, MMC	
APPROVED AS TO FORM AND CORRECTNESS	
MICHAEL FUINO, B.C.S. CITY ATTORNEY	




CONSTRUCTION PLANS FOR

# WEST LAKE SUBDIVISION (VILLAGE D)

**LOCATED WITHIN SECTION 32** TOWNSHIP 39 SOUTH, RANGE 20 EAST CITY OF NORTH PORT, FLORIDA

A DEVELOPMENT BY

## MAIN STREET RANCHLANDS, LLLP 19503 SOUTH WEST VILLAGES PARKWAY STE 14 VENICE. FLORIDA



LOCATION MAP

SITE MAP

DATE: 08/2025

PROJECT NUMBER: 215618697

### PROJECT DATA

MAIN STREET RANCHLANDS. LLLP 19503 S WEST VILLAGES PARKWAY, SUITE 14 VENICE, FLORIDA 34293

CHARACTER AND INTENDED USE SINGLE-FAMILY RESIDENTIAL SUBDIVISION

ZONING

PROJECT AREA PROPERTY BOUNDARY: 164.48 AC PROJECT AREA: 126.18 AC IMPERVIOUS AREA: 35.76 AC

GROSS RESIDENTIAL DENSITY

TOTAL ACREAGE: 164.48 ACRES NUMBER OF UNITS: 156 156 DWELLING UNITS/164.48 ACRES = 0.95 UNITS/ACRE

STREET YARD - 20 FT SIDE YARD - 5 FT (20 FT MINIMUM BUILDING SEPARATION) REAR YARD - 10 FT (BUILDING); 6 FT (POOL DECK/SCREENED PATIO)

PROPOSED EASEMENTS

PROPOSED EASEMENTS FOR DRAINAGE, ACCESS, UTILITIES, & PRESERVATION AREAS ARE AS INDICATED WITHIN THE PLAN SET. LOT LINE DISCHARDS PROPOSED 10' FRONT, 2.5' SIDE AND 5' REAR. MINIMUM 20' WIDE UTILITY EASEMENT WITHIN FOR WITHIN SERVEN WITHIN EASEMENT WITH EASEMENT WITH EASEMENT WITHIN EAS FLOODPLAIN AREA DESIGNATION

FLOOD ZONE X & AE, ELEV 8 (NAVD 88) AS SHOWN ON THE FEMA FLOOD INSURANCE RATE MAP PANELS 12115C0362G DATED MARCH 27, 2024.

MAINTENANCE OF STORMWATER FACILITIES AND COMMON AREAS

MAINTENANCE OF ROADS
ALL PROPOSED ROADS WILL BE OWNED AND MAINTAINED BY A HOMEOWNER'S ASSOCIATION

WATER AND SEWER

WATER: POTABLE WATER SERVICE WILL BE PROVIDED BY CITY OF NORTH PORT UTILITIES. SEWER: WASTEWATER COLLECTION WILL BE PROVIDED BY CITY OF NORTH PORT UTILITIES. DEP WATER AND WASTEWATER PERMITS ARE REQUIRED.

RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM (NAVD) 1988. THE CONVERSION FACTOR TO NGVD29 IS +1.11' FFFT

RESIDENTIAL INTENSITY

PARKING DATA

F.A.R TOTAL FLOOR AREA / TOTAL AREA: 24.20 ACRES / 164.48 ACRES = 0.15

OPEN SPACE / PARK CALCULATIONS

REQUIRED PARKING = 2 SPACES PER DWELLING UNIT 2 SPACES / DU \* 156 DU = 312 SPACES

PROVIDED PARKING 2 GARAGE SPACES / DU = 312 SPACES

MAX BUILDING HEIGHT FOR SINGLE FAMILY PER VILLAGE D VDPP = 42 FT

### INDEX TO SHEETS

DESCRIPTION

#### COVER SHEET LANDUSE TRACKING AFRIAL SITE PLAN EXISTING CONDITIONS & DEMO PLAN MASTER WETLAND BUFFER IMPACT PLAN MASTER SITE PLAN PRELIMINARY PLAT & SITE PLAN MASTER DRAINAGE PLAN PAVING GRADING & DRAINAGE PLAN MASTER LITILITY PLAN 31 PLAN AND PROFILE KEY SHEET PLAN AND PROFILE 32-53 CROSS SECTIONS GENERAL NOTES & DETAILS PAVING AND GRADING DETAILS DRAINAGE DETAILS 63-65 UTILITY DETAILS 66-68 LIFT STATION DETAILS BEST MANAGEMENT PRACTICES PLAN

BEST MANAGEMENT PRACTICES DETAILS

### **NOTES**

- THE PROJECT AREA IS 126.18 ACRES. THIS PROJECT IS A PART OF PARCEL I.D. #0781001000 & #0783001005 IN THE CITY OF NORTH PORT, FLORIDA.
- SINCE THE PROJECT IS LOCATED WITHIN THE MYMOKA RIVER WATERSHED, 100% OF THE REQUIRED SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT (SWFWMD) STORMMATER TREATIMENT VOLUME IS PROVIDED.
- BOUNDARY DATA SHOWN IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT CONSTITUTE A BOUNDARY SURVEY. THE SWEWIND PROJECT AREA IS 126.18 ACRES.
- THE DEVELOPMENT SHALL BE LANDSCAPED IN ACCORDANCE WITH CHAPTER 4 OF THE UNIFIED LAND DEVELOPMENT CODE OF NORTH PORT, SEE LANDSCAPE PLANS FOR DETALS AND SOFTERCATIONS.
- THERE ARE NO EXISTING RIGHTS-OF-WAYS, STREETS, BUILDINGS AND/OR HISTORIC SITES ON THIS SITE.

- THE IRRIGATION SYSTEM SHALL BE PRIVATELY OWNED AND MAINTAINED. THE IRRIGATION SOURCE WILL BE PROVIDED BY WEST VILLAGES IMPROVEMENT DISTRICT, NON-POTABLE WATER LINES SHALL BE PURPLE IN COLOR.
- SHALL BE PURPLE IN COLOR.

  ALL WIETE, SHAMINE SIEDER MO IRROGNION CONSTRUCTION SHALL MEET OR DICCED CITY OF MORTH PORT UTILITY STANDARDS. OTT OF MORTH PORT STANDARDS MEET THE MINIMAL MALDIMER, BRIES, PROSITION MOVIE MORTISATION CONSTRUCTION STANDARDS, MIESE MAY MANUAL MEMBERS AND MANUAL MEMBERS. MINIMAL MANUAL MEMBERS MAY MANUAL MEMBERS MANUAL MEMBERS MANUAL MEMBERS MANUAL MEMBERS MANUAL MEMBERS MANUAL MEMBERS. MANUAL MEMBERS MANUAL MEMB DEVELOPMENT CONSTRUCTION SHALL COMMENCE IN SEPT 2025 AND IS TO CONTINUE THROUGH SEPT 2026.
- S.P.Y. 2026.

  3. ALL TOPOGRAPHY IS COMPLETED FROM LIDAR INFORMATION AND FIELD INFORMATION COLLECTED BY STANTEC. ELEVATIONS SHOWN HEREON ARE RELATIVE TO THE NORTH AMERICAN VERTICAL, DATUM (MAND) 1988. THE CONVERSION FACTOR TO NOYO 1929. IS +1-11 FEET. DATIM (WWO) 1988. THE CONMESSION PACTOR TO NOTO 1929 IS 4-1.11 FEET.

  NOTIFY "SSANE BIT1," CITY OF ROTH PORT PUBLIC WORSE, ROSIDA, PORDER & LIGHT,
  COMUNEST, TECO AND ANY OTHER UTLITES (GUS COMPANES, CARE MY, FIC.) PRIOR TO
  CONCRIDENCINO POPULSTION AND PROTECT EXERTING UTLITES FROM CAMPACE.

  15. ALL COMMAND PROPOSIONES AND CHAPS SPACE TILLE SET PRINTED MANUFACT.

  15. ALL COMMAND THEORY SPACE TILLE SET PRINTED MANUFACT.
- 16. THE STORMMATER MANAGEMENT SYSTEM HAS BEEN DESIGNED IN ACCORDANCE WITH CITY OF NORTH PORT REQUIREMENTS, 62-25 F.A.C. REQUIREMENTS AND 400-4 F.A.C. REQUIREMENTS THE STORMMATER MANAGEMENT SYSTEM WILL BE MAINTAINED BY THE WEST VILLAGES IMPROVEMENT DISTRICT.
- THERE ARE NO KNOWN EXISTING COVENANTS OR DEED RESTRICTIONS WHICH WOULD AFFECT THE PROPOSED DEVELOPMENT.
- 19. THERE ARE NO PUBLIC USE AREAS REQUIRED OR PROPOSED FOR THIS SITE. 20. THIS PROJECT HAS BEEN DESIGNED TO PROVIDE REASONABLE ASSURANCE THAT ALI

- APPLICABLE PERMITS CAN BE OBTAINED.
- PERSONAL PERSONAL PRIMITION OF ICE UNIFINED.

  THERE ARE NO KNOWN MELLS OF THE SITE. IF ANY WELLS ENCOUNTERED ON THE SITE NOT NOTED ON PLANS, CONTRECTOR TO NOTIFY ENGINEER OF RECORD FOR DIRECTION, IF THE PROPERTY MELLS SHOULD BE AMADIONED THE SHALL BE PLUGGED WITH NAT CEMENT FROM BOTTOM TO TOP BY A FLORICA LICENSED WELL DRILLER PRIOR TO EXCLUDING THE SECONATION.

- 23. LIGHTING IS REQUIRED FOR THIS PROJECT, ALL LIGHT FIXTURES ON POLES, WALLS, CANOPIES, AND OTHERWISE OUTDOORS WILL HAVE FULL HORIZONTAL CUT-OFF OPPICS.

  4. FINISHED FLOOR ELEVATIONS SHALL BE DESIGNED IN ACCORDANCE WITH SECTION A.1.3. TECHNICAL STANDARDS OF THE CITY OF NORTH PORT UNITED LAND DEVELOPMENT CODE.
- TECHNICAL STANLARGES OF THE CITY OF NORTH FORT UNRITED LAND EXPLICITABILITY CANADASS. ALL THE SERVING AND PAPELERER MEROSCOS SHALL ER PROSEDOR AN ACCORDANCE With The TECHNICAL STANLARGES, TRANSPORS, TRANSPORS,
- 26. POOL BACKWASH/WASTEWATER WILL DISCHARGE TO SANITARY SYSTEM
- POLIC BACKWASH/WINSTEMATER MILL DISCHARGE TO SANTRAY SYSTEM.
   A CITY OF ROMITH PORT UTILITIES CONSTRUCTION PERMIT IS REQUIRED.
   A FIDER MATER CONSTRUCTION AND WASHEASTER CONSTRUCTION PERMIT IS REQUIRED.
   A FIDER MATER CONSTRUCTION, DRAWINGE CONNECTION, AND UTILITY PERMIT WILL BE REQUIRED.
- THE PROPER BACKFLOW PREVENTION DEVICE MUST BE INSTALLED AND CERTIFIED ON THE CENTRAL WATER CONNECTION.
- 31. A CITY OF NORTH PORT RIGHT-OF-USE PERMIT IS REQUIRED FOR UTILITY CONSTRUCTION WITHIN THE PUBLIC RIGHT-OF-WAY
- TREE REMOVAL AND CLEARING PERMIT HAS ALREADY BEEN ISSUED AS PART OF THE VILLAGE INFRASTRUCTURE APPROVAL.
- D INFRASTRUCTURE APPROVAL.

  34. THERE ARE NO KNOWN STIPULATIONS PLACED ON THIS SITE BY THE CITY COMMIS

ELECTRICAL SERVICE PROVIDED BY FLORIDA POWER AND LIGHT

JULIAN MONTENEGRO Tel. 941-423-4833

### DENOTES SWEWMD SUBMITTAL 10/17/25 REV SHEETS 30, 34, 35, 37 & 38 PER CONP 09/15/25 REV SHEETS 03-21, 23-30, 32-54, 56, 60-62, 68-6 BLB/11707 08/15/25 REV SHEETS 54 & 58 PER SWFWMD COMMENTS BLB/11707 RY

### REVISIONS



SUPPLEMENTAL PLANS

business days before digging to have buried facilities located and marked.

PROJECT MANAGER

CHRISTOPHER D. JORDAN, P.E. PLORIDA LIC. NO. 68661

PROJECT ENGINEER PROJECT SURVEYOR DANA DRISCOLL, EL JOE KELLY, P.S.M.



Jordan 2025.10.17

### LOCAL UTILITY PROVIDERS

DATA AND CABLE TELEVISION SERVICE PROVIDED BY FRONTIER COMMUNICATIONS

WATER AND SEWER SERVICE PROVIDED BY CITY OF NORTH PORT UTILITIES 6644 W. PRICE BLVD. NORTH PORT, FLORIDA 34291 Tel. 941-240-8000 www.cityofnorthport.com/government

GAS SERVICE PROVIDED BY TECO PEOPLES GAS 2602 CONSTITUTION BLVD. Tel. 941-926-9397

	City SDR Application Number(s)	Dwelling Units	Commercial	Office
TOTAL DWELLING UNITS APPROVED		2,400		
Preto Boulevard	INF-17-128	0		
Marketplace Project Tracts:				
West Villages Marketplace Publix (Lot 7)	MAS-18-013	0		
Update 20230908"	MAS-19-062	0		
Out Parcel 2 Tract (Lot 2)		0		
Out Parcel 3 Tract (Lot 3)		0		
Heartland Dental (Lot 4)	MAS-18-186	0		
Out Parcel 5 Tract (Lot 5)		0		
Chase Bank at West Villages Marketplace (Lot 6)	MAS-19-282	0		
Vellen Park Downtown Phase 1 Tracts:				
Davis Wellen Park Multi-Family (Tract 1)	MAS-20-197	129		
Davis Wellen Park Multi-Family (Tract 2)	MAS-20-197	150		
Davis Wellen Park II Multi-Family	MAS-22-147	359		
Tract 3		0		
Tract 4		0		
Tract 5		0		
Tract 6		0		
Tract 7	SCP-20-050	0		
Tract 8		0		
Tract 9		0		
Tract 10	MAS-19-035; SCP-20-050	0		
Tract 11	SCP-20-050	0		
Primrose School at Wellen Park (Tract 13)	MAS-23-140	0	13800 SF	
Oak Bend Subdivision	INF-24-169; SCP-24-170	181	0	0
Michael Saunders (Tract 14)	PDSP-25-00426	0	17002	5788
West Lake Subdivision		156	0	0
VILLAGE D TOTALS		975		

WEST LAKE

LANDUSE TRACKING

Revision: Sheet: of Drawing No.

