



**Municipal Sales**  
 4620 City Center Dr., Port Orange, FL, USA 32119  
 (800) 767-7310 • Fax: (386) 761-0362  
[dperry@thompsonpump.com](mailto:dperry@thompsonpump.com)

February 19, 2020

Quote # FLR-DP-9010 (REV1)

City of North Port  
 Utilities Department  
 6644 West Price Blvd.  
 North Port, FL 34291

PH: 941-240-8011  
 FX: 941-240-8022  
 E: [rnewkirk@cityofnorthport.com](mailto:rnewkirk@cityofnorthport.com)

RE: FY2019-2020 Stationary Thompson Pumps- LS #66, Ls#31, and LS #51

Hello Rick,

Thank you for your interest in Thompson Pump & Manufacturing and the products and the services that we provide. Based on the City of North Port’s standard specification 336022 for stationary by-pass pumps and your request, the pricing below is for (3) Thompson Pump model 4JSCM- as a dry-priming, high efficiency by-pass pump. These new pumps will be utilized on (3) lift stations within the City of North Port Utilities service area.

| <u>PS #</u> | <u>PS Location</u>     | <u>Thompson Pump Required</u> | <u>Duty Point Req.</u> | <u>Max Static Suction Lift</u> |
|-------------|------------------------|-------------------------------|------------------------|--------------------------------|
| 66          | 2490 S. Biscayne Dr.   | 4JSCM-DIS-4LE2T-DC            | 450 GPM at 65’ TDH     | 15’                            |
| 31          | 3975 Pan American Blvd | 4JSCM-DIS-4LE2T-DC*           | TBD- Requested Model   | 15’                            |
| 51          | 1450 N Sumter Blvd     | 4JSCM-DIS-4LE2T-DC*           | TBD- Requested Model   | 15’                            |

\* Thompson Pump model 4JSCM- is being proposed base on customer’s request only. Prior experience with a similar model Thompson Pump has performed adequately during previous emergency by-pass mobilizations at the lift stations listed above.

Sourcewell, formerly NJPA, serves as a National Municipal Contracting Agency which enables the City of North Port to avoid the hassle and expense of purchasing this pump through the public bid process. Sourcewell facilitates a “**competitive bidding process**” on behalf of its members’ establishing a legal contract pathway which allows you to choose the products and equipment you want while saving you time and money. You can also visit us on the Sourcewell website at [www.sourcewell-mn.gov](http://www.sourcewell-mn.gov) by entering “Thompson Pump” or our contract number (012418-TPM) to view our landing page.

City of North Port Sourcewell Member #: 27808  
 Member Since: Nov. 2009

Thompson Pump Sourcewell Contract # 012418-TPM  
 Category: Facility, Maintenance, Repair, and Operations  
 Description: Public Utility Equipment with Related Accessories and Supplies  
 Maturity Date: 3-14-2022

Should you require further information or have any questions, please feel free to contact me directly.

Sincerely,

David Perry  
 Thompson Pump & Manufacturing Co., Inc  
 Municipal Sales Manager - Cell: (386) 527-3265  
 Email: [dperry@thompsonpump.com](mailto:dperry@thompsonpump.com)



Municipal Sales  
 4620 City Center Dr., Port Orange, FL, USA 32119  
 (800) 767-7310 • Fax: (386) 761-0362  
[dperry@thompsonpump.com](mailto:dperry@thompsonpump.com)

**Sourcewell Contract # 012418-TPM**

| Description   | Qty.     | Unit Price           | Subtotal             |
|---|----------|----------------------|----------------------|
| <b>4JSCM-DI-4LE2T-M</b>   | <b>3</b> | <b>\$ 30,515 .00</b> | <b>\$ 91,545 .00</b> |
| 4" X 4" Sound Attenuated, High Efficiency, Compressor-Assisted, Trash Pump  |          |                      |                      |
| → <b>Max Performance:</b> 1,200 GPM Max, 132' TDH Max   |          |                      |                      |
| → <b>BEP Performance:</b> 79%   |          |                      |                      |
| → <b>Fittings:</b> 4" Flange on suction port and 4" Flange on discharge port  |          |                      |                      |
| → <b>Impeller:</b> 8.25" Enclosed, 65-45-12 DI, 3" Solids Handling (spherical)  |          |                      |                      |
| → <b>Engine:</b> Isuzu 4LE2T, 40HP at 1,800 RPM, 4-cylinder, in-line, 4 cycle, water cooled, direct injection Final Tier IV diesel-powered engine. DOC Only- No After Treatment.  |          |                      |                      |
| → <b>Priming System: Enviroprime System®</b> is Thompson Pump's compressor-assisted priming system that allows the pump to automatically dry-prime and re-prime. This priming system eliminates re-circulation of waste water through the venturi, commonly called BLOW-BY. TPM offers a lifetime warranty on Venturi device. |          |                      |                      |
| → <b>Fuel Tank:</b> Modular, skid type with integrated 75 gallon, Non-UL double walled fuel, inner wall leak sensor, and mounting tabs with vibration isolator pads.  |          |                      |                      |
| → <b>Control Panel:</b> Auto Start Stop capable control panel for electronically governed engines. Complete with (1) auto start/stop float set with 70' cables.   | <b>3</b> | <b>\$ 2,791 .00</b>  | <b>\$ 8,373.00</b>   |
| → <b>Double Walled Fuel Tank- TPM std. modular frames only (Non-UL):</b> Included   | <b>3</b> | <b>\$ 2,639.00</b>   | <b>\$ 7,917.00</b>   |
| → <b>Silent Knight® Sound Attenuation Enclosure:</b> Included   | <b>3</b> | <b>\$ 10,476.00</b>  | <b>\$ 31,428.00</b>  |
| → <b>SCADA Interface with 6 dry contact alarms:</b> Included  | <b>3</b> | <b>\$ 2,112.00</b>   | <b>\$ 6,336.00</b>   |
| → <b>Throttle Actuator for RPM Control:</b> Included  | <b>3</b> | <b>\$ 1,185.00</b>   | <b>\$ 3,555.00</b>   |
| → <b>120 Volt Battery Charger:</b> Included   | <b>3</b> | <b>\$ 471.00</b>     | <b>\$ 1,413.00</b>   |
| → <b>Solar Battery Charger:</b> Included  | <b>3</b> | <b>\$ 868.00</b>     | <b>\$ 2,604.00</b>   |
| → <b>Inside Work Lights:</b> Included   | <b>3</b> | <b>\$ 510.00</b>     | <b>\$ 1,530.00</b>   |
| → <b>Discharge Direction Curb Side or Rear Side:</b> Included   | <b>3</b> | <b>\$ 653.00</b>     | <b>\$ 1,959.00</b>   |
| → <b>Alternate Paint Color:</b> Included at No Additional Charge  | <b>3</b> | <b>\$ 375.00</b>     | <b>\$ 1,125.00</b>   |
| → <b>Additional (2) Year Limited Pump Warranty:</b> Included at No Additional Charge  |          |                      |                      |
| → <b>Start-Up Services and Submittals:</b> Included at No Additional Charge   |          |                      |                      |
| → <b>Delivery Freight:</b>  | <b>1</b> |                      | <b>\$ 1,000 .00</b>  |
| <b>TOTAL:</b>   |          |                      | <b>\$ 158,785.00</b> |

|  |
|--|
| • FOB: PORT ORANGE, FLORIDA  |
| • TERMS: NET 30 DAYS W/ CREDIT APPROVAL  |
| • PLEASE PROVIDE A COPY OF YOUR TAX-EXEMPT CERTIFICATE AT TIME OF PURCHASE, IF APPLICABLE. |
| • NO PENALTIES OR LIQUID DAMAGES ARE ACCEPTABLE  |
| • THIS QUOTE IS VALID FOR 30 DAYS  |
| • DELIVERY IN 12-14 WEEKS OR SOONER AFTER RECEIPT OF ORDER.                                |
| • FREIGHT: Included in Prices Listed Above.  |



**Municipal Sales**  
 4620 City Center Dr., Port Orange, FL, USA 32119  
 (800) 767-7310 • Fax: (386) 761-0362  
[dperry@thompsonpump.com](mailto:dperry@thompsonpump.com)

February 19, 2020

Quote # FLR-DP-9009 (REV 1)

City of North Port  
 Utilities Department  
 6644 West Price Blvd.  
 North Port, FL 34291

PH: 941-240-8011  
 FX: 941-240-8022  
 E: [rnewkirk@cityofnorthport.com](mailto:rnewkirk@cityofnorthport.com)

RE: FY2019S-2020 Stationary Thompson Pumps- LS #87

Hello Rick,

Thank you for your interest in Thompson Pump & Manufacturing and the products and the services that we provide. Based on the City of North Port’s standard specification 336022 for stationary by-pass pumps and the recent performance data for each station provided, the pricing below is for (1) Thompson Pump model 6JSCE- as a dry-priming, high efficiency by-pass pump. These new pumps will be utilized on (1) lift station within the City of North Port Utilities service area.

| <u>PS #</u> | <u>PS Location</u> | <u>Thompson Pump Required</u> | <u>Duty Point Req.</u> | <u>Duty Point Req.</u> |
|-------------|--------------------|-------------------------------|------------------------|------------------------|
| 87          | 2838 Panacea Blvd. | 6JSCE-DJDS-45T-DC             | 660 GPM at 87’ TDH     | 15’                    |

Sourcewell, formerly NJPA, serves as a National Municipal Contracting Agency which enables the City of North Port to avoid the hassle and expense of purchasing this pump through the public bid process. Sourcewell facilitates a “**competitive bidding process**” on behalf of its members’ establishing a legal contract pathway which allows you to choose the products and equipment you want while saving you time and money. You can also visit us on the Sourcewell website at [www.sourcewell-mn.gov](http://www.sourcewell-mn.gov) by entering “Thompson Pump” or our contract number (012418-TPM) to view our landing page.

City of North Port Sourcewell Member #: 27808  
 Member Since: Nov. 2009

Thompson Pump Sourcewell Contract # 012418-TPM  
 Category: Facility, Maintenance, Repair, and Operations  
 Description: Public Utility Equipment with Related Accessories and Supplies  
 Maturity Date: 3-14-2022

Should you require further information or have any questions, please feel free to contact me directly.

Sincerely,

David Perry  
 Thompson Pump & Manufacturing Co., Inc  
 Municipal Sales Manager - Cell: (386) 527-3265  
 Email: [dperry@thompsonpump.com](mailto:dperry@thompsonpump.com)



Municipal Sales  
 4620 City Center Dr., Port Orange, FL, USA 32119  
 (800) 767-7310 • Fax: (386) 761-0362  
[dperry@thompsonpump.com](mailto:dperry@thompsonpump.com)

**Sourcewell Contract # 012418-TPM**

| Description   | Qty.     | Unit Price           | Subtotal             |
|---|----------|----------------------|----------------------|
| <b>6JSCE-DJD-45TF74-M</b>   | <b>1</b> | <b>\$ 36,077 .00</b> | <b>\$ 36,077 .00</b> |
| 6" X 6" Sound Attenuated, High Efficiency, Compressor-Assisted, Trash Pump  |          |                      |                      |
| → <b>Max Performance:</b> 2,300 GPM Max, 162' TDH Max   |          |                      |                      |
| → <b>BEP Performance:</b> 63%   |          |                      |                      |
| → <b>Fittings:</b> 6" Flange on suction port and 6" Flange on discharge port  |          |                      |                      |
| → <b>Impeller:</b> 12" Semi-Open, 65-45-12 DI, 3" Solids Handling (spherical)   |          |                      |                      |
| → <b>Engine:</b> ESTAT John Deere, 74HP at 2,000 RPM, 4-cylinder, in-line, 4 cycle, water cooled, direct injection Interim Tier IV diesel-powered engine. No After Treatment.   |          |                      |                      |
| → <b>Priming System: Enviroprime System®</b> is Thompson Pump's compressor-assisted priming system that allows the pump to automatically dry-prime and re-prime. This priming system eliminates re-circulation of waste water through the venturi, commonly called BLOW-BY. TPM offers a lifetime warranty on Venturi device. |          |                      |                      |
| → <b>Fuel Tank:</b> Modular, skid type with integrated 86 gallon, Non-UL double walled fuel, inner wall leak sensor, and mounting tabs with vibration isolator pads.  |          |                      |                      |
| → <b>Control Panel:</b> Auto Start Stop capable control panel for electronically governed engines. Complete with (1) auto start/stop float set with 70' cables.   | <b>1</b> | <b>\$ 2,791 .00</b>  | <b>\$ 2,791.00</b>   |
| → <b>Double Walled Fuel Tank- TPM std. modular frames only (Non-UL):</b> Included   | <b>1</b> | <b>\$ 2,639.00</b>   | <b>\$ 2,639.00</b>   |
| → <b>Silent Knight® Sound Attenuation Enclosure:</b> Included   | <b>1</b> | <b>\$ 12,993.00</b>  | <b>\$ 12,993.00</b>  |
| → <b>SCADA Interface with 6 dry contact alarms:</b> Included  | <b>1</b> | <b>\$ 2,112.00</b>   | <b>\$ 2,112.00</b>   |
| → <b>Throttle Actuator for RPM Control:</b> Included  | <b>1</b> | <b>\$ 1,185.00</b>   | <b>\$ 1,185.00</b>   |
| → <b>120 Volt Battery Charger:</b> Included   | <b>1</b> | <b>\$ 471.00</b>     | <b>\$ 471.00</b>     |
| → <b>Solar Battery Charger:</b> Included  | <b>1</b> | <b>\$ 868.00</b>     | <b>\$ 868.00</b>     |
| → <b>Inside Work Lights:</b> Included   | <b>1</b> | <b>\$ 510.00</b>     | <b>\$ 510.00</b>     |
| → <b>Discharge Direction Curb Side or Rear Side:</b> Included   | <b>1</b> | <b>\$ 653.00</b>     | <b>\$ 653.00</b>     |
| → <b>Alternate Paint Color:</b> Included at No Additional Charge  | <b>1</b> | <b>\$ 375.00</b>     | <b>\$ 375.00</b>     |
| → <b>Additional (2) Year Limited Pump Warranty:</b> Included at No Additional Charge  |          |                      |                      |
| → <b>Start-Up Services and Submittals:</b> Included at No Additional Charge   |          |                      |                      |
| → <b>Delivery Freight: No Charge due to being delivered with 4" pumps</b>   |          |                      |                      |
| <b>TOTAL:</b>   |          |                      | <b>\$ 60,674.00</b>  |

|  |
|--|
| • FOB: PORT ORANGE, FLORIDA  |
| • TERMS: NET 30 DAYS W/ CREDIT APPROVAL  |
| • PLEASE PROVIDE A COPY OF YOUR TAX-EXEMPT CERTIFICATE AT TIME OF PURCHASE, IF APPLICABLE. |
| • NO PENALTIES OR LIQUID DAMAGES ARE ACCEPTABLE  |
| • THIS QUOTE IS VALID FOR 30 DAYS  |
| • DELIVERY IN 12-14 WEEKS OR SOONER AFTER RECEIPT OF ORDER.                                |
| • FREIGHT: Included in Prices Listed Above.  |