# 2017 Ford F-150

X1E XL 4WD SuperCab 6.5' Box

Photo may not represent exact vehicle or selected equipment.

## **SELECTED MODEL & OPTIONS**

#### SELECTED MODEL - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

Code X1E Description

MSRP

2017 Ford F-150 XL 4WD SuperCab 6.5' Box

\$34,025.00

#### SELECTED VEHICLE COLORS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### Code

#### **Description**

Interior: Medium Earth Gray

Exterior 1: Oxford White

- Exterior 2: No color has been selected.

#### SELECTED OPTIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### **CATEGORY**

| <u>Code</u> | Description   | MSRP     |
|-------------|---|----------|
| ENGINE      |   |          |
| 998         | ENGINE: 3.5L V6 TI-VCT FFV (STD)  | \$0.00   |
| TRANSMISSIO | ON CONTRACTOR OF THE PROPERTY |          |
| 446         | TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC -inc: tow/haul   | \$0.00   |
|             | and sport mode (STD)  |          |
| OPTION PACE |   |          |
| 100A        | EQUIPMENT GROUP 100A BASE   | \$0.00   |
| AXLE RATIO  |   |          |
| XL6         | ELECTRONIC LOCKING W/3.73 AXLE RATIO  | \$570.00 |
| WHEELS      |   |          |
| 64C         | WHEELS: 17" SILVER STEEL (STD)  | \$0.00   |
| TIRES       |   |          |
|             | TIRES: P265/70R17 OWL A/T (STD)   | \$0.00   |
| PRIMARY PAI | NT  |          |
| YZ          | OXFORD WHITE  | \$0.00   |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

## SELECTED MODEL & OPTIONS

CATEGORY

153

96W

52B

50S

SELECTED OPTIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

| <u>Code</u>  | Description   | MSRP_  |
|--|---|--|
| PAINT SCHEM  | E   |  |
| Enable Prince  | STANDARD PAINT  | \$0.00   |
| SEAT TYPE  |   |  |
| AG   | MEDIUM EARTH GRAY, VINYL 40/20/40 FRONT SEAT                              | \$0.00   |
| ADDITIONAL   | QUIPMENT  | A STATE OF THE PARTY OF THE PAR |
| 85A  | XL POWER EQUIPMENT GROUP -inc: Power Glass Sideview Mirrors               | \$1,170.00   |
| Control of the Contro | w/Black Skull Caps, manual-folding, Power Door Locks, flip key and        |  |
|  | integrated key transmitter keyless-entry (includes Autolock), Illuminated |  |
|  | Entry, Power Front & Rear Windows, Perimeter Alarm, Power Tailgate        |  |
|  | Lock, MyKey Owner controls feature w/100A, REQUIRES valid FIN code.       |  |
|  | *GROSS* (With the selection of 53C, requires XL Power Equipment           |  |
|  | Group savings) (With the selection of 53A, requires XL Power Equipment    |  |
| Marie and the second second  | Group savings)  |  |
| / 53B /  | CLASS IV TRAILER HITCH RECEIVER -inc: towing capability up to             | (\$95.00)  |

5,000 lbs, on 3.5L Ti-VCT engine (998) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs, on 3.5L EcoBoost engine (99G) and 5.0L V8 engine (99F), smart trailer tow connector and 4-pin/7-pin wiring harness

FRONT LICENSE PLATE BRACKET -inc: Standard in states requiring 2

SPRAY-IN BEDLINER (PRE-INSTALLED) -inc: Custom Accessory

entertainment system, 911 assist, 4.2" LCD display in center stack, Applink and 1 smart charging USB port, DELETES auxiliary audio input

SYNC -inc: enhanced voice recognition communication and

CRUISE CONTROL w/100A, REQUIRES valid FIN code.

license plates, optional to all others

jack (With the selection of 100A, requires 50S)

OPTIONS TOTAL \$2,975.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 469.0, Data updated 12/13/2016 © Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

Customer File:

\$0.00

\$495.00

\$420.00

\$225.00

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

## PRICING SUMMARY

#### PRICING SUMMARY - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

|                    | MSRP        |
|--------------------|-------------|
| Base Price         | \$34,025.00 |
| Total Options:     | \$2,975.00  |
| Vehicle Subtotal   | \$37,000.00 |
| Advert/Adjustments | \$0.00      |
| Destination Charge | \$1,195.00  |
| GRAND TOTAL        | \$38,195.00 |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

# STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### **ENTERTAINMENT**

- Radio: AM/FM Stereo w/6 Speakers -inc: auxiliary audio input jack (not available w/SYNC)
- Radio w/Aux Audio Input Jack
- Fixed Antenna
- 1 LCD Monitor In The Front

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

## STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### **EXTERIOR**

• Wheels: 17" Silver Steel

• Tires: P265/70R17 OWL A/T

- · Regular Box Style
- · Steel Spare Wheel
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Clearcoat Paint
- Black Rear Step Bumper
- Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
- Black Side Windows Trim and Black Front Windshield Trim
- · Black Door Handles
- Black Manual Side Mirrors w/Convex Spotter and Manual Folding
- Fixed Rear Window
- Light Tinted Glass
- Variable Intermittent Wipers
- Aluminum Panels
- Black Grille
- Tailgate Rear Cargo Access
- Reverse Opening Rear Doors
- Manual Tailgate/Rear Door Lock
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Cargo Lamp w/High Mount Stop Light

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

## STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### INTERIOR

- Cloth 40/20/40 Front Seat -inc: 2-way manual driver/passenger adjustment and armrest
- 4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Manual Tilt/Telescoping Steering Column
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
- Fixed Rear Windows
- · Front Cupholder
- · Rear Cupholder
- · Manual Air Conditioning
- HVAC -inc: Underseat Ducts
- Glove Box
- Interior Trim -inc: Cabback Insulator and Chrome Interior Accents
- Full Cloth Headliner
- · Urethane Gear Shift Knob
- Day-Night Rearview Mirror
- Passenger Visor Vanity Mirror
- 3 12V DC Power Outlets
- · Fade-To-Off Interior Lighting
- Full Vinyl/Rubber Floor Covering
- Pickup Cargo Box Lights
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins
- · Manual 1st Row Windows

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

## STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

- Outside Temp Gauge
- Analog Display
- Front Center Armrest
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

## STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### **MECHANICAL**

- Engine: 3.5L V6 Ti-VCT FFV
- Transmission: Electronic 6-Speed Automatic -inc: tow/haul and sport mode
- 3.73 Axle Ratio
- GVWR: 6,300 lbs Payload Package
- · Electronic Transfer Case
- · Part-Time Four-Wheel Drive
- 70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
- 200 Amp Alternator
- Towing w/Harness and Trailer Sway Control
- 1660# Maximum Payload
- · Gas-Pressurized Shock Absorbers
- · Front Anti-Roll Bar
- · Electric Power-Assist Speed-Sensing Steering
- 23 Gal. Fuel Tank
- · Single Stainless Steel Exhaust
- · Auto Locking Hubs
- · Double Wishbone Front Suspension w/Coil Springs
- · Leaf Rear Suspension w/Leaf Springs
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

## STANDARD EQUIPMENT

#### STANDARD EQUIPMENT - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### SAFETY

- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- ABS And Driveline Traction Control
- · Side Impact Beams
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Tire Specific Low Tire Pressure Warning
- Dual Stage Driver And Passenger Front Airbags
- · Airbag Occupancy Sensor
- Safety Canopy System Curtain 1st And 2nd Row Airbags
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

## WARRANTY INFORMATION

WARRANTY INFORMATION - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

### TECHNICAL SPECIFICATIONS

#### POWERTRAIN - BASIC SPECIFICATIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### **ENGINE**

 Engine Order Code
 998.00

 Engine Type
 Regular Unleaded V-6

 Displacement
 3.5 L/213 CID

 SAE Net Horsepower @ RPM
 282 @ 6250

 SAE Net Torque (lb ft) @ RPM
 253 @ 4250

#### **TRANSMISSION**

Transmission order code 446
Transmission Type Description 6-Speed Automatic w/OD
Drive Train Four Wheel Drive

#### MILEAGE

| City EPA fuel economy estimate (MPG) | 17.00  |
|--------------------------------------|--------|
| Hwy EPA fuel economy estimate (MPG)  | 23.00  |
| City cruising range (mi)             | 391.00 |
| Hwy cruising range (mi)              | 529.00 |

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

## TECHNICAL SPECIFICATIONS

### POWERTRAIN - ADVANCED SPECIFICATIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

| TRANSMISSION                     |        |        |          |  |
|----------------------------------|--------|--------|----------|--|
| Gear Ratio (:1)                  |        |        |          |  |
| First Gear Ratio (:1)            | 4.17   |        |          |  |
| Second Gear Ratio (:1)           | 2.34   |        |          |  |
| Third Gear Ratio (:1)            | 1.52   |        |          |  |
| Fourth Gear Ratio (:1)           | 1.14   |        |          |  |
| Fifth Gear Ratio (:1)            | 0.86   |        |          |  |
| Sixth Gear Ratio (:1)            | 0.69   |        |          |  |
| Reverse Ratio (:1)               | 3.40   |        |          |  |
| Clutch size (in)                 |        |        |          |  |
| Power Take-Off                   |        |        |          |  |
| TRANSFER CASE                    |        |        |          |  |
| Transfer case model              |        |        |          |  |
| Gear Ratio (:1)                  |        |        |          |  |
| Transfer case high gear ratio    |        |        |          |  |
| Transfer case low gear ratio     |        |        |          |  |
| Transfer case power take off     | No     |        |          |  |
| DIFFERENTIAL                     | Front  |        | Rear     |  |
| Axle Ratio (:1)                  | 3.73   |        | 3.73     |  |
| ELECTRICAL                       |        |        |          |  |
| Battery                          | 1      | 2      | 3 Total  |  |
| Battery cold cranking Amps @ 0 F | 610.00 | 610.00 | 1,220.00 |  |
| Alternator                       |        |        |          |  |
| Alternator Amps                  | 200.00 |        |          |  |
| COOLING SYSTEM                   |        |        |          |  |
| Cooling system capacity          |        |        |          |  |
| Engine oil cooler                | None   |        |          |  |

Engine oil cooler None

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

\* 1,653.00

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

# TECHNICAL SPECIFICATIONS

Fifth Wheel Hitch (lbs)

#### PAYLOAD/TRAILERING SPECIFICATIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

| WEIGHT INFORMATION              | Front           | Rear            | Total      |
|---------------------------------|-----------------|-----------------|------------|
| Gross Axle Wt Rating (lbs)      | 3,450.00        | 3,300.00        |            |
| Curb Weight (lbs)               | 2,780.00        | 1,865.00        | 4,645.00   |
| Total Option Weight (lbs)       | * 1.00          | * 1.00          | * 2.00     |
| As Spec'd Curb Weight (lbs)     | * 2,781.00      | * 1,866.00      | * 4,647.00 |
| As spec'd payload (lbs)         |                 |                 | * 1,653.00 |
| Total Weight (lbs)              | * 2,781.00      | * 1,866.00      | * 4,997.00 |
| Reserve Axle Capacity (lbs)     | * 669.00        | * 1,434.00      | * 2,103.00 |
| Gross Vehicle Wt Rating (lbs)   |                 |                 | 6,300.00   |
| Gross Combined Wt Rating (lbs)  |                 |                 | 12,200.00  |
| <b>FRAILERING</b>               | Max Trailer Wt. | Max Tongue Load |            |
| Dead Weight Hitch (lbs)         | * 7,200.00      | * 720.00        |            |
| Weight Distributing Hitch (lbs) | * 7,200.00      | * 720.00        |            |

\* 7,100.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

# TECHNICAL SPECIFICATIONS

## CHASSIS SPECIFICATIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

| Spring Type Double Wishbone Leaf Spring Capacity 3,450.00 3,300.00  Axle Axle Type Independent Rigid Axle Axle Capacity Shock Absorber Diameter (mm) Stabilizer Bar Diameter (in)  BRAKES Brake type |
|--|
| Spring Capacity 3,450.00 3,300.00  Axle  Axle Type Axle Capacity Shock Absorber Diameter (mm) Stabilizer Bar Diameter (in)  BRAKES   |
| Axle Type Independent Rigid Axle Axle Capacity Shock Absorber Diameter (mm) Stabilizer Bar Diameter (in)  BRAKES   |
| Axle Type Independent Rigid Axle Axle Capacity Shock Absorber Diameter (mm) Stabilizer Bar Diameter (in)  BRAKES   |
| Axle Capacity Shock Absorber Diameter (mm) Stabilizer Bar Diameter (in) BRAKES   |
| Shock Absorber Diameter (mm) Stabilizer Bar Diameter (in) BRAKES   |
| Stabilizer Bar Diameter (in)  BRAKES   |
| BRAKES   |
|  |
|  |
|  |
| ABS System 4-Wheel   |
| Front Rear   |
| Disc Yes Yes   |
| Rotor Diam x Thickness (in) 13.80 13.70  |
| Drum   |
|  |
| Drum Diam x Width (in)   |
| TIRES Front Rear Spare   |
| Tire Order Code  |
| Tire Size P265/70SR17 P265/70SR17 Full-Size  |
| Capacity 3,650.00 4,050.00   |
| Revolutions/Mile @ 45mph   |
| WHEELS Front Rear Spare  |
| Wheel Size 17 X 7.5 17 X 7.5 Full-Size   |
| Wheel Type Steel Steel Steel   |

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# 2017 Fleet/Non-Retail Ford F-150 XL 4WD SuperCab 6.5' Box X1E

# TECHNICAL SPECIFICATIONS

#### CHASSIS SPECIFICATIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

**STEERING** 

Steering type

Rack-Pinion

Ratio (:1)

On Center

At Lock

**Turning Diameter** 

Curb-to-Curb

47,10

Wall-to-Wall

**FUEL TANK** 

Main

Auxiliary

Capacity Location 23.00 Midship

Midship

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

# TECHNICAL SPECIFICATIONS

| DIMENSIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5 Bo | X        |
|---|----------|
|   | W. W. P. |

| EXTERIOR DIMENSIONS                  |        |  |
|--------------------------------------|--------|--|
| Wheelbase (in)                       | 145.00 |  |
| Length, Overall w/o rear bumper (in) |        |  |
| Width, Max w/o mirrors (in)          | 79.90  |  |
| Height, Overall (in)                 | 77.20  |  |
| Overhang                             |        |  |
| Overhang, Front                      |        |  |
| Front Bumper to Back of Cab (in)     |        |  |
| Cab to Axle (in)                     |        |  |
| Cab to End of Frame (in)             |        |  |
| Ground to Top of Load Floor (in)     | 34.50  |  |
| Ground to Top of Frame (in)          |        |  |
| Frame Width, Rear (in)               |        |  |
| Ground Clearance                     |        |  |
| Ground Clearance, Front              | 9.3    |  |
| Ground Clearance, Rear               | 9.3    |  |
| CARGO AREA DIMENSIONS                |        |  |
| Cargo Box Length @ Floor (in)        | 78.00  |  |
| Width                                |        |  |
| Cargo Box Width @ Top, Rear          | 65.2   |  |
| Cargo Box Width @ Floor              | 65.2   |  |
| Cargo Box Width @ Wheelhousings      | 50.6   |  |
| Cargo Box (Area) Height (in)         | 21.40  |  |
| Tailgate Width (in)                  |        |  |
| Cargo Volume (ft³)                   | 62.30  |  |
| Ext'd Cab Cargo Volume (ft³)         |        |  |

#### INTERIOR DIMENSIONS

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

# TECHNICAL SPECIFICATIONS

### DIMENSIONS - 2017 Fleet/Non-Retail X1E XL 4WD SuperCab 6.5' Box

#### INTERIOR DIMENSIONS

| Passenger Capacity | 6     |        |
|--------------------|-------|--------|
| Seating Position   | Front | Second |
| Head Room (in)     | 40.80 | 40.30  |
| Leg Room (in)      | 43.90 | 33.50  |
| Shoulder Room (in) | 66.70 | 65.80  |
| Hip Room (in)      | 62.50 | 64.70  |

<sup>\*</sup> Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.