



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
DEVELOPMENT SERVICES
CODE ENFORCEMENT DIVISION
4970 City Hall Boulevard – North Port, FL. 34286

CITY OF NORTH PORT, FLORIDA }

Petitioner, }

vs. }

LILYA LISKER }

Respondent(s) }

CASE NO.: CECASE-26-01320

ADDRESS OF VIOLATION: }

5102 ESCALANTE DR NORTH PORT, FL, 34287-4287 }

Parcel ID.: 1001276115 }

STATE OF FLORIDA :

: SS

COUNTY OF SARASOTA :

The undersigned, CODE ENFORCEMENT INSPECTOR, upon his/her oath, deposes and says:

AFFIDAVIT OF POSTING

On 05/21/2026 the Respondent(s) was served with a NOTICE OF MANDATORY HEARING by posting said Notice at 5102 ESCALANTE DR NORTH PORT, FL, 34287-4287, a copy of which is attached.

FURTHER AFFIANT SAYETH NAUGHT.

DATED: 06/08/2026

Joshua Presson, Affiant
Development Services

STATE OF FLORIDA
COUNTY OF SARASOTA

Sworn to (or affirmed) and subscribed before me by means of physical presence or online notarization, this 8th day of June, 2026 by Joshua Presson.

Notary public - State of Florida

X Personally Known OR ___ Produced Identification
Type of Identification Produced _____





CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
4970 City Hall Boulevard – North Port, FL. 34286

CODE ENFORCEMENT HEARING

LILYA LISKER
5102 ESCALANTE DR
NORTH PORT, FL 34287-2857

CECASE-26-01320
Address of Violation
5102 ESCALANTE DR
NORTH PORT, FL, 34287-4287
PARCEL ID.: 1001276115

If you have any questions concerning this case or to schedule a reinspection, please contact Code Enforcement at 941-429-7186 or email “CEInfo@northportfl.gov”.

Information regarding Code Enforcement hearings including Procedures and a Power of Attorney form can be found at: www.northportfl.gov/cehearing

More information on Code Enforcement can be found at: www.northportfl.gov/code

Information on Building Permits can be found at: www.northportfl.gov/permitting



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
4970 City Hall Boulevard North Port, FL 34286

CODE ENFORCEMENT HEARING

CITY OF NORTH PORT, FLORIDA

Petitioner,

vs.

LILYA LISKER

5102 ESCALANTE DR

NORTH PORT, FL 34287-2857

Respondent(s)

ADDRESS OF VIOLATION:

5102 Escalante Dr

North Port, FL 34287

PARCEL ID.: 1001276115

}
}
}
}
}
}
}
}
}
}
}
}
}
}

CASE NO.: CECASE-26-01320

CERTIFIED MAIL NO.: 05/21/2026

NOTICE OF MANDATORY HEARING

Pursuant to the attached Affidavit of Violation dated 05/18/2026, **YOU ARE HEREBY FORMALLY NOTIFIED** that at **9:00 a.m.**, or as soon thereafter as possible, on June 25, 2026, in City Chambers, City Hall, **4970 City Hall Boulevard, North Port, Florida**, there will be a public hearing to determine whether or not you have violated certain CITY OF NORTH PORT, FLORIDA CODES/ORDINANCES with regard to the CODE OF THE CITY OF NORTH PORT, FLORIDA. A Notice of Violation, dated 04/22/2026, was previously served by REGULAR MAIL.

The attached Affidavit of Violation specifying the Code Provisions violated and the facts and circumstances of the CODE VIOLATION have been filed with the CITY OF NORTH PORT, CITY CLERK.

YOU ARE HEREBY ORDERED to appear before the HEARING OFFICER of the CITY OF NORTH PORT, FLORIDA on June 25, 2026, to present your case with regard to the violation stated in the attached AFFIDAVIT OF VIOLATION.

In exercising their power under CHAPTER 162, FLORIDA STATUTES, and CHAPTER 2, ARTICLE IX, CODE ENFORCEMENT, CITY OF NORTH PORT finds a violation exists, it shall:

- (a) Order the violator to pay administrative fine in amount consistent with Section 2-511, Code of the City of North Port, for each day the violation(s) exists beyond the date set for compliance by the HEARING OFFICER. If the violation(s) is a repeat violation occurring within the last five (5) years, administrative fine(s) may be imposed, for each day the repeat violation continues, beginning with the date the repeat violation is found to have occurred by the Code Enforcement Inspector;
- (b) Order the violator to pay a fine not to exceed \$1,000.00, \$2,000.00, \$5,000.00, or \$25,000 per violation, dependent upon the violation, if the violation was irreparable or irreversible in nature. If it pertains to unsafe abatement as determined by the building Official. There is no maximum fine cap defined in 2-511(b)(1)(d); and
- (c) Issue orders having the force of law to command whatever steps necessary to bring the violation(s) into compliance.

CONSISTENT WITH SECTION 162.09(1) FLORIDA STATUTES, NO OTHER HEARING SHALL BE NECESSARY FOR THE ISSUANCE OF THE ORDER ASSESSING THE ADMINISTRATIVE FINE(S).

In the event that the violator does not pay the administrative fine(s) (if any) prescribed by the CITY OF NORTH PORT, FLORIDA HEARING OFFICER at the hearing, the CITY OF NORTH PORT may establish a lien against the violator's property on which the violation(s) exists and upon any other real or personal property owned by the violator in accordance with Section 162.09(3), Florida Statutes and Section 2, CODE OF THE CITY OF NORTH PORT, FLORIDA. Should it become necessary for the CITY OF NORTH PORT, FLORIDA to foreclose on such a lien, the RESPONDENT(S) could be liable for additional expenses including, but not limited to, reasonable attorney fees, costs, and expenses incurred by the CITY OF NORTH PORT, FLORIDA or its agents and the same may be assessed as cost in the foreclosure action.

Although you may represent yourself, you have the right to an attorney at your own expense to represent you before the HEARING OFFICER. You have the right to record the proceedings of the hearing at your own expense. You also will have the opportunity to present witnesses as well as question the witnesses who may testify against you prior to the HEARING OFFICER making a determination. Please be prepared to present evidence at the hearing why you should not be found in violation of the Code Provision cited in the attached AFFIDAVIT OF VIOLATION and, in the case of a repeat violation, why an administrative fine(s) shall not be assessed.

A copy of the ORDER FOR COMPLIANCE and ORDER ASSESSING ADMINISTRATIVE FINE(S) shall be provided to you by Certified Mail, Return Receipt Requested, within fifteen (15) days following the date the orders are rendered.

THE CITY OF NORTH PORT MAY PROCEED IN THE ABSENCE OF ANY PARTY, THEIR AGENT, OR THEIR ATTORNEY, WHO AFTER DUE NOTICE, FAILS TO BE PRESENT AT THE HEARING.

If you should have any questions or ***compliance has been achieved***, please contact the Code Enforcement Inspector whose name appears on the attached Affidavit of Violation, at **(941) 429-7186**, or write to them at 4970 City Hall Boulevard, North Port, FL 34286.

<http://www.northportfl.gov>

PLEASE GOVERN YOURSELF ACCORDINGLY.



Matthew Powell
City Clerk

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true and correct copy of the ORDER ASSESSING ADMINISTRATIVE FINE has been furnished to Respondent(s) by **Certified Mail/Return Receipt Requested**, at 5102 ESCALANTE DR , NORTH PORT, FL 34287-2857.

DATED: May 21st, 2026.

A handwritten signature in black ink that reads "Trysta Lynn Cassell". The signature is written in a cursive style with a horizontal line underneath it.

Trysta Cassell – CITY OF NORTH PORT



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
CODE ENFORCEMENT DIVISION
 4970 City Hall Boulevard - North Port, FL 34286
 (941) 429-7186

CITY OF NORTH PORT, FLORIDA }
 Petitioner, }
 vs. }
 LILYA LISKER }
 5102 ESCALANTE DR }
 NORTH PORT, FL 34287-2857 }
 Respondent(s) }
 ADDRESS OF VIOLATION: }
 5102 Escalante Dr }
 North Port, FL 34287 }
 PARCEL ID.: 1001276115 }

CASE NO.: CECASE-26-01320

AFFIDAVIT OF VIOLATION

STATE OF FLORIDA :
 : ss
OF SARASOTA :

The undersigned CODE ENFORCEMENT INSPECTOR, upon his/her oath, deposes and says:
 Respondent(s) has been served with a Notice of Violation and Order to Correct Violation, dated 4/22/2026, by first class mail, a copy of which is attached.

- (1) The following complaint was received in the Code Enforcement Division:
 (1) Pool not secured. (2) Mosquito breeding grounds (3) Debris everywhere concerned about both fire since it has been so dry (all it takes is one lightning strike) and Hurricane season is up coming (Torpedoes flying right at my house). The owners evacuated home September 28th 2022 (Yes IAN) and never came back! Please take a look at this property and advise me on how to proceed with these unsafe conditions.
 (2) The following Ordinance Provision(s) Violation still exists:

Violation Description
 R4501.17, Florida Building Code Pursuant to Sections R4501.17.1 through R4501.17.3 of the Florida Building Code, this pool has been inspected and deemed to be unsafe, creating a life/safety issue.

Violation Text
 Pool lanai is missing screening and presents a public safety hazard.

Violation Corrective Action(s)
 Pool must immediately be brought into compliance with code.

Violation Description
 IPMC 2021, 302.7 Accessory structures. Accessory structures, including detached garages, fences and walls, shall be maintained structurally sound and in good repair.

Violation Text
 White fence in the rear of property has several sections that have fallen and the overall condition of the fence is in disrepair and poses a public safety hazard.

Violation Corrective Action(s)

Make necessary repair(s) and maintenance to accessory structures. *In accordance with this Code and any other standards required by the city. Compliance must be accomplished within ten (10) days of the date of this notice.

Violation Description

IPMC 2021, 302.1 Sanitation. Exterior property and premises shall be maintained in a clean, safe and sanitary condition. The occupant shall keep that part of the exterior property that such occupant occupies or controls in a clean and sanitary condition.

Violation Text

Swimming pool is in an unsafe and unsanitary condition.

Violation Corrective Action(s)

Owner/occupant must bring this property and/or exterior into compliance with the guidelines of this code within ten (10) days from the date of this Notice.

Violation Description

IPMC 2021, 304 Exterior Structure - 304.1 General. The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety or welfare. 304.1.1 Unsafe conditions. The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the International Building Code or the International Existing Building Code as required for existing buildings: * 8. Roofing or roofing components that have defects that admit rain, roof surfaces with inadequate drainage, or any portion of the roof framing that is not in good repair with signs of deterioration, fatigue or without proper anchorage and incapable of supporting all nominal loads and resisting all load effects.

Violation Text

Roof fascia is missing in sections and wood is exposed to the elements creating deterioration of the structural integrity of the roof.

Violation Corrective Action(s)

The above-described unsafe conditions for the structure(s) must be corrected. You have thirty (30) days from the date of receipt of this written notice to abate, cause to be abated or correct the unsafe condition(s) of the structure(s) referenced by means of repair, rehabilitation, demolition, or other approved corrective action(s). Prior to taking any corrective actions to abate the unsafe conditions of the structure(s) listed, you are required to submit permit application and secure a building or demolition permit prior to any work being performed. If you are unable to complete the work by the date ordered in this Notice you may file a written request to the Building Official stating the reasons, and if justifiable cause is demonstrated as merited by special hardship, unusual difficulty, or unique problems such as preserving significant portions and features of the structure(s) of historic or architectural value, the Building Official may grant written reasonable extensions of time. An appeal of this Notice may be filed within twenty (20) days with the Director of Development Services for a hearing by the Special Magistrate.

(3) Field Inspection Notes:

Property remains in violation

DATED: 5/12/2026



Joshua Presson
Inspector
Neighborhood Development Services
City of North Port,
4970 City Hall Boulevard
North Port, Florida 34286

STATE OF FLORIDA
COUNTY OF SARASOTA

Sworn to (or affirmed) and subscribed before me by means of physical presence or online notarization, this 18th day of MAY, 2026, by Joshua Presson.



Trysta Cassell - *Notary Public - State of Florida*



X Personally Known OR ___ Produced Identification
Type of Identification Produced _____



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
Code Enforcement Division
4970 City Hall Boulevard - North Port, FL 34286

NOTICE OF VIOLATION
AND
ORDER OF CORRECT

LILYA LISKER
5102 ESCALANTE DR
NORTH PORT, FL 34287-2857

DATE: April 22, 2026

CASE NO.: CECASE-26-01320
REAL PROPERTY ADDRESS: 5102 Escalante Dr, North Port, FL 34287

PARCEL ID: 1001276115
SERVED BY: FIRST CLASS MAIL

NOTICE OF VIOLATION

Pursuant to the CODE OF THE CITY OF NORTH PORT, FLORIDA, YOU ARE NOTIFIED that a violation exists on the above-described real property:

Violation Description

R4501.17, Florida Building Code Pursuant to Sections R4501.17.1 through R4501.17.3 of the Florida Building Code, this pool has been inspected and deemed to be unsafe, creating a life/safety issue.

Violation Text

Pool Lanai is missing screening and presents a public safety hazard.

Violation Corrective Action(s)

Pool must immediately be brought into compliance with code.

Violation Description

IPMC 2021, 302.7 Accessory structures. Accessory structures, including detached garages, fences and walls, shall be maintained structurally sound and in good repair.

Violation Text

White fence in the rear of property has several sections that have fallen and the overall condition of the fence is in disrepair and poses a public safety hazard.

Violation Corrective Action(s)

Make necessary repair(s) and maintenance to accessory structures. *In accordance with this Code and any other standards required by the city. Compliance must be accomplished within ten (10) days of the date of this notice.



Violation Description

IPMC 2021, 302.1 Sanitation. Exterior property and premises shall be maintained in a clean, safe and sanitary condition. The occupant shall keep that part of the exterior property that such occupant occupies or controls in a clean and sanitary condition.

Violation Text

Swimming pool is in an unsafe and unsanitary location condition.

Violation Corrective Action(s)

Owner/occupant must bring this property and/or exterior into compliance with the guidelines of this code within ten (10) days from the date of this Notice.

Violation Description

IPMC 2021, 304 Exterior Structure - 304.1 General. The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety or welfare. 304.1.1 Unsafe conditions. The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the International Building Code or the International Existing Building Code as required for existing buildings:

* 8. Roofing or roofing components that have defects that admit rain, roof surfaces with inadequate drainage, or any portion of the roof framing that is not in good repair with signs of deterioration, fatigue or without proper anchorage and incapable of supporting all nominal loads and resisting all load effects.

Violation Text

Roof fascia is missing in sections and wood is exposed to the elements creating deterioration of the structural integrity of the roof.

Violation Corrective Action(s)

The above-described unsafe conditions for the structure(s) must be corrected. You have thirty (30) days from the date of receipt of this written notice to abate, cause to be abated or correct the unsafe condition(s) of the structure(s) referenced by means of repair, rehabilitation, demolition, or other approved corrective action(s). Prior to taking any corrective actions to abate the unsafe conditions of the structure(s) listed, you are required to submit permit application and secure a building or demolition permit prior to any work being performed. If you are unable to complete the work by the date ordered in this Notice you may file a written request to the Building Official stating the reasons, and if justifiable cause is demonstrated as merited by special hardship, unusual difficulty, or unique problems such as preserving significant portions and features of the structure(s) of historic or architectural value, the Building Official may grant written reasonable extensions of time. An appeal of this Notice may be filed within twenty (20) days with the Director of Development Services for a hearing by the Special Magistrate.

FINES SHALL BE ASSESSED:

FAILURE TO CORRECT THE DEFICIENCIES on the date specified above will result in an AFFIDAVIT OF VIOLATION to be filed with the Hearing Officer, charging you with the violation(s) set out above. A HEARING WILL BE HELD AT WHICH YOU SHALL ATTEND. If the Hearing Officer finds a violation exists, administrative fine(s) shall be assessed for each day the violation exists beyond the date for compliance as determined by the Hearing Officer.

The fines which may be imposed include:

Violation of North Port City Code:	Daily Fine Shall Not Exceed - \$10.00 per day Maximum Cumulative Fine - \$1,000.00
Violation of Unified Land Development Code:	Daily Fine Shall Not Exceed - \$25.00 per day Maximum Cumulative Fine - \$2,000.00
Violation of Florida Building Code:	Daily Fine Shall Not Exceed - \$50.00 per day Maximum Cumulative Fine - \$5,000.00
Violation of Florida Building Code as it pertains to unsafe building abatement as determined by the Building Official:	Daily Fine Shall Not Exceed - \$250.00 per day There Is No Maximum Cumulative Fine Cap
For any repeat Violations:	Maximum Cumulative Fine \$25,000.00

A fine imposed pursuant to this section shall continue to accrue until the violator comes into compliance, and such compliance is confirmed in accordance with §2-511(C), or until the Maximum Cumulative Fine has been reach, as defined in §2-511(b)(5).

LIEN(S) MAY BE PLACED:

A certified copy of an order assessing an administrative fine may be recorded in the public records and thereafter shall constitute a lien against the land on which the violation exists and upon any other real or personal property owned by the violator. No lien shall continue for a period longer than 20 years after the certified copy of an order imposing a fine has been recorded, unless within that time an action to foreclose on the lien is commenced in a court of competent jurisdiction.

If you have any questions concerning this notice or to schedule a reinspection, please contact the following inspector:

Joshua Presson
Inspector
Neighborhood Development Services
e-mail:jpresson@northportfl.gov



Bill Furst
SARASOTA COUNTY
PROPERTY APPRAISER

Property Record Information for 1001276115

Ownership:

LISKER LILYA
 5102 ESCALANTE DR, NORTH PORT, FL, 34287-2857

Situs Address:

5102 ESCALANTE DR NORTH PORT, FL, 34287

Land Area: 18,780 Sq.Ft.

Municipality: City of North Port

Subdivision: 1867 - PORT CHARLOTTE SUB 55

Property Use: 0100 - Single Family Detached

Status: OPEN

Sec/Twp/Rge: 33-39S-21E

Census: 121150027372

Zoning: R1 - RESIDENTIAL LOW

Total Living Units: 1

Parcel Description: LOT 15 BLK 2761 55TH ADD TO PORT CHARLOTTE

Buildings

Situs - click address for building details	<u>Bldg #</u>	<u>Beds</u>	<u>Baths</u>	<u>Half Baths</u>	<u>Year Built</u>	<u>Eff Yr Built</u>	<u>Gross Area</u>	<u>Living Area</u>	<u>Stories</u>
5102 ESCALANTE DR NORTH PORT, FL, 34287	1	2	3	0	1980	2000	3,173	1,927	1

Extra Features

<u>line #</u>	<u>Building Number</u>	<u>Description</u>	<u>Units</u>	<u>Unit Type</u>	<u>Year</u>
1	1	Screened Enclosure	1148	SF	1993
2	1	Deck - Frame or Masonry	60	SF	1999
3	1	Patio - concrete or Pavers	1122	SF	1993
4	1	Swimming Pool	336	SF	1993
5	1	Boat Dock	99	SF	2005

Values

<u>Year</u>	<u>Land</u>	<u>Building</u>	<u>Extra Feature</u>	<u>Just</u>	<u>Assessed</u>	<u>Exemptions</u>	<u>Taxable</u>	<u>Cap</u>
2025	\$52,900	\$188,500	\$31,100	\$272,500	\$272,500	\$0	\$272,500	\$0
2024	\$59,600	\$184,700	\$30,900	\$275,200	\$275,200	\$0	\$275,200	\$0
2023	\$47,800	\$118,300	\$32,500	\$198,600	\$81,676	\$55,000	\$26,676	\$116,924
2022	\$73,500	\$204,900	\$33,700	\$312,100	\$119,397	\$50,000	\$69,397	\$192,703
2021	\$36,700	\$151,100	\$25,800	\$213,600	\$98,541	\$50,000	\$48,541	\$115,059
2020	\$40,500	\$136,900	\$29,100	\$206,500	\$97,180	\$50,000	\$47,180	\$109,320
2019	\$40,500	\$128,100	\$27,300	\$195,900	\$94,995	\$50,000	\$44,995	\$100,905
2018	\$38,500	\$136,000	\$23,500	\$198,000	\$93,224	\$50,000	\$43,224	\$104,776
2017	\$24,300	\$127,700	\$23,200	\$175,200	\$91,307	\$50,000	\$41,307	\$83,893
2016	\$24,200	\$119,100	\$20,200	\$163,500	\$89,429	\$50,000	\$39,429	\$74,071

Property taxes may be affected with change in ownership. When buying real estate, you should not assume that property taxes will remain the same. Use our [tax estimator](#) to estimate your new taxes.

Current Exemptions

Homestead Property: No

There are no exemptions associated with this parcel. [File for Homestead Exemption](#)

Sales & Transfers



<u>Transfer Date</u>	<u>Recorded Consideration</u>	<u>Instrument Number</u>	<u>Qualification Code</u>	<u>Grantor/Seller</u>	<u>Instrument Type</u>
6/13/2024	\$0	2025105982	11	LISKER LILYA	OT
4/4/2003	\$36,700	2003069275	11	LISKER,LILYA	QC
3/28/2002	\$135,000	2002056232	X3	MIQUEL,,JEAN	WD
10/1/1979	\$61,300	1397/780	01		NA

Associated Tangible Accounts

There are no associated tangible accounts for this parcel

Property record information last updated on: 5/17/2026

FEMA Flood Zone Information provided by Sarasota County Government

-  This property is in a SFHA or CFHA. Click to view the [Certificate Map](#) to see if an Elevation Certificate or a Letter of Map Revision/Change (LOMR/LOMC) exists.
-  Different portions of a property can be in different flood zones. Click to view the [Flood Zone Map](#).

<u>FIRM Panel</u>	<u>Floodway</u>	<u>SFHA ***</u>	<u>Flood Zone **</u>	<u>Community</u>	<u>Base Flood Elevation (ft)</u>	<u>CFHA *</u>
0387G	OUT	IN	AE	120279	11.1	OUT
0387G	OUT	OUT	X	120279		OUT

* If your property is in a SFHA or CFHA, use the [Certificate Map](#) to determine if the building footprint is within the flood zone area.

** For more information on flood and flood related issues specific to this property, call (941) 240-8050

*** Federal law requires flood insurance for all properties in SFHAs with federally backed mortgages.

FEMA Flood Zone Data provided by Sarasota County Government as of 5/18/2026

For general questions regarding the flood map, call (941) 861-5000.

PROOF OF ACCEPTANCE (ELECTRONIC)

PRODUCED DATE: 04/23/2026

CITY OF NORTH PORT:

The following is information for Certified Mail™/RRE item number:

9214 8901 9403 8369 8314 84

Our records indicate that this item was accepted by the USPS at:

SHIPMENT RECEIVED ACCEPTANCE PENDING NORTH PORT,FL 34286 04/23/2026 14:17

ORIGINAL INTENDED RECIPIENT:

LILYA LISKER

5102 ESCALANTE DR

NORTH PORT FL 34287-2857

Case Number: CECASE-26-01320

Parcel ID: 1001276115

Mailer: City of North Port

Date Produced: 05/01/2026

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8369 8314 84. Our records indicate that this item was delivered on 04/30/2026 at 10:01 a.m. in NORTH PORT, FL 34286. The scanned image of the recipient information is provided below.

Signature of Recipient :



Address of Recipient :

**4970 CITY HALL BLVD, NORTH
PORT, FL 34286**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

This USPS proof of delivery is linked to the customers mail piece information on file as shown below:

LILYA LISKER
5102 ESCALANTE DR
NORTH PORT, FL 34287-2857

Customer Reference Number: C6772744.41431819



Return address:

CITY OF NORTH PORT
4970 CITY HALL BLVD
NORTH PORT FL 34286

Recipient address:

LILYA LISKER
5102 ESCALANTE DR
NORTH PORT, FL 34287-2857

MAILING DATE: 04/23/2026
DELIVERY DATE: 04/30/2026

USPS CERTIFIED MAIL



9214 8901 9403 8369 8314 84

USPS Tracking Label Number: 9214 8901 9403 8369 8314 84

USPS Tracking History	Location	Date / Time
PRE-SHIPMENT INFO SENT USPS AWAITS ITEM	NORTH PORT,FL 34286	04/23/2026 11:58
SHIPMENT RECEIVED ACCEPTANCE PENDING	NORTH PORT,FL 34286	04/23/2026 14:17
ORIGIN ACCEPTANCE	NORTH PORT,FL 34286	04/24/2026 18:46
PROCESSED THROUGH USPS FACILITY	TAMPA,FL 33630	04/24/2026 20:01
PROCESSED THROUGH USPS FACILITY	TAMPA,FL 33630	04/25/2026 20:58
PROCESSED THROUGH USPS FACILITY	FORT MYERS FL DISTRIBUTION CENT 33913	04/26/2026 18:41
PROCESSED THROUGH USPS FACILITY	FORT MYERS FL DISTRIBUTION CENT 33913	04/27/2026 07:50
PROCESSED THROUGH USPS FACILITY	FORT MYERS FL DISTRIBUTION CENT 33913	04/28/2026 06:51
PROCESSED THROUGH USPS FACILITY	SARASOTA FL DISTRIBUTION CENTER 34260	04/29/2026 15:50
PROCESSED THROUGH USPS FACILITY	SARASOTA FL DISTRIBUTION CENTER 34260	04/30/2026 00:17
DELIVERED FRONT DESK/RECEPTION/MAIL ROOM	NORTH PORT,FL 34286	04/30/2026 10:01

CASE NUMBER: CECASE-26-01320

PARCEL ID: 1001276115

PROOF OF ACCEPTANCE (ELECTRONIC)

PRODUCED DATE: 05/21/2026

CITY OF NORTH PORT:

The following is information for Certified Mail™/RRE item number:

9214 8901 9403 8377 9759 41

Our records indicate that this item was accepted by the USPS at:

SHIPMENT RECEIVED ACCEPTANCE PENDING NORTH PORT, FL 34286 05/21/2026 14:49

ORIGINAL INTENDED RECIPIENT:

LILYA LISKER

5102 ESCALANTE DR

NORTH PORT FL 34287-2857

Case Number: CECASE-26-01320

Parcel ID: 1001276115

Mailer: City of North Port

Date Produced: 05/28/2026

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8377 9759 41. Our records indicate that this item was delivered on 05/27/2026 at 10:11 a.m. in NORTH PORT, FL 34286. The scanned image of the recipient information is provided below.

Signature of Recipient :



Address of Recipient :

**4970 CITY HALL BLVD, NORTH
PORT, FL 34286**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

This USPS proof of delivery is linked to the customers mail piece information on file as shown below:

LILYA LISKER
5102 ESCALANTE DR
NORTH PORT, FL 34287-2857

Customer Reference Number: C6846594.41947518



Return address:

CITY OF NORTH PORT
4970 CITY HALL BLVD
NORTH PORT FL 34286

Recipient address:

LILYA LISKER
5102 ESCALANTE DR
NORTH PORT, FL 34287-2857

MAILING DATE: 05/20/2026
DELIVERY DATE: 05/27/2026

USPS CERTIFIED MAIL



9214 8901 9403 8377 9759 41

USPS Tracking Label Number: 9214 8901 9403 8377 9759 41

USPS Tracking History	Location	Date / Time
PRE-SHIPMENT INFO SENT USPS AWAITS ITEM	NORTH PORT,FL 34286	05/20/2026 10:05
SHIPMENT RECEIVED ACCEPTANCE PENDING	NORTH PORT,FL 34286	05/21/2026 14:49
ORIGIN ACCEPTANCE	NORTH PORT,FL 34286	05/22/2026 19:01
PROCESSED THROUGH USPS FACILITY	TAMPA,FL 33630	05/22/2026 20:16
PROCESSED THROUGH USPS FACILITY	FORT MYERS FL DISTRIBUTION CENT 33913	05/24/2026 14:54
PROCESSED THROUGH USPS FACILITY	SARASOTA FL DISTRIBUTION CENTER 34260	05/26/2026 14:12
DELIVERED LEFT WITH INDIVIDUAL	NORTH PORT,FL 34286	05/27/2026 10:11

CASE NUMBER: CECASE-26-01320

PARCEL ID: 1001276115