

Professional Engineering Services for Continuing Services Contracts RFP No. 2024-14

















TITLE PAGE

TITLE

Professional Engineering Services - Continuing Services Contracts for the City of North Port Public Works

PROPOSAL NUMBER

RFP: 2024-14

LEGAL NAME OF FIRM

Hardesty & Hanover, LLC

POINT OF CONTACT

Steven Nappi, PE

Tel: 941.979.5476

Cell: 239.229.5853

Fax: N/A

Email: snappi@hardestyhanover.com



TABLE OF CONTENTS

Title Page	
Table of Contents	ii
Tab 1: Transmittal Letter	1
Tab 2: Qualifications of Consultant Firm	3
Firm Overview	3
Subconsultants	3
License	4
Standard Form 330, Part I and Part II	5
Tab 3: Project Team/Project Manager Experience	16
Project Manager	16
Team Members	16
Standard Form 330, Part E	19
Tab 4: Proficiency with Similar Services/Projects	29
Standard Form 330, Part F Structures Projects	30
Standard Form 330, Part F Roadway Projects	40
Standard Form 330, Part F Roadway Projects	50
Standard Form 330, Part G Structures Projects	60
Standard Form 330, Part G Roadway Projects	61
Standard Form 330, Part G Roadway Projects	62
Tab 5: Project Control/Approach	63
Project Understanding	63
Project Management Approach	63
Project Approach	65
Adherence to Time and Constraints	66
Meeting Schedules	67
Budgets	66
Technological Capabilities	66
Workload	66
Tab 6: References	67
Attachment 3	72
Attachment 4	74
Tab 7: Litigation and Insurance	88
Tab 8: Additional Information	91
Tab 9: Submittal Requirements	93







Professional Engineering Services Continuing Services Contracts

RFP No. 2024-14

Tab 1

Transmittal Letter



5110 Eisenhower Boulevard Suite 310 Tampa, FL 33634 T: 813.749.0823 www.hardestyhanover.com

March 1, 2024

Ginny Duyn, CPPB
Senior Purchasing Administrator
City of North Port
4970 City Hall Boulevard
Suite 337
North Port, FL 34286

Re: Professional Engineering Services - Continuing Services Contracts for City of North Port Public Works
(RFP 2024-14)

Dear Ms. Duyn:

The City of North Port is seeking a team of highly qualified consultants to provide professional quality, technical accuracy, and timely, project delivery under this continuing services contract. **Hardesty** & **Hanover**, **LLC** (**H&H**) is one of the nation's leading firms with special expertise and extensive experience providing engineering and construction inspection services throughout the nation. H&H is fully committed to the City's mission and goals and offers:

- ► Capability to cover all potential technical disciplines H&H has full in-house roadway, structural, mechanical, electrical, and drainage design; traffic operations; permitting; construction engineering and inspection (CEI); bridge inspections; program management; cost estimation; value engineering. We are prepared to handle any foreseeable task order.
 - At H&H, our mission is to solve complex engineering challenges by applying the very best engineering talent and the latest industry technology. These core attributes grant us an unprecedented ability to retain the industry's most forward thinking, technically skilled talent and to become world-renowned for the depth of our experience and success. *Since 1995, we have provided continuing services for municipalities, local governments, and state agencies throughout Florida.*
- ▶ Unparalleled project management Our Proposed *Project Manager, Steven Nappi, PE,* located in H&H's Port Charlotte office, has extensive experience successfully managing projects throughout southwest Florida. Steve has 17 years of CEI experience in road and bridge projects in this southwest area and is focused on client satisfaction. Additionally, he has been a resident of North Port since 2006 and understands the City's infrastructure needs. Steve's experience includes working with the City on the US 41 Pedestrian Lighting from Biscayne Drive to North Port Boulevard project. This successful experience has afforded us the opportunity to meet and work with City of North Port staff, while gaining a solid understanding of their contracts. Steve is available to devote the time needed to effectively and efficiently manage any assignment or emergency that may arise from this contract.



- ▶ **Project team** Our proposed project team consists of professional engineers capable of successfully leading any task assignments.
- ▶ **Subconsultants** -To complement our in-house staff, we added H2R Corp. to provide geotechnical and soil and foundation services. This will ensure our team is available and able to provide the necessary services assigned under this contract.

In this proposal we have provided the information required in the request for proposals (RFP) Part IV. I, Stephan Heimburg, PE, as a firm Principal verify this proposal without collusion with any other person or entity and that we have no conflict of interest.

Our team looks forward to the opportunity to work with the City of North Port. Should you have questions or need additional information, Steve will serve as your single point of contact and can be reached by telephone at 239.229.5853 or by email at snappi@hardestyhanover.com.

Sincerely,

Hardesty & Hanover

Stephan Heimburg, PE

Principal







Professional Engineering Services Continuing Services Contracts RFP No. 2024-14

Tab 2

Qualifications of the Consultant Firm

TAB 2: QUALIFICATIONS OF CONSULTANT FIRM

FIRM OVERVIEW

H&H is a renowned engineering firm with 137 years of experience delivering comprehensive solutions to some of the most unique engineering challenges throughout the world. With 32 offices, we employ nearly 600 professionals, including 50 managers, 272 technical professionals, 23 technicians, and 40 support staff. H&H successfully delivers structural, mechanical, electrical, roadway, drainage, and civil engineering; transportation planning; and construction engineering and inspection (CEI) services to public- and private-sector clients, including state departments of transportation; counties and municipalities; airports; toll road agencies; contractors; and other regional, state, and federal agencies.

H&H, a Limited Liability Company (LLC), traces its roots back to a partnership founded by bridge engineer John Alexander Low Waddell in 1887. In the early years, the firm changed names as succeeding partners were added—from Waddell & Harrington to Waddell & Hardesty to Hardesty & Hanover—for more than 130 years we have maintained an unbroken chain of internal ownership and management by engineers. The firm is presently organized as a LLC under Hardesty & Hanover Holding, LLC with two operating entities: Hardesty & Hanover, LLC for design and Hardesty & Hanover Construction Services, LLC for construction engineering and inspection.

H&H understands the importance of a successful deliverable. Measures of success include meeting budget and schedule requirements, as well as providing quality deliverables. H&H is committed to successfully delivering any task assigned to H&H under this Miscellaneous Services contract. We are proud of our ability to manage the entire life cycle of engineering and support services. H&H brings a forward-thinking approach using a proven process and design innovations, so our projects are successfully completed on time, within budget, and are engineered to the highest standards in design, durability, safety, and aesthetic value.

We currently hold miscellaneous/continuing consulting services contracts with Lee, Manatee, and Pinellas Counties. Under these contracts we have provided roadway improvements, for roadway, bridge, and drainage design; trail design; rehabilitation bridges, tunnels, rail/transit, highways, and special structures, including feasibility studies, structure design/rehabilitation, mechanical/electrical services for heavy movable structures; and CEI services.

We have provided roadway and bridge design services in Florida for over 35 years. Historically, H&H projects have incorporated sidewalks and bicycle lanes into 3R, operational and capacity projects as well as various types

of bridges. More recently, our team has completed several roadway improvement projects in Manatee County, including 27th Street and Honore Avenue Improvement projects.

H&H's multi-discipline staff of engineers and architects combine in-depth knowledge of the most current technologies with the firm's historical perspective to develop creative and efficient solutions, which can be successfully implemented in congested urban settings and environmentally sensitive areas.

H&H is routinely requested by clients to provide complete engineering services, from initial inspections to final design, as well as construction services for transportation infrastructure.

H&H's experience includes transportation design and planning throughout the State of Florida. Our current clients include Collier, Hendry, Lee, Manatee, Osceola, Pinellas and Volusia Counties; the Florida Department of Transportation (FDOT) Districts 1, 3, 4, 6, 7, and Florida's Turnpike Enterprise; and the Gasparilla Island Bridge Authority (GIBA). Our specializations related to surface transportation infrastructure include:

- Stakeholder coordination to develop project requirements.
- Conceptual design and alternative analysis to support planning, PD&E, and final design efforts.
- Design decisions based on criteria, constraints, and consensus.
- ► Formal PD&E documentation required to meet state and federal processes.
- Stage construction plans based on financial constraints or institutional responsibilities.
- Construction documents related to roadway, drainage, signing and pavement markings, miscellaneous structures, and traffic control.

We will provide design services for this contract from our Tampa office located at 5110 Eisenhower Boulevard, Tampa, Florida. CEI services will be provided from Steven Nappi, PE Contact information

T: 941.979.5476 C: 239.229.5853

Fax: N/A

E: snappi@hardestyhanover.com wwwhardestyhanover.com

our Port Charlotte office located at 950 Tamiami Trail, Port Charlotte, Florida. For this contract, **Steven Nappi**, **PE**, our proposed Project Manager, will be tasked with ensuring appropriate personnel are notified when tasks are assigned. He will lead all tasks assigned under this contract and will serve as the point of contact.



TAB 2: QUALIFICATIONS OF CONSULTANT FIRM

H&H is FDOT prequalification related to this contract are shown in the table below.

H&H F	DOT Prequalified Types of Work
2.0	Project Development and Environment Studies
3.1	Minor Highway Design
3.2	Major Highway Design
3.3	Controlled Access Design
4.1.1	Miscellaneous Structures
4.1.2	Minor Bridge Design
4.2.1	Major Bridge Design - Concrete
4.2.2	Major Bridge Design - Steel
4.2.3	Major Bridge Design - Segmental
4.3.2	Complex Bridge Design - Steel
4.4	Movable Span Bridge Design
5.1	Conventional Bridge Inspection
5.2	Movable Bridge Inspection
5.3	Complex Bridge Inspection
5.4	Bridge Load Rating
6.1	Traffic Engineering Studies
7.1	Signing, Pavement Marking and Channelization
7.2	Lighting
7.3	Signalization
9.4.1	Standard Foundation Studies
10.1	Roadway Construction Engineering Inspection
10.3	Construction Materials Inspection
10.4	Minor Bridge & Miscellaneous Structures CEI
14.0	Architecture

SUBCONSUTLANTS

H2R Corp (SBE), Materials Testing and Geotechnical

H2R provides a wide range of geotechnical engineering and construction services to a diverse portfolio of public and private clients. H2R provides geotechnical engineering, foundation testing and inspection, subsurface exploration and drilling, specialty construction support and verification, materials testing and inspection services, and CEI support services throughout Florida. Complete field services and accredited laboratory facilities are in the Tampa Bay, Fort Myers, and Ft. Lauderdale/Miami Areas. H2R is a FDOT-certified Small Business Enterprise.

LICENSE







					ARCHITECT – E	NGINEE	RQUALIFICATIONS	
					PART I – CONTRAC	CT SPEC	IFIC QUALIFICATIONS	
					A. CO	NTRACT INF	ORMATION	
F	Profe	ssic	onal	•	s - Continuing Service	s Contra	cts for City of North Port	
	oblic anua						3. SOLICITATION OR PROJECT NUM 2024-14	MBER
					B. ARCHITECT	- ENGINEER	POINT OF CONTACT	
	Steve			: i, PE – Project Manage	er / Regional Manager			
	IAME (& HANOVER, LLC				
	ELEPI 941.9				7. FAX NUMBER N/A		8. E-MAIL ADDRESS snappi@hardestyhanover.	com
				(Comi		. PROPOSED	TEAM tractor and all key subcontractor	rs)
	(Chec	:k)	(00,11)			and an ney cascona acto	
	PRIME	J-V PARTNER	SUBCON- TRACTOR	9. FIRM	Л NAME		10. ADDRESS	11. ROLE IN THIS CONTRACT
a.	x			HARDESTY & HANC		Suite 31	enhower Boulevard 0 FL 33634	Project Management; Oversight; Structural Design; Movable Bridge Design; Electrical Design; Mechanical Design; Roadway Design; Load Rating; Temporary Traffic Control; Drainage/ Stormwater/Water Quality; Planning Environmental; Mapping/GIS; Public Outreach
b.	x			HARDESTY & HANC		Unit 104	niami Trail arlotte, FL 33953	Construction Management; Construction Engineering and Inspection
c.				H2R Corp [X] CHECK IF BRANCI	1 OFFICE	3921 76th Avenue Pinellas Park, FL 33781		Geotechnical and Soil & Foundation
d.				[] CHECK IF BRANCH	OFFICE			
e.				[] CHECK IF BRANCH				
f.				[] CHECK IF BRANCH				
g.				[] CHECK IF BRANCH				
h.				[] CHECK IF BRANCH				

D. ORGANIZATIONAL CHART OF PROPOSED TEAM

[] (Attached)

ARCHITECT-ENGINEER QUALIFICATIONS

1. SOLICITATION OR PROJECT NUMBER

2024-14

PART II - GENERAL QUALIFICATIONS

(If a firm has branch offices, complete for each specific branch office seeking work.)

A. CONTRACT INFORMATION

2a. FIRM (or Branch Office) NAME Hardesty & Hanover, LLC

3. YEAR ESTABLISHED

4. UNIQUE ENTITY IDENTIFIER

2011

05-455-2252

5110 Eisenhower Blvd., Suite 310

6a. POINT OF CONTACT NAME AND TITLE

2c. CITY Tampa 2d. STATE FL

2e. ZIP CODE 33634

TYPE

Limited Liability Company SMALL BUSINESS STATUS

No

7. NAME OF FIRM (If Block 2a is a Branch Office)

Stephan Heimburg, PE, Principal 6b. TELEPHONE NUMBER 813.514.4505

6c. EMAIL ADDRESS

sheimburg@hardestyhanover.com

5. OWNERSHIP

8a. FORMER FIRM NAME(S) (If any)

J.A.L. Waddell Waddell & Hardesty Hardesty & Hanover, LLP 8b. YEAR ESTABLISHED 1887 1927 1945

8c. UNIQUE ENTITY IDENTIFIER

4. NAME AND TITLE

C. PROPOSED TEAM

(Complete this section for the prime contractor and all key subcontractors.)

9. EMPLO	9. EMPLOYEES BY DISCIPLINE			10. PROFILE OF FIRM'S EXPERIENCE AND ANNUAL AVERAGE REVENUE FOR LAST 5 YEARS				
a. Function Code	b. Discipline	c. Number of (1) FIRM	c. Number of Employees (1) FIRM (2) BRANCH		b. Experience	c. Revenue Index Number (see below)		
02	Administrative	59	2	B02	Bridges	9		
06	Architect	7	0		Construction Inspection	8		
08	CADD Technician	13	0		Construction Support	6		
12	Civil Engineer	44	9	C18	Cost Estimating; Cost Engineering and Analysis; Parametric Costing; Forecasting	4		
15	Construction Inspector	68	0	E09	Environmental Impact Studies, Assessments or Statements	4		
18	Cost Engineer/Estimator	2	0	H01	Harbors; Jetties; Piers; Ship Terminal Facilities	2		
21	Electrical Engineer	23	2	Ho7 Highways; Streets; Airfield Paving; Parking Lots		7		
27	Foundation/Geotechnical	16	0	H08	Historical Preservation	2		
32	Hydraulic Engineer	2	0	H12	Hydraulics & Pneumatics	3		
42	Mechanical Engineer	34	2	L06	Lighting (Ext; Street; Memorials; Ath Fields)	4		
57	Structural Engineer	208	13		Movable Bridges	8		
47	Planner: Urban/Regional	6	0	P05	Planning (Comm, Regional, Areawide, State)	3		
50	Risk Assessor	1	0	P06	Planning (Site, Installation, and Project)	2		
60	Transportation Engineer	6	0	S03	Seismic Designs & Studies	2		
53	Scheduler	3	0	\$05	Soils & Geologic Studies; Foundations	6		
62	Water Resources Engineer	4	2	\$09	Structural Design; Special Structures	2		
	Bridge Inspectors (Structural)	22	0	T03	Traffic & Transportation Engineering	6		
	Rail Engineer	16	1	T06	Tunnels & Subways	5		
				U03	Utilities (Gas and Steam)	1		
	Other Employees	0	0	V01	Value Analysis; Life-Cycle Costing	2		
	Total	534	31					

11. ANNUAL AVERAGE PROFESSIONAL SERVICES REVENUES OF FIRM FOR LAST 3 YEARS (Insert revenue index number shown at right)			PROFESSIONAL SERVICES	REVENU	JE INDEX NUMBER
a. Federal Work	5		Less than \$100,000	6.	\$2 million to less than \$5 million
b. Non-Federal Work	Non-Federal Work 10		2. \$100,000 to less than \$250,000 3. \$250,000 to less than \$500,000	7. 8.	\$5 million to less than \$10 million \$10 million to less than \$25 million
c. Total Work	15		\$500,000 to less than \$1 million \$1 million to less than \$2 million	9. 10.	\$25 million to less than \$50 million \$50 million or greater
1	2 ALITHORIZED REPRESENTATIV	/F The f	oregoing is a statement of facts		

a. SIGNATUE

b. DATE 3/1/2024

C. NAME AND TITLE

Stephan Heimburg, PE, Principal

ARCHITECT-ENGINEER QUALIFICATIONS

1. SOLICITATION OR PROJECT NUMBER

2024-14

PART II - GENERAL QUALIFICATIONS

(If a firm has branch offices, complete for each specific branch office seeking work.)

A. CONTRACT INFORMATION

2a. FIRM (or Branch Office) NAME Hardesty & Hanover, LLC 3. YEAR ESTABLISHED 2011

4. UNIQUE ENTITY IDENTIFIER

05-455-2252

950 Tamiami Trail, Unit 104

2c. CITY

2d. STATE

FL

2e. ZIP CODE

21401

TYPE Limited Liability Company

5. OWNERSHIP

SMALL BUSINESS STATUS

No

6a. POINT OF CONTACT NAME AND TITLE Stephan Heimburg, PE, Principal

6c. EMAIL ADDRESS

sheimburg@hardestyhanover.com

7. NAME OF FIRM (If Block 2a is a Branch Office)

941.979.5476 8a. FORMER FIRM NAME(S) (If any)

J.A.L. Waddell

8b. YEAR ESTABLISHED 1887 1927

8c. UNIQUE ENTITY IDENTIFIER

Waddell & Hardesty Hardesty & Hanover, LLP

1945

4. NAME AND TITLE

Port Charlotte

6b. TELEPHONE NUMBER

C. PROPOSED TEAM

(Complete this section for the prime contractor and all key subcontractors.)

9. EMPLOYEES BY DISCIPLINE					10. PROFILE OF FIRM'S EXPERIENCE AND ANNUAL AVERAGE REVENUE FOR LAST 5 YEARS				
a. Function Code	b. Discipline	c. Number o	f Employees (2) BRANCH	a. Profile Code	b. Experience	c. Revenue Index Number (see below			
02	Administrative	59	1	B02	Bridges	9			
06	Architect	7	0		Construction Inspection	8			
08	CADD Technician	13	0		Construction Support	6			
12	Civil Engineer	44	0	C18	Cost Estimating; Cost Engineering and Analysis; Parametric Costing; Forecasting	4			
15	Construction Inspector	68	9	E09	Environmental Impact Studies, Assessments or Statements	4			
18	Cost Engineer/Estimator	2	0	H01	Harbors; Jetties; Piers; Ship Terminal Facilities	2			
21	Electrical Engineer	23	0	Ho7 Highways; Streets; Airfield Paving; Parking Lots		7			
27	Foundation/Geotechnical	16	0	H08	Historical Preservation	.2			
32	Hydraulic Engineer	2	0	H12	Hydraulics & Pneumatics	3			
42	Mechanical Engineer	34	0	L06	Lighting (Ext; Street; Memorials; Ath Fields)	4			
57	Structural Engineer	208	0		Movable Bridges	8			
47	Planner: Urban/Regional	6	0	P05	Planning (Comm, Regional, Areawide, State)	3			
50	Risk Assessor	1	0	P06	Planning (Site, Installation, and Project)	2			
60	Transportation Engineer	6	0	\$03	Seismic Designs & Studies	2			
53	Scheduler	3	0	\$05	Soils & Geologic Studies; Foundations	6			
62	Water Resources Engineer	4	0	S09	Structural Design; Special Structures	2			
	Bridge Inspectors (Structural)	22	0	T03	Traffic & Transportation Engineering	6			
	Rail Engineer	16	0	T06	Tunnels & Subways	5			
				U03	Utilities (Gas and Steam)	1			
	Other Employees	0	0	V01	Value Analysis; Life-Cycle Costing	2			
	Total	534	10						

11. ANNUAL AVERAGE PROFESSIONAL SERVICES REVENUES OF FIRM FOR LAST 3 YEARS (Insert revenue index number shown at right)		PROFESSIONAL SERVICES REVENUE INDEX NUMBER				
a. Federal Work	5	1. Less than \$100,000	6.	\$2 million to less than \$5 million		
b. Non-Federal Work	10	2. \$100,000 to less than \$250,000 3. \$250,000 to less than \$500,000	7. 8.	\$5 million to less than \$10 million \$10 million to less than \$25 million		
c. Total Work 15		4. \$500,000 to less than \$1 million 5. \$1 million to less than \$2 million	9. 10.	\$25 million to less than \$50 million \$50 million or greater		
a. SIGNATURE	12. AUTHORIZED REPRESENTATI	VE The foregoing is a statement of facts.		b. DATE 3/1/2024		
c. NAME AND TITLE Stephan Heimburg, PE	, Principal					

1. SOLICITATION NUMBER (If any) ARCHITECT-ENGINEER QUALIFICATIONS **PART II - GENERAL QUALIFICATIONS** (If a firm has branch offices, complete for each specific branch office seeking work.) 2a. FIRM (or Branch Office) NAME 3. YEAR ESTABLISHED 4. UNIQUE ENTITY IDENTIFIER H2R Corp 2016 2b. STREET 5. OWNERSHIP 3921 76th Ave a. TYPE S Corp 2c. CITY 2d. STATE 2e. ZIP CODE Pinellas Park FL 📰 33781 b. SMALL BUSINESS STATUS 6a. POINT OF CONTACT NAME AND TITLE SBE 7. NAME OF FIRM (If Block 2a is a Branch Office) Stan Delmas, Senior Project Manager/Engineer 6b. TELEPHONE NUMBER 6c. E-MAIL ADDRESS 561.827.0900 drancman@h2rcorp.com 8a. FORMER FIRM NAME(S) (If any) 8b. YEAR ESTABLISHED 8c. UNIQUE ENTITY IDENTIFIER Gannett Fleming, Inc. 2009 - 2016, Williams Earth Sciences 1992 -2009, Williams & Associates 1972 - 1992 1972 + 10. PROFILE OF FIRM'S EXPERIENCE 9. EMPLOYEES BY DISCIPLINE AND ANNUAL AVERAGE REVENUE FOR LAST 5 YEARS c. Revenue Index a. Function Number of Employees a Profile b. Discipline b. Experience Number Code Code (1) FIRM (3) BRANCH (see below) 02 Administration B02 3 3 Bridges 3 Construction Management 80 0 0 CADD C15 5 12 Civil Engineers 1 1 D02 Dams, Dykes, Levees 15 **Construction Inspectors** 7 3 E13 **Environmental Testing** 3 27 Foundatino/Geotech Engineers 7 3 H07 Hwys, Streets, Air Paving, Parking 3 Soils & Geo Studies/Foundations 58 Technicians S05 **Testing & Inspection Services** Geologist T02 30 1 0 3 Driller 4 2 N₀2 Navigation Structures; Locks Power Gen, Transmission, Distr P12 M06 Mining and Mineralogy H01 Harbors; Jetties, Piers, Ship Termi Airports; Terminals and Hangars A06 Other Employees 15 Total 31 11. ANNUAL AVERAGE PROFESSIONAL PROFESSIONAL SERVICES REVENUE INDEX NUMBER SERVICES REVENUES OF FIRM Less than \$100,000 \$2 million to less than \$5 million FOR LAST 3 YEARS

(Insert revenue index number shown at right)

(mooner or				
a. Federal Work	6 ⊞			
b. Non-Federal Work	6 :			
c. Total Work	7			

- 2. \$100.000 to less than \$250.000
- 3. \$250,000 to less than \$500,000
- 4. \$500,000 to less than \$1 million 5.
 - \$1 million to less than \$2 million
- \$5 million to less than \$10 million
- 8 \$10 million to less than \$25 million
- 9. \$25 million to less than \$50 million
- \$50 million or greater

12. AUTHORIZED REPRESENTATIVE

The foregoing is a statement of facts.

b. DATE 02.26.2024

c. NAME AND TITLE

a. SIGNATURE

David Rancman, President/ CEO





Professional Engineering Services Continuing Services Contracts

RFP No. 2024-14

Tab 3

Qualifications of the Project Team/ Project Manager Experience Qualifications of Project Team/Project Manager

TAB 3: PROJECT TEAM/PROJECT MANAGER EXPERIENCE

For this contract, it is our understanding that the City of North Port requires a consultant team that:

- Understands the goals of providing staff to complete any given assignment.
- Has experience in emerging technologies.
- Provides innovative and sensible alternatives to address constrained conditions.
- Provides a proven approach that meets safety, traffic operations, and constructability requirements.
- ► Has delivered well-coordinated, multi-discipline plans.

H&H has assembled an impressive team with specific experience in the services required to meet the City's objectives and needs for this contract. These services will be provided by experienced professionals who are proficient in the technical aspects of their work areas and have worked together over the years. Our Team will effectively and efficiently combine their individual efforts into a single work product. Standard Form 330 Resumes appear at the end of this section.

PROJECT MANAGER

H&H's Project Manager, Steven Nappi, PE, is known for his "hands-on" project management style, making him well versed in the technical aspects of his projects. He has 17 years of construction engineering experience throughout southwest Florida working for various clients, including City of North Port; FDOT District 1; Collier, Hendry, Lee, and Miami-Dade Counties; and GIBA. Regardless of the size or complexity of the project, he always delivers and ensures client satisfaction by maintaining a heavy focus on client needs and cost and time overruns. Steve has a very impressive resume of road and bridge projects he has managed for previous clients. Steve's understanding of the City's processes and procedures, coupled with his knowledge of the interrelationships between construction in the real world and design will assist him in observing technical issues and fatal flaws early—saving time and money.

TEAM MEMBERS

H&H's key project team members, their individual roles, and qaulifications for this contract is provided below and on our SF 330, Part E resumes starting on page 12. We understand project success starts with the professionals assigned to the project. With this in mind, our team's Key Team members were chosen because they:

Demonstrate Reliability. These individuals get the work done to meet the client's schedules.

- ➤ Communicate Effectively. These individuals express their thoughts and ideas with respect for others and for the work of the Team.
- ► Listen Actively. Good listeners are essential for teams to function effectively. Team members must consider ideas and points of view from each facet of the process.
- Function as an Active Participant. Key team members come prepared for meetings to actively discuss the issues to be resolved.
- ► Share Information. Key team members take the initiative to keep others informed on the project.
- ➤ Cooperate. An effective team works well with others to complete a project.
- ➤ Exhibits Flexibility. Projects often deal with changing conditions and key team members have the ability to be flexible and compromise for the success of the project.
- ▶ **Shows Commitment.** A strong team cares about their work and the final delivery to the client.

Key Team Members

Stephan Heimberg, PE, Principal-in-Charge. Stephan has 38 years of engineering and design experience in the transportation industry. His key design experience has included roadway, drainage, toll systems, and traffic control design for arterial highways, and limited/controlled access facilities and minor roadways. This diverse experience contributed to his ability to design, manage, and direct engineering studies and roadway design plans.

Brendan J. O'Shea, PE, QA/QC. Brendan has 40 years of diverse engineering and construction management experience in positions of increasing responsibility. He has worked on a wide variety of transportation projects including new bridge construction, roadway, and bridge rehabilitation, HMA paving, bridge painting, and facility renovations. Mr. O'Shea has a proven ability to manage challenging projects and extensive experience supervising technical personnel in several engineering disciplines.

James Phillips, PE, QA/QC. Jim will lead the quality control and quality assurance activities for structures. Jim is an industry—recognized bridge engineering expert with 42 years of engineering experience in design, studies, and analysis for bridges of all sizes and complexities. He is responsible for technical direction, project management, and engineering for fixed and movable bridge studies, design and rehabilitation projects including bridge architecture, structural, mechanical, and hydraulic elements. He is a Certified Fluid Power Specialist and Certified Fluid Power Engineer.



TAB 3: PROJECT TEAM/PROJECT MANAGER EXPERIENCE

J. Webb Jones, PE, QA/QC. Webb will lead the quality control and quality assurance activities for roadway and traffic control. Webb has 26 years of engineering and design experience including extensive experience in roadway, signing and pavement marking, and traffic control design for minor roadways, arterial highways, and controlled access facilities.

Robert Hideck, PE, Roadway Lead. Robb has 21 years of roadway engineering experience. His roadway engineering experience includes conceptual, preliminary, and final design of limited-access highways; interchange design; and widening realignments for urban and rural roads. He has expertise in the preparation of construction plans including horizontal and vertical design, cross sections, typical sections, temporary traffic control plans, and signing and pavement marking plans. Robb is the roadway and TTC lead for FDOT D1's SR 789 (Little Ringling) Bird Key Drive to Sarasota Harbor West PD&E and Design in Sarasota County. Additionally, he is the Project Manager for Manatee County's 27th Street East and Honore Avenue at Cooper Creek Boulevard roadway improvements.

Jason Dunn, PE, CPM, ENV SP, Drainage Lead. Jason has 22 years of experience providing drainage, permitting, and stormwater management design services. He has served as lead drainage engineer and/or drainage engineer of record (EOR) on a variety of projects for FDOT; Florida's Turnpike Enterprise; and Hillsborough, Manatee, Pinellas, and Sarasota Counties. Jason is proficient with environmental permitting research, rules and regulations, and acquiring permits from SWFWMD, FDEP, and USACE. His expertise includes stormwater modeling, stormwater treatment, storm sewer systems hydraulics, floodplain analysis, conveyance design, nutrient loading, and pollutant removal calculations, low impact design and green infrastructure. Jason is the drainage lead for FDOT D1's SR 789 (Little Ringling) Bird Key Drive to Sarasota Harbor West PD&E and Design in Sarasota County. Additionally, he is the Drainage EOR for Pinellas County's Beckett Bridge Replacement and Riverside Drive Drainage Improvements with similar design components to this project.

Marco Lara, PE, Lead Electrical Engineer. Marco has 18 years of experience developing industrial control systems, logic development and low and medium voltage power distribution, motor control, and lighting systems for movable bridges. Marco's experience includes numerous similar coastal Florida movable bridges, including the Knox Bascule Bridge and SR 44 Bridge in Volusia County, Treasure Island Bridge in Treasure Island, and the Beckett Bridge in Pinellas County. Marco has been responsible for developing innovative solutions of submarine cable replacements for movable bridges to reduce impacts to wetland areas, minimize disruption to the navigation

channel, eliminate disturbance to the channel bottom and address turbidity concerns. Examples include water-to-water and water-to-land directional bores for movable bridges to allow for future installation of additional cables or replacement of existing cables with minimal environmental impacts.

Rob Plocica, PE, Lead Mechanical Engineer. Rob has 23 years of mechanical and structural engineering experience, with a focus on heavy movable structures. He has experience in many project phases, including preliminary and final design, construction support services, construction inspection, cursory and in-depth inspections, studies, peer reviews, and troubleshooting. Rob recently provided emergency engineering services to investigate the root causes of the recurring failure of the main pinion shaft at the Blackburn Point Swing Bridge. He was responsible for mechanical post-design for the rehabilitation of the Hillsborough Avenue Lift Bridge (a historic vertical lift bridge) and adjacent newer bascule bridge for FDOT District 7. His experience involves preparation of calculations, contract drawings and specifications, review of shop drawings, project submittals and installation procedures, responding to RFIs submitted by the contractor, overseeing construction, and generating daily work reports.

James Newberry, PE, SE, Structures Lead. James has nearly 18 years of experience in the design, inspection and preparation of plans, specifications, and estimates for fixed and movable bridges. He is currently managing the structural effort for the Gateway Expressway Design/Build project in Pinellas County. The project involved the design on one new interstate bridge, the widening of three other bridges and the design of four toll gantries.

Calvin Santarelli, Construction Services. Cal has worked his entire career in CEI, becoming one of the most prolific local CEI employees in the industry. His involvement in nearly all aspects of roadway and bridge projects prepares him well for this assignment. Local knowledge of the subsurface materials and working on Collier County's Package D bridge further proves his success. Cal understands the difficulties with this project and will utilize his contacts to assist in resolving issues.

Based on our staff's past experience, qualifications, and team synergy through previous work assignments, we feel our team is best suited to serve the City on any project. Additionally, our Project Manager/Senior Project Engineer, Steve Nappi, PE, is a long time resident of North Port and understands the challenges the City faces.

The table on the following page indicates each team member and their individual role.



TAB 3: PROJECT TEAM/PROJECT MANAGER EXPERIENCE

Project Name/Service	Team Member	Role
Drainage/Stormwater Infrastructure		
SWFWMD/USACE permitting assistance for various projects	Jason Dunn, PE, CFM, ENV SP	Permitting
Design services for replacement of Water Control Structures; Stormwater modeling	Jason Dunn, PE, CFM, ENV SP Zachary Gross, PE, CFM	Drainage Engineer Drainage Engineer
NPDES Permitting Assistance	Jason Dunn, PE	Permitting
Roadway and Transportation Infrastructure		
Intersection Control Analysis and Studies; Intersection Improvement Project; Multi- use trails studies and design; Bike lane addition	Robert Hideck, PE Lindsey Skourellos, PE Benjamin Bower, PE	Roadway/Intersection Engineer Roadway/Intersection Engineer Roadway/Intersection Engineer
Bridge Inspections and Condition Reports	Steven Nappi, PE Calvin Santarelli James Newberry, PE	Bridge Inspections Bridge Inspections Bridge Inspections
Bridge Design; Bridge Retrofits	James Newberry, PE, SE Anlun Chen, PE, SE Quinten Ozimek, PE, SE	Bridge/Structural Design Bridge/Structural Design Bridge/Structural Design
Construction Engineering and Inspection		
CEI projects	Steven Nappi, PE Calvin Santarelli	Project Manager/Senior Project Engineer Project Engineer/Senior Inspector Inspection
Project Programming	Steven Nappi, PE	Project Manager
Value Engineering	Jason Dunn, PE	Value Engineer
Soil Foundation Testing	David Rancman, PE (H2R)	Geotechnical Engineer



visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (CINy/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (Ciny/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing span span span as a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing span has a 224-foot span. "Fish belly" main girders were used to respectively. Steve continues to perform quarterly inspections of the new swing sp		RESU			D FOR THIS CONTRACT				
Steven Nappi, PE Service Project Manager / Construction Management 17									
SEMMANE AND DECATION (City and State) HARDESTY & HANDVER (Port Charlotte, Ft.) 15. EDUCATION (DEGREE AND SECULATION) B. S. / Engineering 16. Origin ProfessionAL GUALIFICATIONS (Publications, Organizations, Training, Amaruti, etc.) Steven Nappi has 17 years of extensive experience in managing and administering road and bridge construction projects for the Florida Department of Transportation (FDOT), With a strong background in structural engineering, he has successfully held positions with increasing levels of responsibility in private- and public-sectors. He recently served as Project Manager/Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering, he has successfully held positions with increasing levels of responsibility in private- and public-sectors. He recently served as Project Manager/Project Engineer in This Project inverse the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (Cit) project. 17. CURRENT PROJECTS 17. CURRENT PR					Managamant				
B.S. / Leginneering B.S.	S	teven Nappi, PE	•	Construction	i Management		_		
In. DUBLATION DECORED AND SPECIALIZATION IN. CHRENT PROFESSIONAL DESCRIPTION IN. OTHER PROFESSIONAL QUALIFICATIONS (Publications, Organizations, Training, Awards, etc.) Seven Nappi has 17 years of extensive experience in managing and administering road and bridge construction projects for the Florida Department of Transportation (FDOT). With a strong background in structural engineering, he has successfully held positions with increasing levels of responsibility in private- and public-sectors. He recently served as Project (CEI) project. **TITLE AND LOCATION (CIN)*State): BRIEF DESCRIPTION (scopp. site, cost, etc.): ROLE Pine Island Causeway Road & Bridge Permanent Repairs — Phased Design-Build FDOT District 1 Le County, FL Senior Project Engineer. This project involves the reconstruction of Pine Island Causeway and Little Pine Island Bridge (FPID 4.51937-2-52-01). Work includes lining the causeway with a 6.0 Foot cantilevered steel sheet pile will and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. TITLE AND LOCATION (CIN)*State): BRIEF DESCRIPTION (scopp. size, cost, etc.): ROLE Gator Canal Bridge Replacement Collier County Senior Project Engineer for the replacement of a structurally obsolete bridge (RO34843) on County Road 846. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will be project three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (CIN)*State): BRIEF DESCRIPTION (scopp. size, own. tex.): ROLE Golden Gate Parkway vore Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Golden Gate Parkway vore Santa Barbara Canal on Golden Gate Parkwa			\						
B.S. / Engineering B. OFIGHE MORPESIONAL GUALHECATIONS (Publications. Organizations. Training. Awards. 462) Steven Nappi has 17 years of extensive experience in managing and administering road and bridge construction projects for the Florida Department of Transportation (FDOT). With a strong background in structural engineering, he has successfully held positions with increasing levels of responsibility in private- and public-sectors. He recently served as Project Manager/Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. 10			e, FL)	0	DOSESSION - DESIGNATION	(07.175.1115	DIG 010/ 14/51		
Servin Nappi has 17 years of extensive experience in managing and administering road and bridge construction projects for the Florida Department of Transportation (FDOT). With a strong background in structural engineering, he has successfully held positions with increasing levels of responsibility in private- and public-sectors. He recently served as Project Manager/Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. 13						(STATE ANL	DISCIPLINE)		
Steven Nappi has 17 years of extensive experience in managing and administering road and bridge construction projects for the Florida Department of Transportation (FDOT). With a strong background in structural engineering, he has successfully held positions with increasing levels of responsibility in private- and public-sectors. He recently served as Project Manager/Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. The Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. The Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. Project Engineer for Inspect Inspect Involves the reconstruction of Pine Island Causeway and Little Pine Island Bridge (PFID 451937-2-52-01). Work includes lining the causeway with a 60-foot cantilevered steel sheet pile wall and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. The Notice Control City State (Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 848. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-pileac caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. The Notice Control City State (Project Engineer performed CEI on th			cations, Organizations, Trai						
held positions with increasing levels of responsibility in private- and public-sectors. He recently served as Project Manager/Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. **TITLE AND LOCATION CONSTRUCTION COMPLETED** **PITLE AND LOCATION CONSTRUCTION CONSTRUCTION COMPLETED** **PITLE AND LOCATION CONSTRUCTION CONSTRUCTION C						lge constr	ruction projects for		
Manager/Project Engineer for the City of North Port's US 41 Pedestrian Lighting Construction Engineering and Inspection (CEI) project. 19. RELEVANT PROJECTS TITLE AND LOCATION (City/Stavie) BRIEF DESCRIPTION (scope, size, novel, moit, ROLE Pine Island Causeway Road & Bridge Permanent Repairs — Phased Design-Build FDOT District 1 Lee County, FL 3	the	Florida Department of Transportation	on (FDOT). With a st	rong backgro	ound in structural engine	eering, he	has successfully		
(CEI) project. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION Secope, size, cost, etc.; ROLE Pine Island Causeway Road & Bridge Permanent Repairs — Phased Design-Build FDOT District 1 Lee County, FL a. Senior Project Engineer. This project involves the reconstruction of Pine Island Causeway and Little Pine Island Bridge (FIPI) 451937-25-201.) Work includes lining the causeway with a 60-foot cantilevered steel sheet pile wall and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (seope, size, cost, etc.); ROLE Gator Canal Bridge Replacement Collier County Senior Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 846. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12- foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on R 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (Iciy,State), BRIEF DESCRIPTION (seope, size, cost, etc.); ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL c. Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate, BRIEF DESCRIPTION (seope, size, cost, etc.); ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GiBA) Placida, FL Swing Span Project Engineer perfo				•	•		-		
TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scoops, size, cost, etc.); ROLE Pine Island Causeway Road & Bridge Permanent Repairs − Phased Design-Build FDOT District 1 Lee County, FL Senior Project Engineer. This project involves the reconstruction of Pine Island Causeway and Little Pine Island Bridge (FPID 451937-2-52-01). Work includes lining the causeway with a 60-foot cantilevered steel sheet pile wall and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scoops, size, cost, etc.); ROLE Gator Canal Bridge Replacement Collier County Naples, FL Senior Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 846. R. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12- foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long, Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State), BRIEF DESCRIPTION Reope, size, cost, etc.); ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated seel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State), BRIEF DESCRIPTI			of North Port's US 4:	1 Pedestrian	Lighting Construction Er	ngineering	g and Inspection		
Pine Island Causeway Road & Bridge Permanent Repairs - Phased Design-Build FDOT District 1 Lee County, FL a. Senior Project Engineer. This project involves the reconstruction of Pine Island Causeway and Little Pine Island Bridge (FPID 451937-2-52-01). Work includes lining the causeway with a 60-foot cantilevered stee het pile wall and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (acope, size, cost, etc.): ROLE Gator Canal Bridge Replacement Collier County Naples, FL Senior Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 846. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (CICY,State): BRIEF DESCRIPTION (scope, size, oct, etc.): ROIE FONGER FORE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project bridge land the current volume of commuters. Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project bridge land the current film Senior Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total brid	(CE	l) project.	40 DEL	EVANT DDO IE	OTO				
Pine Island Causeway Road & Bridge Permanent Repairs — Phased Design-Build FDOT District 1 Lee County, FL Senior Project Engineer. This project involves the reconstruction of Pine Island Causeway and Little Pine Island Bridge (FPID 451937-2-52-01). Work includes lining the causeway with a 60-foot cantilevered steel sheet pile wall and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. HITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Gator Canal Bridge Replacement Collier County Naples, FL Senior Project Engineer for the replacement of a structurally obsolete bridge (#IO34843) on County Road 846. Besponsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The web bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The web bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The web bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The web bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The web bridge construction witilized three traffic control plases to maintain the current volume of commuters. HITLE AND LOCATION (City/Suele): BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Golden Gate Parkway, This project will replace the existing four-lane structure with a new form under the contract. Benior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new form under the contract. Benior Project Engineer on the project involves the replacement project and was responsible for construction and administrat		TITLE AND LOCATION (City/State): BRIEF DESCR				CONSTR	LICTION COMPLETED		
Phased Design-Build FDOT District 1 Lee County, FL						CONCIN			
a. Senior Project Engineer. This project involves the reconstruction of Pine Island Gauseway and Little Pine Island Bridge (FPID 451937-2-52-01). Work includes lining the causeway with a 60-foot cantilevered steel sheet pile wall and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gator Canal Bridge Replacement Collier County Construction Computers Ongoing Ongoing Ongoing Naples, FL Senior Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 846. B. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Golden Gate Parkway. This project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The new swing s			-			with current			
FPID 451937-2-52-01). Work includes lining the causeway with a 60-foot cantilevered steel sheet pile wall and the replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE CADA Bridge Replacement Collier County Ongoing Check if project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 846. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State) BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Ongoing Check if project performed with current film Ongoing College Replacement Design-Build Collier County Naples, FL Ongoing Check if project performed with current film Ongoing College Description (scope, size, cost, etc.): ROLE Golden Gate Parkway. This project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project involves the replacement project performed with current film Ongoing Check if project performed with current film Ongoing College Description	a.	Senior Project Engineer. This project	ct involves the recor	nstruction of					
replacement of the Little Pine Island Bridge using accelerated construction methods, including FSBs and two-way one lane traffic. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Construction Computer D Ongoing Ongoing Ongoing	•				•		•		
TITLE AND LOCATION (CIty/State); BRIEF DESCRIPTION (seope, size, cost, etc.); ROLE Callor Canal Bridge Replacement Collier County School Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 846. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State), BRIEF DESCRIPTION (seope, size, cost, etc.); ROLE Colden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL									
Senior Project Engineer for the replacement of a structurally obsolete bridge (#O34843) on County Road 846.		lane traffic.					,		
Naples, FL Senior Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 346. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 fetoling. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (Chysiate): BRIEF DESCRIPTION (scope, size, cost., etc.): ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (Chysiate): BRIEF DESCRIPTION (scope, size, cost., etc.): ROLE Gasparilla Island Bridge Authority (GIBA) Placida, Ft Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge the project performed with current firm Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge undia the beam girders foun			• • • • • • • • • • • • • • • • • • • •	etc.); ROLE	ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED		
Senior Project Engineer for the replacement of a structurally obsolete bridge (#034843) on County Road 846. B. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Floridal-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel e			Collier County						
B. Responsible for assigning staff to this project and ensuring their satisfactory performance. He attended meetings, visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State) BRIEF DESCRIPTION (soops, size, ost, etc.); ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (soops, size, ost, etc.); ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast d. in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are loc									
visited the site to oversee contractor operations, reviewed schedules, and provided quality assurance oversight for the project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (CINy/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (Ciny/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing span span span as a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing span has a 224-foot span. "Fish belly" main girders were used to respectively. Steve continues to perform quarterly inspections of the new swing sp									
project. The new bridge is founded on 24-inch piles, with cast-in-place caps and a deck. The new bridge will have 12-foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast on place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscel	b.			-					
foot lanes with 10-foot shoulders on either side and have 3 spans that total 105 feet long. Due to traffic on CR 846 the bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Swing Span Design and Miscellaneous Services Ongoing Ongoing Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane lan Damage Assessment. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, c									
bridge construction utilized three traffic control phases to maintain the current volume of commuters. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost., tec.): ROLE Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, tec.): ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Swing Span Design and Miscellaneous Contract Construction completeD Ongoing On									
Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project En									
Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Cel Sidewalk Construction on		TITLE AND LOCATION (City/State); BRIEF DESCR	RIPTION (scope, size, cost,	etc.); ROLE					
Replacement Design-Build Collier County Naples, FL Senior Project Engineer on this project involves the replacement of the bridge crossing the Santa Barbara Canal on Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane lan Damage Assessment. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Benior Project Engineer for the sidewalk construction located on Old CR 78 from C		Golden Gate Parkway over Santa B	arbara Canal Bridge	9	Ongoing				
Golden Gate Parkway. This project will replace the existing four-lane structure with a new four lane bridge wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole		Replacement Design-Build Collier	County Naples, F	L		with current			
enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost., etc.): ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State): BRIEF DESCRIPTION (scope, size, cost, etc.): ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed	c.								
bridges. Drainage installations will also occur under this contract. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed									
TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed		_			e removal of two prefat	oricated st	teel pedestrian		
Gasparilla Island Swing Span Design and Miscellaneous Services Gasparilla Island Bridge Authority (GIBA) Placida, FL Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed					ENGINEEDING COMPLETED	CONCER	LICTION COMPLETED		
Gasparilla Island Bridge Authority (GIBA) Placida, FL						CONSTR			
Swing Span Project Engineer performed CEI on the replacement project and was responsible for construction and administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL e. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed					• •	with current	<u> </u>		
administrative aspects of the new bridge. The total bridge replacement length is 678 feet which includes a 219-foot swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL e. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed		Swing Snan Project Engineer perfo	rmed CFI on the ren	lacement nr					
swing span. The fixed portion of the bridge utilizes Florida I-beam girders founded on hammerhead pier caps and cast in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL ENGINEERING COMPLETED 2021 Check if project performed with current firm Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed		.							
 d. in place footings with 24-inch precast concrete piles. The new swing span has a 224-foot span. "Fish belly" main girders were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed 									
were used to resemble the old bridge. The new swing pivots on 2 feet, 6 inches bronze and steel spherical discs housed in a pivot box. Eccentric wheel end lift assemblies and span locks are located on the rest piers which raise and center the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed	d.								
the bridge respectively. Steve continues to perform quarterly inspections of the new swing span and is on call to assist in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed		were used to resemble the old brid	ge. The new swing p	oivots on 2 fe	et, 6 inches bronze and	steel sphe	erical discs housed		
in troubleshooting issues that may arise. Task completed under the miscellaneous contract include: On-Call Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL E. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed		•		•	•				
Assignments for Bridge Issues, New Swing Bridge Quarterly Inspection, Annual Inspection Report Reviews, repair for noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL E. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed									
noise emanating from Bearing Pillow Block, Coating Analysis, and Hurricane Ian Damage Assessment. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL e. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed									
TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County Labelle, FL e. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed									
CEI Sidewalk Construction on Old CR 78 (LAP) Hendry County 2021 2021 Labelle, FL ■ Check if project performed with current firm e. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed				•					
Eabelle, FL ■ Check if project performed with current firm ■ Check if proje						CONSTR			
e. Senior Project Engineer for the sidewalk construction located on Old CR 78 from CR 78 to SR 29 (FPID #435016-1-58-01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed			n 70 (LAP) Hendry	y County		24			
01) in Hendry County. The project included guardrail installation, signing and pavement markings, and curb and gutter. Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed	_	-	walk construction !	ocated on O					
Nicole prepared and distributed meeting agendas and minutes, reviewed and maintained submittal logs, reviewed	e.					•			
		estimates, and assists with filing.	יייים מספרוממט מוומ ו		oned and manifemed st		00, 101,011		

RESUMES OF KEY PERSONNEL PROPOSED FOR THIS CONTRACT (Complete on Section E for each key person) 12. NAME 13. ROLE IN THIS CONTRACT 14. YEARS EXPERIENCE b. WITH CURRENT FIRM a. TOTAL Principal-in-Charge Stephan Heimburg, PE 40 15 15. FIRM NAME AND LOCATION (City and State) Hardesty & Hanover, LLC (Tampa, FL)

16. EDUCATION (DEGREE AND SPECIALIZATION)

B.S. / Civil Engineering

17. CURRENT PROFESSIONAL REGISTRATION (STATE AND DISCIPLINE)

Professional Engineer: FL

18. OTHER PROFESSIONAL QUALIFICATIONS (Publications, Organizations, Training, Awards, etc.)

Stephan Heimburg has 40 years of engineering and design experience in the transportation industry. His design experience includes roadway, drainage, tolls, and traffic control design for arterial highways, and minor roadways. This diverse experience contributed to his ability to design, manage, and direct engineering studies and roadway design plans. Stephan's ability to develop and implement "out of the box" solutions for constrained conditions has served his clients well.

19. RELEVANT PROJECTS					
TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE	ENGINEERING COMPLETED	CONSTRUCTION COMPLETED			
Transportation-Professional Engineering Services Pinellas	2025	N/A			
County Pinellas County, FL	Check if project performed w	vith current firm			

Chief Engineer responsible for project oversight for this is multidiscipline contract providing as-needed services to support Responsible for the replacement design of the Hollin Creek culverts at East Lake Drive. Key challenges included the timely procurement of three environmental permits and maintaining public access to landlocked parcels that would be impacted by a roadway closure. This project was part of a multidiscipline contract providing as-needed services to support Pinellas County as it relates to all infrastructure in the County.

TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE	ENGINEERING COMPLETED	CONSTRUCTION COMPLETED	
East Lake Drive (CR 77) at Hollin Creek Culvert Pinellas County	2014	2016	
Pinellas County, FL	☐ Check if project performed with current firm		

Chief Engineer responsible for project oversight for this is multidiscipline contract providing as-needed services to support Responsible for the replacement design of the Hollin Creek culverts at East Lake Drive. Key challenges included the timely procurement of three environmental permits and maintaining public access to landlocked parcels that would be impacted by a roadway closure. This project was part of a multidiscipline contract providing as-needed services to support Pinellas County as it relates to all infrastructure in the County.

TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Fort Hamer Bridge Approaches, Upper Manatee River Road to Fort Hammer Road | Manatee County | Manatee County, FL

Chief Engineer. Responsible for oversight of roadway and TCP

ENGINEERING COMPLETED	CONSTRUCTION COMPLETED			
2016	2018			
□ Check if project performed w	ith current firm			

design for over a mile of approach roadway for a new bridge over the Manatee River, connecting Upper Manatee River Road with Fort Hamer Road. The project was designed for stage construction with the two lanes being delivered with initial construction.

TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE 44th Avenue, E from 45th Street E to 44th Avenue Plaza E, **Braden River Segment | Manatee County Government |**

Manatee County, FL

ENGINEERING COMPLETED CONSTRUCTION COMPLETED 2018 2018 □ Check if project performed with current firm

Chief Engineer. Responsible for oversight of roadway and TCP design. This project includes the design for the reconstruction and extension of 44th Avenue East from 45th Street East to 44th Avenue Plaza East. The design plans include widening from a two-lane roadway to a four-lane divided urban roadway. A new bridge will be designed to cross over the Braden River and the realignment of Morgan Johnson Road and Caruso Road will provide route continuity. Alternative intersection designs, including a roundabout and stage construction were considered.

TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE Orlando South Ultimate Interchange | Florida's Turnpike **Enterprise | Orlando, FL**

ENGINEERING COMPLETED CONSTRUCTION COMPLETED Ongoing Ongoing □ Check if project performed with current firm

Chief Engineer. Responsible for development and review of

project environmental documents. This project includes an evaluation of a complex interchange that provides both direct and indirect ramping between Florida's Turnpike, the Beachline Expressway, and Orange Blossom Trail. The project goal is improvement of system capacity by adding exclusive high speed system ramps, replacing SR 528 bridges over SR 91 to add lanes on SR 91, and improve arterial operations with revised ramping and open road tolling. The project includes improvements to two Orange County and two FDOT arterials, as well as the construction of a new multilane county road with a new interchange to divert local traffic away from the main interchange.

	RESUMES OF KEY PERSONNEL PROPOSED FOR THIS CONTRACT (Complete on Section E for each key person)				
12.	NAME	13. ROLE IN THIS CONTRACT		14. YI	EARS EXPERIENCE
	Brendan O'Shea, PE, SSPC C-	<i>y</i> - Construction	a. TOTAL 40	b. WITH CURRENT FIRM 20	
	1/C-3 FIRM NAME AND LOCATION (City and State)				
H	HARDESTY & HANOVER (New York, N	· · · · · · · · · · · · · · · · · · ·			
	S. EDUCATION (DEGREE AND SPECIALIZATION)		PROFESSIONAL REGISTRATION		
	6. / Engineering MEA / Construction OTHER PROFESSIONAL QUALIFICATIONS (Public)		al Engineer: FL, IL, NJ, NY c.)	, PA, VA,	VVI
	endan O'Shea has 40 years of diverse			in positio	ns of increasing
	sponsibility. He has worked on a wide				
	dge rehabilitation, HMA paving, brid				
	allenging projects and extensive expe			_	•
0.5	Shea also has experience with vulner	ability assessments and security 19. RELEVANT PROJE		is racilities).
	TITLE AND LOCATION (City/State); BRIEF DESC	RIPTION (scope, size, cost, etc.); ROLE	ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED
	Resident Engineering Inspection (R		Ongoing		Ongoing
	Rehabilitation of the West 79th St	_	Check if project performed	with current	firm
	Rotunda Complex New York, NY Project Manager for the rehabilitat		L fic Circle structure, whic	h consists	of 3/1 steel snans
	over the Pedestrian Plaza that carri				
	architectural restoration of impacte				
a.	facility will also be improved by the				
	garage level, the connector ramps v	will be repaired, and stone maso	nry restored. As with the	e other ar	eas of the
	structure, lighting and drainage wil	•			·
	and upgraded. The project work wi				
	sidewalks, and the pedestrian safet	·	•		-
	be provided along with new approa will be a NYSDOT standard 9.5-inch	•	•	abilitated	. The new deck
	TITLE AND LOCATION (City/State); BRIEF DESC		ENGINEERING COMPLETED	CONSTRI	UCTION COMPLETED
	REI for Component Rehabilitation	of Eight Bridges New York,	2022		N/A
	NY New York City DOT		☐ Check if project performed		
	Project Manager for the rehabilitat				
	Boulevard Bridge over CSXT Port M Parkway; East 149th Street Bridge o		_		
b.	Boulevard Southbound over Bronx				
	over SIRT South Shore. Work involves superstructure replacement, abutment rehabilitation, concrete repair for substructures and underdeck, structural steel repairs, clean and paint steel, bearing replacement, masonry repair and				
				ment, ma	-
	substructures and underdeck, structures replacement, electrical and lighting	ctural steel repairs, clean and paig repair, and replacement, milling	nt steel, bearing replace g, resurfacing, and water		sonry repair and
	substructures and underdeck, structures replacement, electrical and lighting replacement, work zone traffic con	ctural steel repairs, clean and pains repair, and replacement, milling trol, miscellaneous repairs, clear	nt steel, bearing replace g, resurfacing, and water ing and grubbing.	proofing,	sonry repair and joint repair and
	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (City/State);	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clear RIPTION (scope, size, cost, etc.); ROLE	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED	proofing,	sonry repair and joint repair and
	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic continued to the continued of the c	ctural steel repairs, clean and pairs, repair, and replacement, milling trol, miscellaneous repairs, clear RIPTION (scope, size, cost, etc.); ROLE on, Inspection and Support	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021	constru	joint repair and joint repair and UCTION COMPLETED N/A
	substructures and underdeck, structures replacement, electrical and lighting replacement, work zone traffic contitue and location (City/State); BRIEF DESCRIPTION (City/State); BRIEF DESCRIPT	ctural steel repairs, clean and pairs, repair, and replacement, milling trol, miscellaneous repairs, clear RIPTION (scope, size, cost, etc.); ROLE on, Inspection and Support and Tunnel Authority	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed	CONSTRI	joint repair and joint repair and UCTION COMPLETED N/A firm
	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic continuous traffic continuous (City/State); BRIEF DESCONCE CONCENTION (City/State); BRIEF DESCONCE CONCENTION Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clear RIPTION (scope, size, cost, etc.); ROLE on, Inspection and Support and Tunnel Authority y point of contact with the clients including quality assurance and	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P	CONSTRI with current der contra roject ass	Sonry repair and joint repair and UCTION COMPLETED N/A firm oct. Providing ignments may
C.	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCIOn-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clear RIPTION (scope, size, cost, etc.); ROLE on, Inspection and Support and Tunnel Authority y point of contact with the client is including quality assurance and and Inspection of bridge, highways repairs and lassection of bridge, highways repairs, and repairs, clean and pairs repairs, clean and support lassection and supp	nt steel, bearing replace g, resurfacing, and water ring and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P	construction construction construction construction contraction co	JOINT REPAIR AND JOINT REPAIR AND LOCATION COMPLETED N/A firm loct. Providing ignments may Live Bull of the control of the con
C.	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCI On-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clean repai	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree	construction construction construction construction contraction co	sonry repair and joint repair and VICTION COMPLETED N/A firm VICTION COMPLI
C.	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic contitue and Location (City/State); BRIEF DESCION-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clear RIPTION (scope, size, cost, etc.); ROLE on, Inspection and Support and Tunnel Authority y point of contact with the client is including quality assurance and and Inspection of bridge, highwale and support F. Kennedy Bridge. This	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree s \$3 million construction	construction contract in contr	sonry repair and joint repair and VICTION COMPLETED N/A firm vict. Providing ignments may RH is currently sk 6 – Project No. involves cleaning
C.	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCION-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the and washing of splash zone areas of	ctural steel repairs, clean and pairs, repair, and replacement, milling trol, miscellaneous repairs, clean and replacement, milling trol, miscellaneous repairs, clean reprise on, Inspection and Support and Tunnel Authority y point of contact with the client including quality assurance and and Inspection of bridge, highwater & inspection for four separate Robert F. Kennedy Bridge. This in the entire bridge structure, clean	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree s \$3 million construction eaning of drainage struct	constructions, constructions, constructions, contractions, spot-	sonry repair and joint repair and VICTION COMPLETED N/A firm vict. Providing ignments may RH is currently sk 6 – Project No. involves cleaning painting cleaning
C.	substructures and underdeck, struct replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCONCE On-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the and washing of splash zone areas of and painting of heavily corroded ar	ctural steel repairs, clean and pairs, repair, and replacement, milling trol, miscellaneous repairs, clean and replacement, milling trol, miscellaneous repairs, clean reprise on, Inspection and Support and Tunnel Authority y point of contact with the client including quality assurance and and Inspection of bridge, highwater & inspection for four separate Robert F. Kennedy Bridge. This in the entire bridge structure, clean	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree s \$3 million construction eaning of drainage struct	constructions, constructions, constructions, contractions, spot-	sonry repair and joint repair and VICTION COMPLETED N/A firm vict. Providing ignments may RH is currently sk 6 – Project No. involves cleaning painting cleaning
C.	replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCI On-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction management performing construction management RKM-351, Bridge Preservation at the and washing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCI	ctural steel repairs, clean and pair repair, and replacement, milling trol, miscellaneous repairs, clear repairs, cost, etc.); ROLE repairs repai	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree s \$3 million construction eaning of drainage struct	with current of der contractions. Has contract of contractions. Spotsele reparations of the contractions o	sonry repair and joint repair and VICTION COMPLETED N/A firm vict. Providing ignments may RH is currently sk 6 – Project No. involves cleaning painting cleaning
C.	replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCI On-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction management performing construction management performing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCI REI for Madison Avenue Bridge over	ctural steel repairs, clean and pair repair, and replacement, milling trol, miscellaneous repairs, clear repairs, cost, etc.); ROLE repairs repai	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree s \$3 million construction caning of drainage struct hiscellaneous structural s ENGINEERING COMPLETED Ongoing	with current der contract opjects. H& contract c	sonry repair and joint repair and N/A firm Joint Providing Joint Repair No. Joint Project No. Joint Projec
C.	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCIOn-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the and washing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCIREI for Madison Avenue Bridge over York, NY	ctural steel repairs, clean and pair repair, and replacement, milling trol, miscellaneous repairs, clear repairs, cost, etc.); ROLE repairs repai	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree s \$3 million construction eaning of drainage struct niscellaneous structural s	with current der contract opjects. H& contract c	sonry repair and joint repair and N/A firm Joint Providing Joint Repair No. Joint Project No. Joint Projec
C.	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCIOn-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the and washing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCION REI for Madison Avenue Bridge over York, NY New York City DOT	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clear repairs, cost, etc.); ROLE on, Inspection and Support and Tunnel Authority repairs repa	int steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Order management of staff. Pay, tunnel, and facility protest tasks under this agree is \$3 million construction aning of drainage struct inscellaneous structural structura	with current der contract opjects. H& contract ures, spot steel repa	sonry repair and joint repair and N/A firm Joint Providing Joint Repair No. Joint Project No. Joint Projec
С.	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic contitue and Location (City/State); BRIEF DESCION-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the and washing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCION REI for Madison Avenue Bridge over York, NY New York City DOT Project Manager. Performed shops	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clear RIPTION (scope, size, cost, etc.); ROLE on, Inspection and Support and Tunnel Authority y point of contact with the client is including quality assurance and and Inspection of bridge, highwater & inspection for four separate Robert F. Kennedy Bridge. This in the entire bridge structure, cleas. The contract also involves in RIPTION (scope, size, cost, etc.); ROLE er the Harlem River New	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree \$\$3\$ million construction eaning of drainage struct niscellaneous structural s ENGINEERING COMPLETED Ongoing Check if project performed	with current der contract opects. H& contract co	sonry repair and joint Repair and N/A Inct. Providing Joint September 1988 And Joint S
	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCIOn-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the and washing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCION REI for Madison Avenue Bridge over York, NY New York City DOT	ctural steel repairs, clean and pairs, repair, and replacement, milling trol, miscellaneous repairs, clear trong trol,	nt steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Ord management of staff. P ay, tunnel, and facility pr te tasks under this agree \$\$3 million construction eaning of drainage struct hiscellaneous structural s ENGINEERING COMPLETED Ongoing Check if project performed ext requirements. Shop insents, ultrasonic and magin	with current of der contract of contract o	sonry repair and joint Roman State of State o
	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCIOn-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction management performing construction management performing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCINGE for Madison Avenue Bridge over York, NY New York City DOT Project Manager. Performed shop material verification, forging and he forgings, and destructive testing of work progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and MURK 1 DWRs and service in the progress and murket i	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clean repairs, cost, etc.); ROLE repairs repai	int steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Order management of staff. Project performed and facility project this agree is \$3 million construction caning of drainage struct inscellaneous structural str	with current of der contract of contract o	sonry repair and joint repair and M.A. In Joint Providing Joint Repair St. 6 – Project No. Joint Joint Repair Geaning Joint Repair Geaning Joint Completed Ongoing Joint Completed Ongoing Joint Joint Repair St.
	substructures and underdeck, structure replacement, electrical and lighting replacement, work zone traffic con TITLE AND LOCATION (City/State); BRIEF DESCIOn-call Construction Administration New York, NY Triborough Bridge Project Manager serving as primary senior-level oversight of operations include Construction Management performing construction managem RKM-351, Bridge Preservation at the and washing of splash zone areas of and painting of heavily corroded areas ordered by the Engineer. TITLE AND LOCATION (City/State); BRIEF DESCION (City/State); BRIEF DESCION (City/State); BRIEF DESCION (NY New York City DOT Project Manager. Performed shop material verification, forging and he forgings, and destructive testing of	ctural steel repairs, clean and pairs repair, and replacement, milling trol, miscellaneous repairs, clean repairs, cost, etc.); ROLE repairs repai	int steel, bearing replace g, resurfacing, and water ing and grubbing. ENGINEERING COMPLETED 2021 Check if project performed for this On-Call Task Order management of staff. Project performed and facility project this agree is \$3 million construction caning of drainage struct inscellaneous structural str	with current of der contract of contract o	sonry repair and joint repair and M.A. In Joint Providing Joint Repair St. 6 – Project No. Joint Joint Repair Geaning Joint Repair Geaning Joint Completed Ongoing Joint Completed Ongoing Joint Joint Repair St.

	RESU	MES OF KEY PERSONNEL PF (Complete on Section E fo						
12.	NAME	13. ROLE IN THIS CONTRACT			14. Y	EARS EXPERIENCE		
J	ames Phillips, PE	QA/QC Constructability	Review	- Structures	a. TOTAL 42	b. WITH CURRENT FIRM 9		
ŀ	15. FIRM NAME AND LOCATION (City and State) HARDESTY & HANOVER (Tampa, FL)							
	EDUCATION (DEGREE AND SPECIALIZATION) L / Civil Engineering			ROFESSIONAL REGISTRATION REPORTED TO REPORT TO REPORTED TO REPORT				
18.	OTHER PROFESSIONAL QUALIFICATIONS <i>(Publi</i>	cations, Organizations, Training, A	Awards, etc	:.)	tilei stati	23)		
	nes Phillips is an industry–recognized				experien	ce in design,		
	dies, and analysis for bridges of all s							
	nagement, and engineering for fixed		dies, de	sign and rehabilitation p	rojects in	cluding bridge		
arc	hitecture, structural, mechanical, an	•						
	TITLE AND LOCATION (City/State); BRIEF DESC	19. RELEVAN RIPTION (scope, size, cost, etc.); R		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	Beckett Bridge Replacement Pine		.022	Ongoing	CONST	Ongoing		
	Tarpon Springs, FL	• •		☐ Check if project performed	with curren			
	Project Manager. Responsible for r	eplacement design of an	existing					
	rolling-lift, bascule bridge that carri	es Riverside Drive over W	Vhitcom	b Bayou and features tw	o traffic	lanes, shoulders,		
	and a sidewalk. The movable span							
a.	spans longitudinally between floorl							
	elements to facilitate accelerated b							
	accommodate challenging site cond	9		•	•	•		
	drives the movable span, powered	•			•	•		
	tail props and span locks. Project el roadway, drainage, bridge architec			itroi system, approximat	eiy a qua	irter mile of		
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	Jupiter Federal Bridge Replacemer			2020	00.101	2023		
	Jupiter, FL			☐ Check if project performed v	with current			
h	QA/QC Engineer. Responsible for c							
b.	phases of this bascule bridge replace			•		9		
	with a new bridge featuring a twin,							
	Responsible for QC review the Brid			of the hydraulic drive sys	tem desi	gn calculations		
	and drawings. Also participated in t			ENGINEERING COMPLETED	CONCT	RUCTION COMPLETED		
	SR 968/SW 1st Street Bridge Over			2017	CONST	2017		
	Miami, FL	•		☐ Check if project performed v	l vith current			
	QA/QC Engineer. Responsible for o	lesign oversight; peer rev	iew of t	he structural concept; ar	nd quality	control of the		
C.		drive machinery, trunnion assemblies, and span locks for the replacement of this nationally registered historic bridge.						
	The 507-foot-long bridge includes a							
	navigation channel. 4,000-kip bascu		lermic c	oncrete deck, simple tru	nnions w	ith plain journal		
	bearings, and a 150-HP electro—me		OLE	ENGINEERING COMPLETED	CONCT	RUCTION COMPLETED		
	District Seven Movable Bridge Wo		OLL	2016	CONST	N/A		
	West Central Florida FDOT Distric			☐ Check if project performed v	I vith current			
	Chief Engineer responsible for deve	eloping a ten-year work p	rogram					
d.	owned and operated by FDOT D7. I							
	bridge inspection reports, prior rep					Prepared a report		
	describing the current state of the							
	repairs/rehabilitation over the next					•		
	Orlando South Ultimate Interchan			ENGINEERING COMPLETED 2020	CONST	RUCTION COMPLETED		
	Study) Orange County, FL Florid			ZUZU ☐ Check if project performed v	with current	N/A		
	Chief Structures Engineer. Respons		ment ar					
	improvements to the interchange k							
e.	evaluation of a complex interchang							
	Beachline Expressway, and Orange	Blossom Trail. The project	ct goal is	improvement of system	capacity	/ by adding		
	exclusive high-speed system ramps							
	operations with revised ramping ar							
	ramps are also being considered. T							
	multiple exits, entrance ramps, CD	roads, requiring new cons	<u>stru</u> ctio	<u>n or widening</u> of over 30	bridge s	tructurers.		

RESUMES OF KEY PERSONNEL PROPOSED FOR THIS CONTRACT (Complete on Section E for each key person) 13. ROLE IN THIS CONTRACT 12. NAME 14. YEARS EXPERIENCE QA/QC Constructability Review - Roadway a. TOTAL b. WITH CURRENT FIRM J. Webb Jones, PE 27 10 15. FIRM NAME AND LOCATION (City and State) Hardesty & Hanover, LLC(Tampa, FL) 16. EDUCATION (DEGREE AND SPECIALIZATION) 17. CURRENT PROFESSIONAL REGISTRATION (STATE AND DISCIPLINE) B.S. / Civil Engineering Professional Engineer: FL 18. OTHER PROFESSIONAL QUALIFICATIONS (Publications, Organizations, Training, Awards, etc.) Webb Jones has 27 years of engineering and design experience in the transportation industry. His extensive transportation design experience includes roadway, signing and pavement marking, and traffic control design for minor roadways, arterial highways, and controlled access facilities. As a senior engineer, Webb has held key project roles including Project Engineer, Team Leader, Engineer of Record, Design Group Manager, and Project Manager. 19. RELEVANT PROJECTS TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE ENGINEERING COMPLETED CONSTRUCTION COMPLETED Transportation-Professional Engineering Services | Pinellas County | Pinellas County, FL □ Check if project performed with current firm Senior Engineer/Quality Control. Responsible for quality control review of design plans, and engineering supervision. This is multidiscipline contract providing as-needed services to support Pinellas County as it relates to all infrastructure in the County. This contract requires coordination with multiple agencies, consultants, and other stakeholders during a task assignment. Tasks have included analysis and plans preparation of drainage improvements and erosion repair. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE ENGINEERING COMPLETED CONSTRUCTION COMPLETED Districtwide Interstate Program Manager (IPM) | FDOT District 4 | Ongoing Districtwide, FL □ Check if project performed with current firm Senior Engineer. Responsible for concept development and review of plans. This multi-discipline, indefinite quantity contract provided as-needed services to support the Florida DOT work program for all interstate highway improvements in the five-county FDOT District region. The geographic limits include over 150 miles of I-275, I-4, and I-75 and key contributing arterials. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE **ENGINEERING COMPLETED** CONSTRUCTION COMPLETED Beckett Bridge Replacement | Pinellas County Government | Ongoing **Tarpon Springs, FL** □ Check if project performed with current firm Roadway Engineer of Record. Responsible for the roadway design, traffic control plans, and signing and pavement marking. The new 360-foot-long bridge carries Riverside Drive over Whitcomb Bayou and features two traffic lanes, shoulders, and a sidewalk. The main span is a single-leaf, rolling-lift, bascule bridge with a length of 39 feet. Project design elements include: structural, roadway, drainage, lighting, traffic control, utility coordination, bridge architecture, and public involvement. US 19 (SR 55) from North of SR 580 (Main Street) to Northside **ENGINEERING COMPLETED** CONSTRUCTION COMPLETED Drive | Pinellas County, FL | Florida DOT District 7 Ongoing Senior Engineer responsible for the QA/QC of the temporary traffic control plan design concepts and final plans for a portion of this project. This 1.05-mile section of roadway is being converted from an existing eight-lane divided arterial roadway to six-lane, plus an auxiliary lane, divided highway into a six-lane controlled roadway access and two-lane frontage roads in both directions that run parallel to US 19. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE **ENGINEERING COMPLETED** CONSTRUCTION COMPLETED SR 91 and SR 528 Interchange (from MP 253 TO S. of Sand Lake Ongoing Road (MP 257.25) Design | Orange County, FL | Florida's □ Check if project performed with current firm **Turnpike Enterprise**

Project Manager responsible for the design of this complex interchange. H&H is the prime consultant for this complex 4-level interchange in an urban constrained environment. The project includes new direct systems ramps, braided ramps, a relocation of SR 528, and modifications to adjoining interchanges, including a Diverging Diamond interchange on Consulate Drive. As part of the design development, the design team worked closely with Turnpike traffic engineers to refine the design to include: an additional southbound Collector Distributor Road to relocate weaving from the mainline; reconfiguration of a low-volume ramp to economize the design; and development of a 3-project phasing plan to deliver incremental improvements. In addition to managing the design of the project, H&H is responsible for roadway, bridge, drainage signing and pavement markings, and toll design, which included five new All Electronic Tolling Sites.

	RESUMES OF KEY DE	ERSONNEL PROPOSEI	D FOR THIS CONTRACT				
		on Section E for each k					
12.	NAME 13. ROLE IN THIS	S CONTRACT		14. Y	EARS EXPERIENCE		
	lames Newberry, PE, SE Structural D	esign		a. TOTAL	b. WITH CURRENT FIRM		
	• • • •			17	7		
	15. FIRM NAME AND LOCATION (City and State)						
	HARDESTY & HANOVER (Tampa, FL) S. EDUCATION (DEGREE AND SPECIALIZATION)	17 CURRENT	PROFESSIONAL REGISTRATION	CTATE AND	D DICCIDI INFL		
	S. / Civil Engineering M.S. / Civil Engineering		al Engineer: FL; Structura				
	OTHER PROFESSIONAL QUALIFICATIONS (Publications, Organizati			1 LIIGITICS			
	mes Newberry has 17 years of structural engineeri			ering ana	lysis and design,		
	afting and plans production, design reviews for this	rd party projects, C	(A/QC, and post-design r	eview of	technical		
sul	bmittals, including shop drawings.						
	19. TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, si.	. RELEVANT PROJECT	ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	Beckett Bridge Replacement Pinellas County	20, 0001, 010.,, 11022	Ongoing	CONST	NOCTION CONFEETED		
	Tarpon Springs, FL		☐ Check if project performed	with curren	t firm		
	Structural Engineer. Responsible for the replacer	ment design of an e					
a.	new 360-foot-long bridge that includes a single-le						
	Whitcomb Bayou and features two traffic lanes a						
	of roll to tip of the leaf in the closed position, and						
	Exodermic deck that spans longitudinally betwee						
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, si		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	Gateway Expressway Design-Build FDOT Distri	ict 7	2023		Ongoing		
	Pinellas County, FL Check if project perform						
b.	Structural Engineer of Record. Responsible for bridge and toll facility structural design and plans production for the						
	Gateway Express improvement project, which includes new toll facilities and needed limited an connections from the Bayside Bridge on the north, US 19 on the west and the St. Pete Clearwat						
	to I-275. For this design-build project H&H is resp						
	among Segments 1 through 4; tolls design for Segments 1						
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size						
	Johns Pass Bridge Rehabilitation FDOT District		ENGINEERING COMPLETED Ongoing	CONST	RUCTION COMPLETED		
	Pinellas County, FL		☐ Check if project performed	with ourront	firm		
	Project Engineer/Structural Engineer of Record	for double-leaf trur					
C.	699 (Gulf Boulevard) over Johns Pass. Project sco						
	included replacement of control level doors and						
	span lock replacement and adjustment of live loa						
	replacement of PLC system CCTV system, control		mounted aesthetic lighti	ng.			
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	SR 826/Palmetto Expressway Capacity Improve		2023		Ongoing		
	Build FDOT District 6 Miami-Dade County, FL		Check if project performed				
	Structural Engineer. Responsible for design, deta						
d.	bridge substructure elements. Responsible for sh		•	•			
	1-52-01) includes improvements in the southbou						
	points including widening in the northbound direction to correct substandard shoulder width created under the Northbound Express Lanes Interim Improvements project, widening of the NW 103rd St on/off ramps, and a						
	comprehensive milling and resurfacing plan. Furt						
	along both the northbound and southbound dire						
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	SR 80 (Southern Boulevard) Bridge Replacement	t FDOT	2019		Ongoing		
	District 4 West Palm Beach, FL		□ Check if project performed		firm		
e.	Structural Designer involved in QC process for ba		•				
	the project for the replacement of two bridges of						
	the Town of Palm Beach. The main bridge will be				bridge and will		
	require a two-lane temporary bridge with Acrow	approach spans ar	ıd a vertical-lift main spa	n.			

	RESU			D FOR THIS CONTRACT		
40		(Complete on Section		tey person)	44.14	EARO EVERNENCE
	NAME	13. ROLE IN THIS CONTE Structural Design	RACI		a. TOTAL	b. WITH CURRENT FIRM
F	Anlun Chen, PE, SE			6	6	
15. I	FIRM NAME AND LOCATION (City and State)					
	HARDESTY & HANOVER (Tampa, FL)					
	EDUCATION (DEGREE AND SPECIALIZATION)		17. CURRENT F	PROFESSIONAL REGISTRATION	STATE AND	DISCIPLINE)
B.S	s. / Civil Engineering M.S. / Civil Eng	gineering		al Engineer: FL; Structura	l Enginee	er: IL
	OTHER PROFESSIONAL QUALIFICATIONS (Public					
	lun Chen has six years of experience					
	nstruction management. He has bee				of struc	tural designs for
TIXE	ed and movable bridge projects. He l		ad rating cald /ANT PROJECT			
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	Beckett Bridge Replacement Pine			Ongoing	001101	HOO HOLV GOIM LETES
	Tarpon Springs, FL	•		☐ Check if project performed	with current	t firm
a.	Structural Engineer. Responsible for	or foundation design	ı. substructur			
	historic bridge replacement with a					
	Whitcomb Bayou and features two	_	_	_		
	control system, approximately a qu	arter mile of roadw	ay, drainage,	-		•
	TITLE AND LOCATION (City/State); BRIEF DESC		etc.); ROLE	ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	Gateway Expressway Design-Build	FDOT District 7		2023		Ongoing
	Pinellas County, FL			Check if project performed v		
b.	Structural Engineer. Responsible for					
D.	express improvement project, which includes new toll facilities and needed limite					
	from the Bayside Bridge on the north, US 19 on the west and the St. Pete Clearwater International Control of the Peter Clearwater International Control of Co					
	this design-build project H&H is res		_	_		_
	Segments 1 through 4; tolls design			•		
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	SR 5708 (Central Polk Parkway) fro SR 35 (US 17) Florida's Turnpike		• •	2022		N/A
		· · · · · · · · · · · · · · · · · · ·	•	Check if project performed v		
	Structural Engineer responsible for plans preparation for toll gantry. The					
	model, selecting various steel and a					
C.	connections for various elements o					
	plans, and project coordination for			9		
	1 and 2 of the Central Polk Parkway	•	•			•
	as well as the design of one mile of					
	two miles of new ramp alignments.	•		O.	_	
	2 of the Central Polk Parkway.	, ,	•	,	Ü	o .
	TITLE AND LOCATION (City/State); BRIEF DESC		etc.); ROLE	ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	I-275 Tolls (38th Ave N to 4th St N)	FDOT District 7		Ongoing		
	Pinellas County, FL			□ Check if project performed v		
d.	Project Manager/Tolls Engineer re					
u.	and final design plans. This project		•	_		
	North to north of 4th Street North					
	modified special provisions, technic	cal special provisions	s, reports, an	d design calculations for	tive new	and one modified
	toll facilities per the latest GTR. TITLE AND LOCATION (City/State); BRIEF DESC	DIDTION /seems size seet	-t- \- DOLE	51101115551110 001451 5T55	001107	
	Gateway Express Improvements D			ENGINEERING COMPLETED 2023	CONST	RUCTION COMPLETED
	Pinellas County, FL	esign bana 1001	District 7		vith aurrant	Ongoing
	Engineering Technician responsible	for tall huilding de	sign tall gant	□ Check if project performed very design bridge foundary		
e.	substructure design, design plans p	_				
€.	project, which includes new toll fac					
	Bridge on the north, US 19 on the v					•
	project includes developing traffic					
	1 through 4: tolls design for Segme					

	RESU	MES OF KEY PERSONN (Complete on Secti		D FOR THIS CONTRACT		
10	NAME	13. ROLE IN THIS CONTE		key person)	14. \	EADS EVENUE
	NAME	Structural Design	RACI		a. TOTAL	b. WITH CURRENT FIRM
Quinten Ozimek, PE, SE					4	4
15. I	FIRM NAME AND LOCATION (City and State)					
H	IARDESTY & HANOVER (Tampa, FL)					
	EDUCATION (DEGREE AND SPECIALIZATION)		17. CURRENT I	PROFESSIONAL REGISTRATION	STATE AND	DISCIPLINE)
B.S. / Civil Engineering M.S. / Civil Engineering Professional Engineer: FL; Structural Engineer: IL					r: IL	
	OTHER PROFESSIONAL QUALIFICATIONS (Publi					
	inten Ozimek has four years of expe		_	<u> </u>		•
	nstruction management. He has bee				l of struct	tural designs for
TIXE	ed and movable bridge projects. He l					
	TITLE AND LOCATION (City/State); BRIEF DESC	19. RELEV	/ANT PROJECT	ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	Beckett Bridge Replacement Pine		010.7, 11022	Ongoing	CONST	HOCHON COMILETED
	Tarpon Springs, FL	,		☐ Check if project performed	with current	t firm
a.	Structural Engineer. Responsible for	or foundation design	substructu			
u.	historic bridge replacement with a					
	Whitcomb Bayou and features two	•				
	control system, approximately a qu	-	•	•		•
	TITLE AND LOCATION (City/State); BRIEF DESC	RIPTION (scope, size, cost,	etc.); ROLE	ENGINEERING COMPLETED		RUCTION COMPLETED
	Sunny Isles Pedestrian Bridge Peer	Review City of Su	ınny Isles	2020		2022
	Sunny Isles, FL			□ Check if project performed v	vith current	firm
	Structural Designer responsible for	analysis of propose	d structure a	and gathered results and	provided	design checks of
b.	various steel members and connections involving the Sunny Isles Pedestrian Bridge's Category 2 components. H&H's					
	peer review confirmed the bridge's structural analysis methodology, compatibility of bridge				geometr	y with roadway
	geometrics, construction phasing with Traffic Control Plans, the completeness and accuracy				of bridge	plans, compliance
	with design requirements and FDO	T standard plans, an	d the constr	uctability assessment ide	ntifying f	atal flaws that
	were prepared by others.					
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	Albee Road Bascule Bridge Repairs	S Sarasota County	I	2021		N/A
	Laurel, FL		1 1	Check if project performed v		
C.	Structural Designer responsible for					
	Sarasota County project involves pl					
	performed in August 2018 which resulted in recommended structural, electrical, and mechanical repairs that will keep the bridge operating efficiently and extending its service life. Subsequent FDOT bridge inspection reports provided					
	additional information on the exter	•		quent root bridge inspe	ction rep	orts provided
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	Central Polk Parkway Florida Tur		010.7, 11022	Ongoing	CONST	NOCTION COMPLETED
	Polk County, FL	P		☐ Check if project performed v	with current	firm
	Structural Designer. The structural	design efforts inclu	de preparing			
	selecting various steel and aluminu					
d.	connections for various elements of			, ,		
	plans, and project coordination for					
	1 and 2 of the Central Polk Parkway					
	as well as the design of one mile of					
	two miles of new ramp alignments	_		•	-	
	2 of the Central Polk Parkway.	, ,	,	,	J	0
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED
	Gateway Express Improvements D	esign-Build FDOT	District 7	2023		Ongoing
	Pinellas County, FL			□ Check if project performed v		
	Structural Designer. Responsible for					
e.	substructure design, design plans p					
	project, which includes new toll fac					
	Bridge on the north, US 19 on the v			•		•
	project includes developing traffic					
	1 through 4; tolls design for Segme	nts 1, 2, and 4; and s	structures de	esign tor tour bridges in S	egment 4	ł.

E. RESUMES OF KEY PERSONNEL PROPOSED FOR THIS CONTRACT (Complete on Section E for each key person)							
12.	NAME	13. ROLE IN THIS CONTRACT		14. YEARS EXPERIENCE			
F	Robert Hideck, PE	Roadway/Intersection Design Control Plans	n/Temporary Traffic	a. TOTAL b. WITH CURRENT FIRM 10			
	FIRM NAME AND LOCATION (City and State)						
	Hardesty & Hanover, LLC (Tampa, FL)	·					
B.S	s. EDUCATION (DEGREE AND SPECIALIZATION) S. / Civil Engineering	Profess	ENT PROFESSIONAL REGISTRAT ional Engineer: FL, LA	ION (STATE AND DISCIPLINE)			
Ro exp rea	OTHER PROFESSIONAL QUALIFICATIONS (Publica bert Hideck has 21 years of engineering perience includes conceptual, preliminalignments for urban and rural roads. It is design, cross sections, typical sections.	ng and design experience in th nary and final design of limited He has expertise in the prepar ctions and TCPs.	e transportation industr l-access highways, interc ation of construction pla	change design and widening			
		19. RELEVANT PROJEC	CTS				
	TITLE AND LOCATION (City/State); BRIEF DESCRI 44th Avenue E from 45th Street E to	44th Avenue Plaza E,	ENGINEERING COMPLETED 2018	CONSTRUCTION COMPLETED 2022			
	Braden River Segment (Manatee Co		□ Check if project performed				
a.	Roadway Plans Engineer of Record/ plans preparation. This project include Street East to 44th Avenue Plaza East divided urban roadway. As part of the a realignment of Morgan Johnson Ro- including a roundabout, and stage co	des the design for the reconsti t. The design plans include rec iis project, a new bridge will be oad and Caruso Road to provid	ruction and extension of construction from a two- e designed to cross over le route continuity. Alter	44th Avenue East from 45th lane roadway to a four-lane the Braden River, as well as native intersection designs,			
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (sco		ENGINEERING COMPLETED	CONSTRUCTION COMPLETED			
	27th Street East Improvements Mana	itee County	2020	2022			
	Manatee County, FL		□ Check if project perform				
b.		Project Manager/Engineer of Record. Responsible for roadway design and plans preparation. This project proposes mprovements to 27th Street East between 26th Avenue East and 38th Avenue East with pedestrian and bicycle					
	facilities, roadway improvements, tu completely designed and delivered u using AutoCAD Civil 3D. TITLE AND LOCATION (City/State); BRIEF DESCRI	rn lanes, lighting, drainage and ising AutoCAD Civil 3D. This pr	d signalization improven oject is being completely	nents. This project is being y designed and delivered			
	Gateway Express Improvements F		ENGINEERING COMPLETED 2023	CONSTRUCTION COMPLETED Ongoing			
	Pinellas County, FL		☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐				
C.	TTCP Engineer of Record. Responsibe the Gateway Express improvement proconnections from the Bayside Bridge to I-275 general purpose and new expegments 2 and 4; TCP coordination design for four bridges in Segment 4, I-275.	project, which will deliver toll for e on the north, US 19 on the water express lanes. H&H's scope for to among Segments 1 through 4	ructural engineering, and acilities and needed limites, and the St. Pete Clear this project includes developed the St. Segments of the St. Pete Clear this project includes developed the St. Peter Clear the	d traffic control services for ited and controlled access arwater International Airport eloping TCP design for its 1, 2, and 4; structures			
	TITLE AND LOCATION (City/State); BRIEF DESCRI Fort Hamer Bridge Approaches, Upp	per Manatee River Road to	ENGINEERING COMPLETED 2016	CONSTRUCTION COMPLETED 2018			
	Fort Hammer Road Manatee Coun	• • • • • • • • • • • • • • • • • • • •	□ Check if project performed				
d.	Project Engineer. Responsible for quality control of roadway and maintenance of traffic plans. This project includes t design of over a mile of approach roadway for a new bridge over the Manatee River, connecting Upper Manatee River Road with Fort Hamer Road. The project was designed for stage construction with the two lanes being delivered with initial construction.						
	TITLE AND LOCATION (City/State); BRIEF DESCRI		ENGINEERING COMPLETED	CONSTRUCTION COMPLETED			
	Transportation and Stromwater Eng (Manatee County), Manatee County		2016	N/A			
			☐ Check if project performed				
e.	Project Manager. Responsible for over engineering services. Task work ordestormwater design, safety improvem field reviews, and post design services.	ers under this contract include nents, sidewalk additions, floo	: preliminary engineering	g studies, roadway design,			

l	E DECLIN	IES OF KEY BERSONNEL BR	OBOSE	D FOR THIS CONTRACT			
	E. RESUM	IES OF KEY PERSONNEL PRO (Complete on Section E					
12.	NAME	13. ROLE IN THIS CONTRACT				ARS EXPERIENCE	
ı	indsey Skourellos, PE	Roadway/Intersection I Control Plans	Design	/Temporary Traffic	a. TOTAL 10	b. WITH CURRENT FIRM 2	
	FIRM NAME AND LOCATION (City and State)						
	Hardesty & Hanover, LLC (Tampa, FL	•					
B.S	s. EDUCATION (DEGREE AND SPECIALIZATION) S. / Civil Engineering	Pr	rofessi	NT PROFESSIONAL REGISTRATI onal Engineer: FL	ON <i>(STATE A</i>	AND DISCIPLINE)	
	OTHER PROFESSIONAL QUALIFICATIONS (Publications) discussions (Publications)				aditional r	nadway design	
	ries from simple resurfacing projects t						
	luded specialized roadway design, inv						
	gnments. In association with these pro						
	vement marking plans, obtaining avia				of her tran	sportation	
en	gineering experience include work on						
		19. RELEVANT PI		TS			
	TITLE AND LOCATION (City/State); BRIEF DESCR		OLE	ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED	
	SR 826/Palmetto Expressway Capac			Ongoing		Ongoing	
	FDOT District 6 Miami-Dade Coun	* '		☐ Check if project performed			
a.	Roadway Engineer. Responsible for	,		9 .		•	
	lead designer, responsible for roadw improve operations with an addition						
	modifications to the NW 103rd Stree						
	site and improvements to the adjoir		ccess i	.O the ND and 3D revises	express ia	iles, a liew toll	
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (sc			ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED	
	Fort Hamer Bridge Approaches, Upper Manatee River Road to Fort Hamer Road Manatee County Manatee County, FL		to	2014	00.10	N/A	
			□ Check if project perforr	ned with cu			
b.	Project Manager/Engineer of Record. Responsible for roadway design and plans preparation. This project proposes						
D.	improvements to 27th Street East between 26th Avenue East and 38th Avenue East with pedestrian and bicycle						
	facilities, roadway improvements, tu						
	completely designed and delivered to	pletely designed and delivered using AutoCAD Civil 3D. This project					
	using AutoCAD Civil 3D.		1				
	TITLE AND LOCATION (City/State); BRIEF DESCR Gateway Express Improvements F		OLE	ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED	
	Pinellas County, FL	DOT DISTRICT /		2023		Ongoing	
	••	la fau manuacina tha talliu		⊠ Check if project performed with current firm ructural engineering, and traffic control services for			
	the Gateway Express improvement						
c.	connections from the Bayside Bridge						
	to I-275 general purpose and new ex	•		-			
	Segments 2 and 4; TCP coordination among Segments 1 through 4; tolls design for Segments 1, 2, and 4; structures design for four bridges in Segment 4; and design of two All Electronic Tolls (AET) sites and two express AET sites along						
	I-275.	,		,		· ·	
	TITLE AND LOCATION (City/State); BRIEF DESCR			ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED	
	Fort Hamer Bridge Approaches, Upp			2016		2018	
	Fort Hammer Road Manatee Cour			Check if project performed			
d.	Project Engineer. Responsible for qu						
	design of over a mile of approach ro	,					
	Road with Fort Hamer Road. The proinitial construction.	oject was designed for sta	age co	nstruction with the two	ianes bein	ig delivered with	
	TITLE AND LOCATION (City/State); BRIEF DESCR	IPTION (scope, size, cost, etc.); RC	OLE	ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED	
	Pinellas County General Engineering			Ongoing	00110111	N/A	
	Pinellas County, FL Pinellas Count	у		☐ Check if project performed v	vith current fi		
e.	Roadway Engineer. H&H's multidisc						
	related to infrastructure projects for						
	engineering analysis and developing			e repair of a section of Pi	nellas Tra	il from Ponce de	
	Leon Boulevard to South of Woodla	un Avanua in Dinallas Coi	untv				

	E. RESUM	ES OF KEY PERSONNEL PROPOSI	ED FOR THIS CONTRACT			
		(Complete on Section E for each	ch key person)			
12.	NAME	13. ROLE IN THIS CONTRACT			EARS EXPERIENCE	
ı	Benjamin Bower, PE	Roadway/Intersection Design Control Plans	n/Temporary Traffic	a. TOTAL 5	b. WITH CURRENT FIRM 5	
	FIRM NAME AND LOCATION (City and State)					
	Hardesty & Hanover, LLC (Tampa, FL)				
	S. EDUCATION (DEGREE AND SPECIALIZATION) 5. / Civil Engineering		ENT PROFESSIONAL REGISTRATI ional Engineer: FL	ON <i>(STATE)</i>	AND DISCIPLINE)	
18.	OTHER PROFESSIONAL QUALIFICATIONS (Publica					
	njamin Bower has five years of transp					
	vement marking, and drainage design					
	nabilitation projects. He is proficient w					
	ins preparation assignments. Other re	lated tasks include the develo	pment of temporary traff	fic contro	I (IIC) plans,	
ara	ainage, and erosion control plans.	19. RELEVANT PROJEC	TC .			
	TITLE AND LOCATION (City/State); BRIEF DESCR		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
	46th Avenue N Sidewalk Design P	inelias County	Ongoing		N/A	
	Pinellas County, FL	and the second second second to	Check if project performed			
	Roadway Engineer. Responsible for					
a.	project consists of reconstruction of					
	construction of ADA compliant sidev 46th Avenue North, from West of Dr	•	•		_	
	(a length of approximately 0.5 miles					
	control, signing and pavement mark		way/ sidewaik design, still	icturai ue	sign, trainc	
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (So		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
	27th Street East Improvements M		2021	John	2022	
	County, FL	anatos sound, manatos		ned with c		
	County, FL ☐ Check if project performed with current firm Roadway Engineer. Responsible for assisting with roadway design and plans preparation, including signing and					
b.	pavement marking. This project proposes improvements to 27th Street East between 26th Avenue East and 38th					
	Avenue East with pedestrian and bio					
	signalization improvements. This pro					
	project is being completely designed					
	TITLE AND LOCATION (City/State); BRIEF DESCRI	PTION (scope, size, cost, etc.); ROLE	ENGINEERING COMPLETED	CONSTR	RUCTION COMPLETED	
	Gateway Express Improvements F	DOT District 7	2023		Ongoing	
	Pinellas County, FL		☐ Check if project performed v	with current 1	firm	
	Roadway Designer. Responsible for					
C.	toll facilities and needed limited and					
	west, and the St. Pete Clearwater In					
	for this project includes developing					
	tolls design for Segments 1, 2, and 4 Tolls (AET) sites and two express AE		ages in Segment 4; and a	esign of t	wo All Electronic	
	TITLE AND LOCATION (City/State); BRIEF DESCRI		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
	Pinellas County General Engineering		Ongoing	CONSTR	N/A	
	Pinellas County Pinellas County, F		☐ Check if project performed v	with current f		
	Roadway Engineer/Engineering Inte	ern responsible for assisting w				
d.	currently under contract with Pinella					
	provides as-needed design services t					
	Drive Drainage Improvements and N	lorth Springs Drive Study, 46th	Avenue N Sidewalk Desig	gn from 49	9 th Street to Lown	
	Street North, 35 th Street & 46 th Aven	ue Railroad Crossing Improve	ment, and 49 th Street N a	nd 46 th Av	venue N	
	Intersection Improvements					
	TITLE AND LOCATION (City/State); BRIEF DESCRI		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
	SR 75 (US 231) from SR 30A (US 98) District 3 Panama City, FL	to ripelille Road FDOT	2023	1	N/A	
		no production formed a	Check if project performed v			
e.	Engineering Intern assisting with pla					
	project consisted of providing design CSX RR improvement project. Work					
	In addition, H&H designed the lighting					
	addition, nam designed the lighth	.o .o. and chance project and a	55.01154 4 11644 576 100t 3	JULI DITUE	, = = : : : : : : : : : : : : : : : : :	

	E. RESU	MES OF KEY PERSONNEL					
- 10		(Complete on Section		ch key person)	44.14		
	NAME	13. ROLE IN THIS CONTRA	CI		a. TOTAL	EARS EXPERIENCE b. WITH CURRENT FIRM	
ı	Robert Plocica, PE	Wicehamear			25	22	
	FIRM NAME AND LOCATION (City and State) Hardesty & Hanover, LLC (Tampa, F	11					
	S. EDUCATION (DEGREE AND SPECIALIZATION)	<u>L)</u>	17 CLIBRE	ENT PROFESSIONAL REGISTRAT	ION (STATE A	AND DISCIPLINE	
	5. / Civil Engineering M.E. / Structur	al Engineering and		ional Engineer: FL	1011 0771727	uvo bicon enve,	
	Mechanics						
	OTHER PROFESSIONAL QUALIFICATIONS (Public				1 1:		
	on Dunn has 25 years of experience						
	rmitting for complex roadway projec oject experience involves culvert desi						
	odplain compensation, and stormwa						
	ng the latest stormwater modeling s						
	ofessional (ENV SP) and Leadership ir	n Energy and Environm	ental Des	sign Accredited Profession			
		19. RELEVAN	NT PROJEC	TS			
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONSTR	RUCTION COMPLETED	
	US-1 Jupiter Bridge Replacement P	Post Design FDOT Dis	strict	Ongoing		Ongoing	
	4 Jupiter, FL			□ Check if project performed			
	Senior Lead Mechanical Engineer r						
	mechanical shop drawings, RFIs, ca						
	project includes replacement of tw Atlantic Intracoastal Waterway. H&						
a.							
	with the PD&E phase and addresses the identified purpose and need for structural deficiency and functional obsolescence of the existing US-1/SR 5 Jupiter Federal Bridge from SR A1A to Beach Road. To address impacts to the						
	community resulting from the detour required during bridge construction, the project incorporates intersection						
	improvements, including ITS along the detour route. The project will include ADA access ramps to the eight-foot						
	sidewalks and a new seven-foot buffered bike lanes. Other activities included preparing and presenting to stakeholder					ng to stakeholders	
	at the public meeting and reviewing		n.	T	T		
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (s			ENGINEERING COMPLETED	CONSTR	RUCTION COMPLETED	
	SE 3rd & SW 7th Ave over the New Rehabilitations Broward County			Ongoing	1 20	N/A	
h	· · · · · · · · · · · · · · · · · · ·	<u> </u>	l	☐ Check if project perfor			
b.	Senior Lead Mechanical Engineer. rehabilitation services for two doble						
	includes complete replacement of	•	_				
	access improvements.	macimiery and electric	ar system	is, new araniman crosec	acon, and		
	TITLE AND LOCATION (City/State); BRIEF DESC			ENGINEERING COMPLETED	CONSTR	RUCTION COMPLETED	
	NW 17th Ave over Miami River Em		ht	Ongoing		Ongoing	
C.	Replacement Miami-Dade Count	· · · · · · · · · · · · · · · · · · ·		□ Check if project performed			
•	Senior Lead Mechanical Engineer.		•	O			
	support services for replacement or with concrete and steel ballast.	t the existing concrete	counterv	veignt with a new steel (counterwe	ignt box filled	
	TITLE AND LOCATION (City/State); BRIEF DESCI	RIPTION (scope, size, cost, etc	.); ROLE	ENGINEERING COMPLETED	CONSTR	RUCTION COMPLETED	
	SR 401 Span Lock Rehabilitation De			Ongoing	0011011	N/A	
	Port Canaveral, FL			☐ Check if project performed	with current f		
d.	Senior Lead Mechanical Engineer. T						
	District 5 SR 401 bridges over the B						
	locks and replacement of bridge 70	•	_		plate gird	er welds in the	
	vicinity of the front guides and rece TITLE AND LOCATION (City/State); BRIEF DESCI				CONCE	NUCTION COMPLETED	
	Central Polk Parkway (Segment 1)			ENGINEERING COMPLETED 2019	CONSTR	N/A	
	to SR 35 (US 17) Polk County, FL	FDOT District 1		☐ Check if project performed	 with current f		
	Senior Engineer responsible for siti		g (AET) ga				
e.	project required use of the Corrido	r Modeler software to	aid in the	e design of a new six-land	e expressv	vay facility. The	
	project included the design of one I						
	and over two miles of new ramp ali	_	nt is amor	ng several that are under	design to	complete the	
	northeasterly connection of Centra	I POIK Parkway to I-4.					

	RESU	MES OF KEY PERSONNEL PROPO (Complete on Section E for ea					
12. I	NAME	13. ROLE IN THIS CONTRACT	, , , , ,	14. Y	EARS EXPERIENCE		
	Marco Lara, PE	Electrical		a. TOTAL	b. WITH CURRENT FIRM		
	FIRM NAME AND LOCATION (City and State)				U		
16	EDUCATION (DEGREE AND SPECIALIZATION) L / Electrical Engineering		NT PROFESSIONAL REGISTRATION Onal Engineer: FL (plus 4 o				
	o. / Electrical Engineering OTHER PROFESSIONAL QUALIFICATIONS <i>(Public</i>			lilei States	>)		
	irco Lara has 19 years of electrical er			hting plan	ıs; electrical power		
	d control system plans; and technical						
	is also responsible for technical supe						
	sign and specification of electrical co						
	dway/interior lighting design, and be			-	•		
	ecialty engineering design and specif ode, impressed-current cathodic pro			essed curi	ent, Sacrificial		
and	ode, impressed-current cathodic pro	19. RELEVANT PR					
	TITLE AND LOCATION (City/State); BRIEF DESCI	RIPTION (scope, size, cost, etc.); ROLE	ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	Beckett Bridge Replacement, (Pine	llas County)	Ongoing		Ongoing		
	Pinellas County, FL		☐ Check if project performe				
	Electrical Engineer. Responsible for						
	control systems, including a relay-b						
a.	generator sizing, panelboard calculation project involves replacing an existir						
	carries Riverside Drive over Whitco				9		
	and an Exodermic deck that spans I						
	feature precast concrete elements						
	piles, designed to accommodate ch	-					
	TITLE AND LOCATION (City/State); BRIEF DESCI		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	Brorein Street Bridge Over Hillsbor	ough River (City of Tampa)	2020		2022		
	Tampa, FL Solve to the control of t						
	Electrical Engineer of Record. Responsible for movable bridge electrical system replacement, roadway lighting and pedestrian lighting. Performing inspection, electrical testing, submitted report with recommendations and cost						
	estimate. This major rehabilitation						
b.	motors, brakes, motor control pane						
	electrical service. The project involve		-	· ·			
	Bridge and replacement of the pow						
	components of the bridge; bridge d						
	construction plans; temporary traff		s; engineer's estimate; and	l post-desi	gn services.		
	TITLE AND LOCATION (City/State); BRIEF DESCI		ENGINEERING COMPLETED	CONST	RUCTION COMPLETED		
	Gateway Express Design-Build Imp Pinellas County, FL	rovements (FDO1 District 7)	2023		Ongoing		
	Electrical Engineer of Record. Resp	ancible for electrical telling d	Check if project performed				
	which includes new toll facilities an						
	north, US 19 on the west, and the S						
C.	responsible for gantry electrical, bu						
	power distribution, communication	•	•		•		
	and site equipment layout for Segm	nent 1-2 tolling facility. Perfor	med detailed electrical and	alysis and	calculations		
	including Power Design Analysis Re						
	equipment. Calculations included v		erator sizing, short circuit a	ınalysis, li	ghting		
	photometrics, and arc flash. Performer TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (Cit		ENGINEEDING GOARD ETER		TOURTION COMPLETED		
	Engineering Services For Movable), ENGINEERING COMPLETED 2025 (est)	CONST	RUCTION COMPLETED N/A		
	Volusia County, FL		☐ Check if project performed	with current			
	Project Engineer. Responsible for the	he construction inspection of					
	Street bridges. Responsibilities inclu						
d.	witness changeout of the existing c						
	checkout and safety interlock testir	ng. Performed electrical CEI ir	spection and participated	in shop dr	awing review and		
	construction status meetings. Marc						
	equipment. He was responsible for						
	special provisions and plans for the	Knox double-leat bascule bri	age and invovled with over	site of pe	rmitting.		

	E. RESUN	MES OF KEY PERSONNEL PROPOSE (Complete on Section E for eac				
12.	NAME	13. ROLE IN THIS CONTRACT	ii key persorij	14. YI	EARS EXPERIENCE	
	ason Dunn, PE, CFM, ENV SP	Drainage / Permitting		a. TOTAL	b. WITH CURRENT FIRM	
J	ason Dunn, PE, Crivi, ENV 3P			22	5	
	FIRM NAME AND LOCATION (City and State)					
	Hardesty & Hanover, LLC (Tampa, FL	·	NT PROFFOCIONAL PECIOTRAT	ON GTATE	AND DIGGIBLING	
	s. EDUCATION (DEGREE AND SPECIALIZATION) 5. / Civil Engineering		NT PROFESSIONAL REGISTRATI onal Engineer: FL	ON (STATE A	AND DISCIPLINE)	
18.	OTHER PROFESSIONAL QUALIFICATIONS (Publications)	ations, Organizations, Training, Awards, e	tc.)			
	on Dunn has 22 years of experience i					
•	rmitting for complex roadway project oject experience involves culvert desi	,	•		•	
	odplain compensation, and stormwat					
	ng the latest stormwater modeling so					
Pro	ofessional (ENV SP) and Leadership in			nal (LEED	AP).	
		19. RELEVANT PROJEC	TS			
	TITLE AND LOCATION (City/State); BRIEF DESCR		ENGINEERING COMPLETED	CONSTR	RUCTION COMPLETED	
	46th Avenue N Sidewalk Design P Pinellas County, FL	inelias County	Ongoing		N/A	
	Project Manager/ Engineer of Reco	rd Responsible for project may	Check if project performed			
a.	utility coordination. This project cor					
•	culvert in both directions, construct					
	and incidental work along 46th Aver					
	corridor to 49th Street North (a leng		H&H is responsible for	roadway/s	sidewalk design,	
	structural design, traffic control, signature and location (City/State); BRIEF DESCRIPTION (so		ENGINEERING COMPLETED	CONSTE	RUCTION COMPLETED	
	27th Street East Improvements M		2021	CONSTI	2023	
	County, FL		□ Check if project perform □ Check if project per	ned with cu		
b.	Drainage Engineer. Responsible for assisting with roadway design and plans preparation, including signing and					
D.			Street East between 26th Avenue East and 38th			
	Avenue East with pedestrian and bio					
	signalization improvements. This pro		_	AutoCAD	Civil 3D. This	
	project is being completely designed TITLE AND LOCATION (City/State); BRIEF DESCR		ENGINEERING COMPLETED	CONSTR	RUCTION COMPLETED	
	Beckett Bridge Replacement Pinel	las County Government	Ongoing	00.101.	Ongoing	
	Tarpon Springs, FL		☐ Check if project performed	with current f		
C.	Drainage Engineer of Record . Response					
	The new 360-foot-long bridge carrie		•			
	and a sidewalk. The main span is a s structural, roadway, drainage, lighti					
	TITLE AND LOCATION (City/State); BRIEF DESCR		ENGINEERING COMPLETED	1	RUCTION COMPLETED	
	46th Avenue N Sidewalk Design P	inellas County	Ongoing			
	Pinellas County, FL		Check if project performed			
	Project Manager/Drainage Enginee					
d.	utility coordination. This project cor culvert in both directions, construct					
	and incidental work along 46th Aver	•	•	•		
	corridor to 49th Street North (a leng					
	structural design, traffic control, sign			_		
	TITLE AND LOCATION (City/State); BRIEF DESCR Central Polk Parkway (Segment 1) f		ENGINEERING COMPLETED 2019	CONSTR	RUCTION COMPLETED N/A	
	to SR 35 (US 17) Polk County, FL		☐ Check if project performed	with current f	•	
	Senior Engineer responsible for sitir					
e.	project required use of the Corridor	Modeler software to aid in the	design of a new six-lane	e expressv	vay facility. The	
	project included the design of one n					
	and over two miles of new ramp alignortheasterly connection of Control		g several that are under	design to	complete the	
	northeasterly connection of Central	FUIR Pairway LO 1-4.				

E. RESUMES OF KEY PERSONNEL PROPOSED FOR THIS CONTRACT (Complete on Section F for each key person)							
(Complete on Section E for each key person) 12. NAME 13. ROLE IN THIS CONTRACT					14. YEARS EXPERIENCE		
		Drainage		 -	a. TOTAL	b. WITH CURRENT FIRM	
Z	achary Gross, PE, CFM	Dramage			14	3	
	FIRM NAME AND LOCATION (City and State)						
	lardesty & Hanover, LLC (Tampa, FL EDUCATION (DEGREE AND SPECIALIZATION)		7 CLIDDEI	NT DDOEESSIONAL DEGISTRATIO	NI /CTATE A	ND DISCIBLINE	
B.S	. / Civil Engineering DTHER PROFESSIONAL QUALIFICATIONS (Publica	P	rofessi	ENT PROFESSIONAL REGISTRATION (STATE AND DISCIPLINE) sional Engineer: FL			
	chary Gross has 14 years of experience				design se	ervices. He has	
	ved as project engineer and project n						
	inage engineering and permitting, an	•		•			
	nicipalities. Zachary is proficient with						
	m various water management district						
	deling, storm sewer system hydraulic						
	ead analysis, basin delineation, ditch culations. He is proficient with Micros						
	vert Master, Flow Master, HY-8, and		, ICI II . 1	, WIODNET, TIEC NAS, GEO	JI AK DI di	nage, AJAD,	
-		19. RELEVANT F	PROJEC	TS			
	TITLE AND LOCATION (City/State); BRIEF DESCR		OLE	ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED	
	27th Street Roadway Improvement Bradenton, FL	s Manatee County	-	2021		2023	
-	-	the drainage design flee	منمامنم	Check if project performed v			
a.	Drainage Engineer. Responsible for the drainage design, floodplain compensation and permitting for the 0.8 mile roadway safety improvement project along 27th Street from 26th Avenue East to 38th Avenue East. Flooding relief						
	alternatives were provided to address the historic overtopping of the roadway. This project						
	pedestrian and bicycle facilities, turn lanes, lighting, drainage, and signalization improvements. This project is being						
	designed and delivered using AutoCAD Civil 3D.					, 0	
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE		ENGINEERING COMPLETED	CONSTR	UCTION COMPLETED		
	I-75 at SR 951 Interchange Design-Build FDOT District 1		Ongoing		Ongoing		
	Collier County, FL ☐ Check if project performed with current firm						
b.	Drainage Engineer of Record. Respo						
	reconstruction of the I-75 at SR 951						
	•	Interchange with two connection ramps over SR 84/Davis Boulevard, from and to CR 951 (Collier Boulevard), to					
		provide for the "Ultimate Configuration." TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE ENGINEERING COMPLETED CONSTRUCTION COMPLETED					
	SR 91 and SR 528 Interchange (from MP 253 to S of Sand Lake		Ongoing	00110111	Ongoing		
	Road) (MP 257.25) Design Florida's Turnpike Enterprise			☐ Check if project performed with current firm			
	Orange County, FL					<u>'</u>	
	Drainage Engineer. Responsible for assisting drainage design documentation and drainage plans. H&H is the prime						
	consultant for this complex 4-level interchange in a constrained environment. The project includes new direct systems						
C.	ramps, braided ramps, a relocation of SR 528, and modifications to adjoining interchanges, including a Diverging Diamond interchange on Consulate Drive. As part of the design development, the design team worked closely with						
	Turnpike traffic engineers to refine the design to include: an additional southbound Collector Distributor Road to						
	relocate weaving from the mainline; reconfiguration of a low-volume ramp to economize the design; and development						
	of a 3-project phasing plan to deliver incremental improvements as needed with packaging less \$200 million. In						
	addition to managing the design of the project, H&H is responsible for roadway, bridge, drainage signing and						
	pavement markings, and toll design, which included six new All Electronic Tolling Sites.						
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE SR 826/Palmetto Expressway Capacity Improvement Design-Build Florida DOT District 6 Miami-Dade County, FL Drainage Engineer responsible for the drainage design. This project			ENGINEERING COMPLETED		UCTION COMPLETED	
				Ongoing		Ongoing	
-			☐ Check if project performed with current firm				
d.							
		purpose lane, auxiliary lanes, and improved shoulder widths, requiring major modifications to the NW 103rd Street interchange. The project also includes revised access to the NB and SB revises express lanes, requiring a new toll site					
	and improvements to the adjoining frontage road system. H&H is the lead designer, responsible for roadway, drainage,						
	permitting, traffic control, tolling and bridge design.				,,		

E. RESUMES OF KEY PERSONNEL PROPOSED FOR THIS CONTRACT								
	(Complete on Section E for each key person)							
12. NAME Calvin Santarelli		13. ROLE IN THIS CONTRACT Construction Engineering & Inspection		nspection	14. YI a. TOTAL 36	EARS EXPERIENCE b. WITH CURRENT FIRM <1		
	FIRM NAME AND LOCATION (City and State)							
	Hardesty & Hanover, LLC (Tampa, FL)		T .=					
16. EDUCATION (DEGREE AND SPECIALIZATION) B.S. / Civil Engineering 17. CURRENT PROFESSIONAL REGISTRATION (STATE AND DISCIPLINE) Professional Engineer: FL					AND DISCIPLINE)			
Ass Flo ma Ins cor res and and Co Qu Tra Ad	18. OTHER PROFESSIONAL QUALIFICATIONS (Publications, Organizations, Training, Awards, etc.) Cal Santarelli has 36 years of experience in Project Management/ Project Administration, Quality Control and Quality Assurance, notably on projects in the range of \$400 million. During his career, Cal has built a reputation in Southwest Florida and beyond as an expert on project specifications for FDOT, SFWMD, and USACE. He has served in various management roles on multiple projects, including Senior Project Manager, PA, QC Manger, VP of Operations, and Senior Inspector. His experience has granted him the role of Senior Project Manager and QC Manager on three continuing service contracts as well as Project Manager on two Districtwide contracts for Districts 1 and 7, each worth \$5 million. His responsibilities included scheduling for up to 50 staff members; reviewing and approving Daily Reports and MAC entries; and providing quality assurance reviews, project manhour estimates, contract management, funds tracking, client liaison and business development, technical review, preparation of QA/QC plans, and staff training. Certifications: Concrete Field Tech – Level I, Concrete Field Inspector – Level II, Concrete Lab Tech – Level I, Earthwork Construction Inspection – Levels I & II, Final Estimates – Level I & II, Drilled Shaft Inspection, Pile Driving, QC Manager, Qualified Sampler Technician, Maintenance Concrete Field Testing Tech – Grade I, Concrete Strength Technician – Level II, Advanced Maintenance of Traffic, Augercast Pile Course, Critical Structures Construction Issues, Construction Management							
Ac	Academy, C.P.N. Radiation Safety RSO, FDEPS, FDOT MAC Module-2, IMSA Traffic Signal Tech – Level I, FDOT Managed Field Ethernet Switch, MSE Wall Inspector, NPDES Stormwater Management, OSHA 10 Hr., and OSHA Confined spaces.							
		19. RELEVAN		CTS .				
	TITLE AND LOCATION (City/State); BRIEF DESCRI Sanibel Bridge and Toll Plaza Replac Lee County			ENGINEERING COMPLETED		RUCTION COMPLETED		
a.	Project Manager/QC Manager. Responsible for managing a staff of six inspectors and in addition, provided Construction Materials Testing and Inspection personnel to the contractor, Boh Bros. The technicians' duties consisted of pile (driven, Augercast and sheet piles) monitoring, turbidity monitoring, vibration and noise monitoring, soils, concrete, and asphalt testing and MSE wall inspection. In addition, providing underwater video of the cleanup in accordance with the US Coast Guard permit requirements, maintaining daily records of progress, personnel manhours, and equipment utilization and assisted with the monthly estimate and daily report reconciliations. This \$190M project consisted of the replacement of two fixed bridges and one bascule bridge with two fixed and one high span bridge over the Caloosahatchee water way. These bridges connect Lee County mainland with Sanibel Island.							
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE I-75 Design-Build (FPID 420655-1-52-01) Lee and Collier Counties FDOT District 1			ENGINEERING COMPLETED		RUCTION COMPLETED		
				☐ Check if project performed with current firm				
b.	Firm Project Manager. Responsible for overseeing a staff of 25 roadway and bridge inspectors; scheduling staff and reviewing all reports for the bridge inspection and pile installation; testing of all construction activities; developing and preparing project work scopes; reviewing material sampling entries; providing start-up and construction support; maintaining daily progress records, personnel man-hours, and equipment utilization; and assisted with the monthly estimate and daily report reconciliations. for this \$435 million, 33-mile roadway widening from four to six lanes with bridge deck replacements for 25 bridges on I-75.							
c.	TITLE AND LOCATION (City/State); BRIEF DESCRIPION (Prine Island Causeway Road & Bridge Phased Design Build Pine Island, F	PTION (scope, size, cost, etc Permanent Repairs		ENGINEERING COMPLETED ☐ Check if project performed		RUCTION COMPLETED		
	Project Administrator (PA). Responsible for overseeing roadway and bridge construction for the reconstruction of Pine Island Causeway and Little Pine Island Bridge. Permanent repairs of the causeway and little Pine Island bridge that were damaged due to Hurricane Ian in 2022 located in Matlacha, Florida. Estimated cost \$50 million dollars. The causeway repairs consist of installing 2,100 linear feet of sheet piling with a concrete cap to protect against future storm erosion along with reconstruction of the Roadway, utilities for Lee County and Greater Pine Island Water District. The utilities are potable water, sanitary sewer, storm water, lighting, and multiple communication services. The Little Pine Island bridge is a 250-foot, 7 span bridge that will be constructed to replace the existing bridge while maintaining traffic to and from Pine Island.							

E. RESUMES OF KEY PERSONNEL PROPOSED FOR THIS CONTRACT							
	(Complete on Section E for each key person)						
	NAME	13. ROLE IN THIS CONTRAC		tions	a. TOTAL	b. WITH CURRENT FIRM	
David Rancman, PE		Geotechnical / Soli &	Geotechnical / Soil & Foundations			7	
	FIRM NAME AND LOCATION (City and State)						
	12R Corp (Pinellas Park, FL)						
	s. EDUCATION (DEGREE AND SPECIALIZATION) S. / Civil Engineering			INT PROFESSIONAL REGISTRAT	ION (STATE	AND DISCIPLINE)	
18.	OTHER PROFESSIONAL QUALIFICATIONS (Publica	ations, Organizations, Training	, Awards, e	etc.)			
	th a diverse portfolio, Dave works wit						
	lovative practices to efficiently manag mplex assets, and internally develope		_	•		• •	
	ationships with public entities such as						
	R to provide quality services. He has p						
	de variety of structure types, from cut						
	ep foundations for buildings and bridg		_	way corridors using inno	vative pra	ictices such as	
ligh	nt-weight fill, dams, levees, and other	miscellaneous structu 19. RELEVAN		PTC			
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE C-43 West Basin Storage Reservoir Package 4 Hendry County, FL SFWMD, USACE			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
			Julicy,	Ongoing Check if project performed	with ourront	+ firm	
a.	<u> </u>	nsible for the settlem	ent and				
ω.	Senior Geotechnical Engineer responsible for the settlement and consolidation analysis to estimate wait times to accomplish sequencing of various sequences of work related to the dam, including final construction to final dam						
	crest elevations as well as the two-phase construction of the soil-bentonite cutoff wall. Also supported various						
	subcontractor for temporary works		g sheet				
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, etc.); ROLE C-139 Annex Restoration Project Phase 2 Hendry County,		otre	ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
			ity,	Ongoing			
b.	FL						
		_				onstruction of	
	are being constructed using readily available fill on site to facilitate the dewatering operations and construction of twelve gated structure throughout the various areas of the project.						
						RUCTION COMPLETED	
	C-44 Reservoir and STA Contract 2 - Martin County, FL		.,, 1.022	ENGINEERING COMPLETED 2020	CONST	2021	
				☐ Check if project performed	with current		
C.	Geotechnical Engineer. Responsible for the Value Engineering Study, performed in accordance with USACE ER11-1-321						
	Value Engineering for the A-2 STA. Provided multiple geotechnical and civil cost saving alternatives, which was						
presented to the District with the Arcadis Value Engineering team.							
	TITLE AND LOCATION (City/State); BRIEF DESCR	IPTION (scope, size, cost, etc.)	tc.); ROLE	ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
	AA-STA-A-2 Value Engineering Study			2014			
				☐ Check if project performed	I with current firm		
d.	Senior Geotechnical Engineer/Project Manager. Responsible for engineering for temporary works, value engineering						
	(including an innovative techniques to construct and to assure quality for the dam's toe trench drain, geotechnical						
investigations, RFIs and other needs for the broader quality control team.							
	TITLE AND LOCATION (City/State); BRIEF DESCRIPTION (scope, size, cost, e CW Bill Young Regoinal Reservoir Design-Build, Hillsbo County, FL			ENGINEERING COMPLETED	CONST	RUCTION COMPLETED	
				2011			
	•		1.1.6	Check if project performed with current firm			
e.	Senior Geotechnical Engineer/Project Manager. Responsible for engineering for temporary works, value engineering						
	(including an innovative techniques to construct and to assure quality for the dam's toe trench drain, geotechnical						
	investigations, RFIs and other needs for the broader quality control team.						





Professional Engineering Services Continuing Services Contracts

RFP No. 2024-14

Tab 4

Proficiency with Similar Services/Projects

TAB 4: PROFICIENCY WITH SIMILAR SERVICES/PROJECTS

H&H knows that no two projects/contracts are alike. Each project has unique needs and site conditions, requiring differing technical disciplines, and unique applications of design standards. H&H is proud of the diversity of projects completed for its public-sector clients. This experience gives us the confidence in our capability to providing the City of North Port with the quality service required under this contract.

H&H has assisted local governments to effectively and wisely manage projects since the firm's founding. In this section, we provide selected examples of H&H's project experience that are similar to the disciplines described in the City of North Port's Request for Proposal (RFP). These projects demonstrate our technical ability and experience with the skill sets listed in the scope of work. We have the ability to develop innovative solutions that integrate multiple objectives, and adhere to complex scheduling requirements and budgets—all within the context of successfully meeting the goals and objectives of each respective client.

H&H holds or has held contracts for various clients throughout the nation. Below is a list of clients we have successfully provided on-call services for:

- Pinellas County
- Manatee County
- Collier County
- Lee County
- ► Gasparilla Island Bridge Authority
- Tampa-Hillsborough Expressway Authority
- ► Florida Department of Transportation
- ► Florida's Turnpike Enterprise
- ► FDOT District 6 Districtwide Local Government Bridge
- ► FDOT District 6 Districtwide Miscellaneous Structural Projects
- ► FDOT District 7 Districtwide Bridge Engineering
- ► FDOT District 5 Districtwide Bridge Engineering Services
- ► FDOT District 2 Districtwide Miscellaneous Bridge Design
- Atlantic County, NJ
- Amtrak
- City of Baltimore, MD
- ► BNSF Railways
- City of Boston, MA
- City of Chesapeake, VA
- Delaware Department of Transportation
- ► International Bridge Administration
- Maryland State Highway Administration
- Maryland Transportation Authority
- Massachusetts Highway Department
- Michigan Department of Transportation

- Nassau County Bridge Authority
- City of New Haven, CT
- New Jersey Transit
- New York State Thruway Authority
- Niagara Falls Bridge Commission
- ▶ North Carolina Department of Transportation
- Port Authority of New York & New Jersey
- Suffolk County, NY
- Triborough Bridge & Tunnel Authority
- Washington State Department of Transportation
- Virginia Department of Transportation

In addition, we have also performed many emergency type contracts which needed immediate service for inspection, evaluation, design, and construction inspection. Projects for which our staff was made available immediately upon request include:

- SW 17th Ave Bridge Emergency Counterweight Replacement
- Sanibel and Pine Island Emergency Repairs following Hurricane Ian Damage
- ► Lee County Signal Damage Assessment due to Hurricane
- Long Boat Key Bridge (Settlement Issues)
- Schoharie Creek Bridge Collapse
- ► Manhattan Bridge Emergency Floorbeam Repairs
- Pin and Hanger Inspection of Roslyn Viaduct
- ► Floorsystem Inspection and Rating of Gowanus Exp. Bus Lane
- Special Welded Girder Inspection Nassau and Suffolk County
- Emergency Contract for Repair of Fractured Stringers SB Flushing R. Bridge
- Rockaway Boulevard Rehabilitation Design
- Atlantic Beach Bascule Bridge Emergency Fender Design and Rehabilitation
- Middletown Swing Bridge Emergency Fender Design and Rehabilitation



Structures

PROJECTS WHICH BEST ILLUSTRATE PROPOSED TEAM'S QUALIFICATIONS FOR THIS CONTRACT

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

21. TITLE AND LOCATION (City and State) **Beckett Bridge Replacement & Design** Pinellas County, FL

PROFESSIONAL SERVICES 2022

CONSTRUCTION (if Applicable) 2024 (est)

NUMBER

20. EXAMPLE PROJECT KEY

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER **Pinellas County** b. POINT OF CONTACT NAME

Ann Venables, AICP, ENV SP


c. POINT OF CONTACT TELEPHONE NUMBER

727.464.3640

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H is the lead consultant for this project, responsible for project management, design, and public involvement and Engineer of Record for the new movable bridge, approach span substructure, roadway, drainage, and temporary traffic control.

The existing Beckett Bridge, constructed in 1924, was determined eligible for listing in the National Register of Historic Places (NRHP) in 2012. Due to deteriorating conditions and functional obsolescence, the bridge was designated for replacement. H&H developed a replacement bridge design appropriate to the historical significance of the existing bridge and in accordance with a Memorandum of Agreement with the State Historic Preservation Officer (SHPO), which specified the replacement bridge include a rolling-lift movable span, similar to the existing bridge. Aesthetics and design details were developed via a public involvement program which included four aesthetics committee workshops with participation from Pinellas County staff, local stakeholders, SHPO, FDOT, and the U.S. Coast Guard.







and a 6-foot sidewalk on both sides of the roadway. Outside of the bridge span limits, Type F curb and gutter is proposed in the typical section. The proposed drainage system will consist of a series of curb inlets and storm sewer that will capture roadway runoff and discharge to the Whitcomb Bayou. In-line backflow preventers will be added to each outfall to prevent the tide waters from entering the storm sewer system.

The replacement bridge is 360-foot-long featuring a single-leaf, rolling-lift, bascule bridge over Whitcomb Bayou. The movable span is 39 feet long from center of roll to tip and spans a 30-foot-wide navigation channel providing 5 feet, 8 inches of vertical clearance with the bridge closed and unlimited vertical clearance when bridge open. The movable span features steel plate girder main girders and floorbeams and an Exodermic® deck that spans longitudinally between floorbeams. The movable span drive system features a unique crank arm drive system, powered by redundant 20 HP electric motors and vector drives. Auxiliary machinery includes tail props and span locks. The bridge control system is relay-based.

Approach spans consist of prestressed, precast Florida Slab Beams with a cast-in-place concrete topping with spans of approximately 60 feet. The bascule pier footing and approach bent caps feature precast concrete elements to facilitate accelerated bridge construction. The approach span foundations consist of drilled shafts and steel pipe piles, designed to accommodate challenging site conditions including a relict sink hole under the bridge and adjacent properties close to the bridge.

	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT		
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

2

21. TITLE AND LOCATION (City and State)

Johns Pass Bascule Bridge Rehabilitation Pinellas County, FL PROFESSIONAL SERVICES CONSTRU
2020

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2022 \end{array}$

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER

FDOT District 7

b. POINT OF CONTACT NAME

Joseph Gadah, PE

c. POINT OF CONTACT TELEPHONE NUMBER
813.612.3382

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H is providing design services for the rehabilitation of the movable spans of the Johns Pass bascule bridge over the Intracoastal Waterway in Pinellas County, FL.

The existing twin double-leaf bascule bridges carries four lanes of traffic over the Intracoastal Waterway between the beachfront communities of Madeira Beach and Treasure Island, FL. Constructed in 2008, the bridges were in need of maintenance rehabilitation and upgrades to the electrical system.

The window glazing will be replaced throughout the control tower. The flat roof will be repaired and the gutters, fascia and soffits around the tower will be replaced.



The electrical scope includes replacement of the PLC system and installation of a relay backup system. The main circuit breaker will be replaced and a new control console will be provided. The navigational clearance lights will be replaced as will the fire alarm panel and existing CCTV system. The architectural lighting in spans 1 through 5 will also be replaced.

The mechanical scope includes removal of the span locks for factory reconditioning. Temporary span locks will be utilized during this period. The live load shoes will be reshimmed and one of the primary reducers will be reconditioned.

	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT		
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Subconsultant

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

3

21. TITLE AND LOCATION (City and State)

Volusia County Countywide Bridge Contract Volusia County, FL PROFESSIONAL SERVICES 2025 (est)

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ N/A \end{array}$


23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER
Volusia County

b. POINT OF CONTACT NAME
C. POINT OF CONTACT TELEPHONE NUMBER
386.736.5966

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

Under this Volusia County General Engineering Services Contract, H&H provided bridge inspection, evaluation, and design services. Project assignments included field reviews and evaluation of the L. B. Knox Bridge over the Atlantic Intracoastal Waterway (Bridge No. 794025) and Main Street Bridge over the Halifax River (Bridge No. 794004), followed by a report of recommendations for corrective action. In a subsequent task, H&H prepared rehabilitation plans for both bridges, including the design of new bridge control systems for the movable spans. Additional tasks performed by H&H involved inspection and evaluation of the trunnion bearings on the L.B. Knox Bridge, followed by the preparation of designs and contract documents to replace the bearings, including jacking of the movable span.



Task No. 2: Relay Operation Design for Knox and Main Street Bridges. Developed plans, specifications, and cost estimates for reconfiguring the operating systems the L. B. Knox Bridge (Bridge No. 794025) and Main Street Bridge (Bridge No. 794004) from PLC operation to a relay-based operation with a PLC to monitor bridge operation and display error messages as they occur. Each replacement system includes a new control desk, a main relay control panel, a PLC, and a flat screen display as well as replacement of the associated conduit and wiring.

Task No. 3: Knox Bridge Trunnion. Performed site visits to review current conditions and developed plans, specifications, and cost estimates for replacing the trunnion bearing(s) for the L. B. Knox Bridge (Bridge No. 794025) with in-kind roller bearings. H&H also prepared the required provisions for jacking the bascule span.

Task No. 6: Relay Operation Design for Knox and Main Street Bridges. Developed plans, specifications, and cost estimates for reconfiguring the operating systems the L. B. Knox and Main Street Bridges from PLC operation to a relay-based operation. Each replacement system included a new control desk, a main relay control panel, a PLC, and a flat screen display as well as replacement of the associated conduit and wiring.

Task No. 9: Knox Bridge Trunnion. Performed site visits to review current conditions and developed plans, specifications, and cost estimates for replacing the trunnion bearing(s) for the L. B. Knox Bridge with in-kind roller bearings. H&H also prepared provisions for jacking the bascule span.

Task No. 12: Knox Bridge Submarine Cable Replacement Design. Currently completing this task with U.S. Army Corp of Engineers (USACE) and Florida Department of Environmental Protection (FDEP) permits pending. H&H developed plans, specification, cost estimates, and permit applications for replacing the submarine cable.

Task No. 17: Machinery Brake Replacement. Performed field reviews and developed plans, specifications, and cost estimates for replacement of the machinery brakes on the L.B. Knox and Main Street Bridges.



22. YEAR COMPLETED





	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT		
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

4

21. TITLE AND LOCATION (City and State)

SR 968/SW 1st Street Bascule Bridge over the Miami River

Miami, FL

22. YEAR COMPLETED

PROFESSIONAL SERVICES

2017

CONSTRUCTION (if Applicable)

2017

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER FDOT District 6

b. POINT OF CONTACT NAME
Humberto Gomez

c. Point of contact telephone number $305.470.7390 \label{eq:contact}$

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

Serving as Lead Designer and Engineer-of-Record, H&H designed the new bascule span replacement and roadway reconstruction for the SR 968/SW 1st Street Bascule Bridge.

The new 507-foot replacement bridge included a 315-foot (240 feet trunnion-to-trunnion) double-leaf bascule span over a widened 125-foot navigation channel. Two new approach spans (100-foot span on the west and an 88-foot span on the east), consists of prestressed concrete beams providing at least 16.5 feet of clearance over North and South River Drives. The bascule span roadway included an Exodermic concrete deck providing protection of steel superstructure and a safer/quieter riding surface. The bascule span operates with an electrical-mechanical gear train with a rack and pinion drive, variable frequency drive motor control and relay logic. Project aesthetics are incorporated into the bridge piers, walls, abutments, and a three-story control house.

Roadway reconstruction included upgrading the existing substandard typical section to current standards through the project limits. A typical section in the new roadway has three 11-foot traffic lanes, a 5.5-foot bicycle lane, and 2.5-foot shoulders. Traffic barriers and pedestrian railing are included in the new bridge typical section.

The existing nationally registered historic SW 1st Street Bridge is a 650.5-foot, 13-span bridge constructed in 1929 is the gateway crossing into downtown Miami traversing the lower segment of the Miami



River, which is a working river due to its very active commercial vessel usage. The four-lane one-way pair SW 1st Street Bridge (with the W. Flagler Street Bridge) provides local eastbound access to downtown Miami from the community of Little Havana and located within the City of Miami's Greenway System.

A bascule span of the double-leaf bascule simple-trunnion type comprises the main span of the bridge and provides a 75-foot horizontal navigational clearance. Eight steel-rolled beam concrete deck west approach spans flank the existing 157-foot bascule span. On the east side of the bascule span, there are five approach spans of the same type.

The existing bascule span has outlasted its 50-year design life and has deterioration and operational issues. In addition, there are critical substandard features including 12-foot approach span vertical clearances over North and South River Drives and the 75-foot horizontal navigation channel (U.S. Coast Guard requires at least 90 feet at this location). The scope requires in-line replacement of the entire bridge and roadway reconstruction of SR 968/SW 1st Street from SW 6th Avenue to SW 2nd Avenue.

	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT		
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL Ft. Lauderdale	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

5

21. TITLE AND LOCATION (City and State)

Cass Street Bridge/Brorein Street Bridge Bascule Rehabilitations

Tampa, FL

22. YEAR COMPLETED
PROFESSIONAL SERVICES CONSTRU

2020

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2022 \end{array}$

23. PROJECT	OWNER'S	INFORMATION	١

a. PROJECT OWNER
City of Tampa

b. POINT OF CONTACT NAME
Nirav Patel
c. POINT OF CONTACT TELEPHONE NUMBER
813.274.5562

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)



Cass Street

H&H provided comprehensive bridge engineering services for the rehabilitation of the Cass Street Bridge over the Hillsborough River project. Connecting south and west Tampa to the east and Tampa's Downtown Central Business District, this Strauss trunnion, double-leaf bascule bridge, originally built in 1927 and reconstructed in 1949, required another update.

H&H conducted a field review of the bridge's electrical control systems; drive, support and locking machinery; standby generator ventilation systems; as well as selected structural and architectural components. Project engineers also evaluated existing documentation, coordinated with applicable government agencies, gathered input from the community, before preparing a Bridge Condition Assessment report to summarize findings and present recommendations and cost estimates for the rehabilitation and repair work.

With the City's approval, H&H commenced to design construction plans and write specifications for the recondition, rehabilitation or replacement of those components identified in the report. Design efforts were coordinated with the City and stakeholders identified during the public involvement portions of the project. Traffic Control Plans (TCP) were prepared to minimize interruptions to vehicular, pedestrian, and marine traffic while repairs or rehabilitations are implemented. Post-design services were also provided to the City.

Brorein Street Bascule

H&H provided design services for the rehabilitation of the movable span of the Brorein Street bascule bridge over the Hillsborough River. The existing double-leaf bascule bridge carries four lanes of one-way traffic out of downtown Tampa. There are three-foot sidewalks on each side and no shoulders or bicycle lanes. In addition to mechanical and electrical repairs and repairs to the structural steel of the bascule leaves, the project is widening the approach spans and the bascule leaves to provide a 10-foot shared use path on each side. To accommodate the SUP, the number of lanes is being reduced to three and new TL-3 traffic railings are being installed between the SUP and the travel lanes. Decorative pedestrian lighting will be coordinated with the adjacent Tampa Riverwalk.



Numerous steel members, including the main girders, floorbeams, and stringers were repaired, and the bascule span cleaned and painted. New cantilever brackets support the proposed shared use path and additional steel framing were added to accommodate the TL-3 traffic railings. New sidewalk planking and pedestrian handrails were used for the shared use path. The pedestrian railing accommodated decorative pedestrian lighting that complemented the lighting on the adjacent Tampa Riverwalk. The open steel grid deck and concrete filled grid deck were also replaced.

The electrical scope provided a new 480V electrical service and a new motor control center, lighting panel and step-down transformer. A new submarine cable and generator set are provided, and new LED navigation lights are installed. New roadway lighting and decorative pedestrian lighting are specified.

The mechanical scope included rehabilitation of the span lock guides and receivers and rehabilitation of the span lock linkage system. The reducer gears were reconditioned, and new seals, bearings and breathers were installed. The live load shoes and rear stop assemblies were reconditioned, and a new auxiliary drive system were installed.

	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT		
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Subconsultant

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

6

21. TITLE AND LOCATION (City and State)

Circus Bridge NB/SB rehabilitations Venice, FL

22. YEAR COMPLETED PROFESSIONAL SERVICES

2017

CONSTRUCTION (if Applicable) 2018

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER FDOT District 1 b. POINT OF CONTACT NAME Jim Jacobsen, PE c. POINT OF CONTACT TELEPHONE NUMBER 813.612.3355

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H provided design services for rehabilitations to the movable span of the Circus Bridge NB/SB bascule bridge over the Intracoastal Waterway (Bridge Nos. 170167-NB, and 170168-SB).

Each bascule span has a 7-foot, 6.5-inch raised sidewalk adjacent to the outside shoulder. Existing aluminum sidewalk grating panels showed multiple cracked welds to the supporting steel framing (sidewalk stringers and cantilever brackets) and were replaced with new solid aluminum sidewalk plates and attached to existing steel framing. Approximately half of the existing steel open grid deck panels, specifically those positioned directly over the floorbeams, were replaced for this project. As a result of the change in weight of each leaf, all bascule leaves were re-balanced with adjustments made to the counterweight balance block configurations.

Numerous steel members, including the main girders, floorbeams, and stringers were cleaned and painted.

The mechanical scope of work for this project was limited to adjustments to live load shoes and span lock guides and receivers to ensure that deck alignment remained within tolerance after all rehabilitations were completed. Electrical rehabilitations were not included with scope of work for this project.







25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJE

(1) FIRM NAME H&H

(2) FIRM LOCATION (City and State) Tampa, FL

(3) ROLE Subconsultant

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

21. TITLE AND LOCATION (City and State)

SR 826/Sunny Isles Boulevard Over ICWW Rehabilitation Sunny Isles Beach, FL

22. YEAR COMPLETED PROFESSIONAL SERVICES 2023

CONSTRUCTION (if Applicable) Ongoing

23.	PROJECT	OWNER'S	INFORMATION
-----	---------	---------	-------------

a. PROJECT OWNER	b. POINT OF CONTACT NAME	c. POINT OF CONTACT TELEPHONE NUMBER
FDOT District 6	Geidy Coello	305.470.5421

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

The existing twin double-leaf bascule bridges carry four lanes of traffic (EB and WB) to and from Sunny Isles Beach.

H&H is providing engineering services for the rehabilitation of the twin double-leaf SR 826/Sunny Isles Bascule Bridges over the intracoastal waterway. Each of the twin bridge structures carry four lanes of traffic crossings with 16 prestressed AASHTO concrete and steel beams spans and a double-leaf trunnion bascule span at the main channel.

Design services included structural, mechanical, electrical rehabilitation, steel painting, deck grating replacement with wheel paths, vibration study of the control house, public involvement, permitting, traffic control plans, roadway, drainage, signing and pavement markings, and specifications, and construction cost estimates.

This design project will add bicycle lanes on Sunny Isles Boulevard, from SR A1A to NE 35th Avenue, and includes the addition of special bascule leaf grating details for improved bicycle safety.



	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT		
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

8

21. TITLE AND LOCATION (City and State)

Gasparilla Island Swing Bridge ReplacementGasparilla Island, FL

22. YEAR COMPLETED

PROFESSIONAL SERVICES CONSTRUCTION (if Applicable)

2015

2016

	INFORMATION

a. PROJECT OWNER
Gasparilla Island Bridge Authority

ь. POINT OF CONTACT NAME
Kathy Banson-Verrico

c. POINT OF CONTACT TELEPHONE NUMBER 941.697.2271 (ext. 2)

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)



H&H provided comprehensive design services for replacement of the Gasparilla Island Swing Bridge, including field inspection, a PD&E study, complete design, and post-design engineering support. The PD&E study provided details on high-level fixed, swing, and bascule alternatives on north and south parallel alignments. A swing bridge on a southerly alignment was chosen to minimize environmental impacts to seagrass and mangroves and as to satisfy the SHPO Memorandum of Agreement.

H&H's design goals were to replicate the appearance of the existing bridge and position the new 225-foot main swing span off-center from the existing navigation channel and higher than the existing span, to allow the existing and new spans to operate during construction of the new bridge. The new swing span superstructure consists of steel girders similar in shape to the existing bridge, supporting an Exodermic concrete deck. The north approach consists of two 108-foot spans and the south approach consists of two 117-foot spans. The approach superstructure has Florida I-Beam

prestressed beams (FIB) supporting a cast-in-place concrete deck. The total length of the new bridge, including approach spans, is 678 feet.

The new substructure consists of waterline footings founded on prestressed concrete piles and hammerhead-type piers supporting the superstructure. This was the first substructure designed to support a swing bridge using the FDOT navigation vessel collision loads and methodology. Mechanically stabilized wall systems support the approach embankments. The new bridge profile was designed higher than the existing to satisfy the Coast Guard requirements, reduce the number of bridge openings, and minimize storm surge wave crest impacts.



	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT		
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

21. TITLE AND LOCATION (City and State)

Sanibel Causeway Emergency Response Fort Meyers/Sanibel Island, FL

PROFESSIONAL SERVICES 2023

CONSTRUCTION (if Applicable) 2023

22. YEAR COMPLETED


23. PROJECT OWNER'S INFORMATION			
a. PROJECT OWNER	b. POINT OF CONTACT NAME	c. POINT OF CONTACT TELEPHONE NUMBER	
FDOT District 1	Kati Sherard, PE	863.519.2590	

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H provided emergency engineering design services for the restoration of the Sanibel Causeway, which suffered extensive damage during Hurricane Ian in 2022. A combination of structural failures of the existing mechanically stabilized earth (MSE) retaining walls and anchored concrete sheet pile seawalls along the bridge approaches, and large full breaches of the earthen causeway and roadways between the bridges prevented vehicle access to Sanibel Island.

Under the initial phase of the project, temporary repairs, restored emergency vehicle access to Sanibel Island in only 6 days after receiving Notice-to-Proceed. This was accomplished with more than 1,000 trucks of earth fill placed along the failed retaining walls with side slopes stabilized by temporary sheet pile walls along the toe of slopes. Breaches in the causeways were restored with the earth fill. This work was immediately followed by armoring of the initial repairs with limestone rip rap to maintain integrity of the the temporary embankments, and to establish safe conditions for the general public, until more permanent repairs could be designed and constructed. The final phase consisted of design and construction of new permanent steel sheet pile walls and steel combination walls (a.k.a. King pile walls) with limestone rip rap scour countermeasures, designed for future corrosion in the extremely aggressive marine environment and for protection against future major coastal storm events. Protection of the earthen causeway and roadway between the bridges from future scour and undermining consists of a combination of buried steel sheet pile walls and marine mattresses along these features.

H&H collaborated with the contractor joint venture team, FDOT District 1, and Central Office, and our design partner KCA to identify and understand the causes of the damage, design temporary repairs that could be rapidly constructed to restore service to emergency services and the general public as quickly and safely as practical, that could be implemented in a manner that permitted construction of economical and durable permanent repairs.



25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT

(1) FIRM NAME H&H

(2) FIRM LOCATION (City and State) Tampa, FL

(3) ROLE Subconsultant

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

₹ 10

21. TITLE AND LOCATION (City and State)

South Lake Avenue Culvert Replacement Pinellas County, FL 22. YEAR COMPLETED

PROFESSIONAL SERVICES 2018

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2019 \end{array}$

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER

Pinellas County

b. POINT OF CONTACT NAME John Carpenter, PE

c. Point of contact telephone number 727.464.3350

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H provided design services for the replacement of deteriorating twin 66-inch diameter culverts under South Lake Avenue between Jeffords Street and Barry Road.

The project involved roadway, sidewalk, drainage, and structural design, traffic control, and utility coordination. Post design services included field inspection, shop drawing review, requests for information, and coordination with contractor and construction engineering inspector.

The cross drain was designed in accordance with Pinellas County criteria and Southwest Florida Water Management District (SWFWMD) regulations. A SWFWMD general permit package was prepared for this project.





a. (1) FIRM NAME

(2) FIRM LOCATION (City and State)
Tampa, FL

(3) ROLE Prime

Roadway

PROJECTS WHICH BEST ILLUSTRATE PROPOSED TEAM'S QUALIFICATIONS FOR THIS CONTRACT

20. EXAMPLE PROJECT KEY NUMBER

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

21. TITLE AND LOCATION (City and State)

Pinellas County Roadway, Drainage, Structural, Civil, and **Traffic Engineering Consulting Services** Pinellas County, FL

22. YEAR COMPLETED

PROFESSIONAL SERVICES 2025

CONSTRUCTION (if Applicable) N/A

1

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER

Pinellas County

b. POINT OF CONTACT NAME Ann Venables, AICP, ENV SP c. POINT OF CONTACT TELEPHONE NUMBER 727.464.3640

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H serves as a prime consultant for Pinellas County for professional engineering services for planned infrastructure improvements. Under this project, we have completed multiple Task Work Orders. Key projects are noted below.







East Lake Drive (CR 77) at Hollin Creek **Culvert:** Prepared design plans for the

replacement of the Hollin Creek culvert at East Lake Dr. Also included the preparation of the Storm Water Pollution Prevention Plan and permit packages for three environmental permits, SWFWMD Notice General Permit, COE Nationwide Permit 3, and FDEP NPDES permit.

Pinellas Trail from Ponce De Leon Blvd to Woodlawn Ave: Completed a Preliminary Engineering Report and analysis to study the severe embankment erosion along a portion of the Pinellas Trail. The study resulted in H&H preparing the final design plans, drainage plans, and the SWFWMD and COE permit packages. H&H is currently involved in post-design services for the construction of this project.

46th Avenue North Roadway and Sidewalk Design (Pinellas County). This safety improvement project includes roadway reconstruction, drainage design, and sidewalk additions for 46th Avenue North. The project consists of replacing the existing pavement due to base failure, extending the existing box culvert in both directions, constructing ADA compliant sidewalks, and adding curb ramps and driveways on both sides of road as well as incidental work along 46th Avenue North, a length of approximately 0.5 miles. A mid-block crossing will also be added using Rapid Flashing Beacons (RFBs). Additional improvements will include connections to future sidewalk and trail projects by Kenneth City.

5th St & 46th Ave Railroad Crossing Improvements. H&H is providing roadway design and plans preparation, including signing and pavement marking. This project involves developing plans and specifications and performing all other professional engineering design work for reconstruction of the 35th Street & 46th Avenue Railroad Crossings in Pinellas County.

25. FIRMS FROM SECTION (C INVOLVED WITH THIS PROJECT
--------------------------	------------------------------

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER 2

21. TITLE AND LOCATION (City and State)

46th Avenue N from 49th Street N to 37th Street N Pinellas County, FL

PROFESSIONAL SERVICES Ongoing

CONSTRUCTION (if Applicable)

22. YEAR COMPLETED

23. PROJECT OWNER'S INFORMATION		
a. PROJECT OWNER	b. POINT OF CONTACT NAME	c. POINT OF CONTACT TELEPHONE NUMBER
Manatee County	Scott Baird	727.464.3640

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

Under Pinellas County's Engineering Consulting Services contract, H&H developed a preliminary engineering report to evaluate the following: shoulders, ADA compliant sidewalks and pedestrian crossings, curb and gutter, street lighting, and on-street parking, as well as intersection and drainage improvements along 46th Avenue North from West of 49th Street North to 37th Street North in Lealman, Florida. The project will also extend sidewalk along 40th Street North from 46th Avenue North to north of Lown Street and connect to the park entrance. Drainage, environmental floodplains, and utility impacts from these improvements were also evaluated.



25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT			
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Subconsultant

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

3

21. TITLE AND LOCATION (City and State)

I-75 / SR 50 Improvements Design-Build Hendry County, FL 22. YEAR COMPLETED
PROFESSIONAL SERVICES CONSTRU

2019

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2021 \end{array}$

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER

FDOT District 7

b. POINT OF CONTACT NAME
C. POINT OF CONTACT TELEPHONE NUMBER
813.975.6173

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

I-75 is a vital route for tourism and commerce in Florida. This six-mile segment was the last to be improved between Tampa and the Georgia state line. H&H was part of the design-build team.

Key project elements included:

- Widening and reconstruction of six miles of I-75 in Hernando County.
- Widening and reconstruction of SR 50 with Portland Cement Concrete.
- Interchange Reconstruction at SR 50 to provide a longer span for SPUI operations.
- The SR 50 bridge span was designed to accommodate eight lanes of traffic and a trail along SR 50, as well as multiple left-turn lanes from SR 50 and the exit ramps.

As a subconsultant, H&H designed the traffic control for the entire project and designed the new I-75 bridge over SR 50. The new structure is the largest simple span bridge in Florida.

The design of the multi-phase traffic control plan required H&H designers to work with multiple design disciplines as well as contractor staff to ensure that the project was built safely and efficiently. Key features of the traffic control plan included:

- A temporary widening of the existing southbound I-75 bridge for two-way traffic as the new NB span was constructed.
- Use of the existing piers as temporary shoring towers for the erection of the beams for the new span.
- Maintaining all interchange turning movements and local property access while concrete was poured and cured.
- Maintaining bicycle and pedestrian movements through the interchange with gravity wall under an existing end span.





25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT			
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Subconsultant

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

21. TITLE AND LOCATION (City and State)

Riverside Drive Drainage Improvements Pinellas County, FL

22. YEAR COMPLETED

CONSTRUCTION (if Applicable) PROFESSIONAL SERVICES

2021

2022


22 DDO	JECT OWNER'S	INICODMATION
- /3 PRU	IJECT OWNER 5	INFURIVATION

a. PROJECT OWNER **Pinellas County** b. POINT OF CONTACT NAME Ann Venables, AICP, ENV SP c. POINT OF CONTACT TELEPHONE NUMBER 727.464.3640

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

This project involved milling and resurfacing of the existing roadway and replacement and/or modification of existing sidewalk and driveways.

H&H is provided drainage design improvements for Riverside Drive, approximately 0.2 miles west of Chesapeake Drive in Pinellas County. The project improvements include a new storm drainage system and outfall that discharges into Kreamer Bayou. Drainage improvements were designed in accordance with Pinellas County criteria and Southwest Florida Water Management District (SWFWMD) regulations. A SWFWMD permit exemption package was prepared for this project.



		25. FIRMS FROM SECTION C INVOLVED W	TITH THIS PROJECT
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.) 20. EXAMPLE PROJECT KEY NUMBER

5

21. TITLE AND LOCATION (City and State)

SR 789 (Little Ringling) PD&E Study with Design Sarasota County, FL

PROFESSIONAL SERVICES 2017

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2018 \end{array}$

22. YEAR COMPLETED


23. PROJECT OWNER'S INFORMATION			
a. PROJECT OWNER	b. POINT OF CONTACT NAME	c. POINT OF CONTACT TELEPHONE NUMBER	
Sarasota County	Patrick Bateman, PE	863.519.2792	

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H provided concurrent PD&E and final design services for the Little Ringling Bridge Replacement from Bird Key Drive to Sarasota Harbour West for FDOT D1. H&H's scope to develop and evaluate all aspects of various design alternatives included: PD&E Study using FDOT's SWEPT process for NEPA documentation, structural engineering, roadway, temporary traffic control and drainage design, architecture, and roadway lighting.

The bridges cross the Coon Key Waterway, a navigable channel, and provides the only connection from downtown Sarasota to St. Armand's Key and Lido Key. The current prestressed stringer bridge is the second bridge that has existed at this location, with the original replaced in 1958. Several sections of the deck were replaced on the northbound bridge in 2016 along with other repair-type work throughout the years. Each existing bridge has two 12-foot travel lanes and a 5-foot-wide sidewalk on both sides. There were no existing shoulders or designated bicycle facilities across the bridge.

Alternate alignments within the existing right-of-way including single-bridge and twin bridge alternatives, as well as alternate vertical alignments, were evaluated and presented to the public. The preferred alternative that was advanced for design consists of a single bridge with two travel lanes in each direction, a dedicated transit lane, bicycle lanes, and a shared use path in each direction. Design plans were advanced to the 60% level to coincide with the Public Hearing for the PD&E study.



25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

6

21. TITLE AND LOCATION (City and State)

Palmetto Park Road, Shared Use Path

Palm Beach County, FL

PROFESSIONAL SERVICES CONSTRU
2017

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2019 \end{array}$

23. PROJECT OWNER'S INFORMATION	ı
---------------------------------	---

a. PROJECT OWNER	b. POINT OF CONTACT NAME	c. POINT OF CONTACT TELEPHONE NUMBER
FDOT District 4	Justin Hall	813.975.6061

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H provided engineering and post design services to replace an existing seven-mile long substandard path from Sandalfoot Cove to Boca Raton.

H&H's scope of work included the development of the shared used path design including design criteria, typical sections, horizontal and vertical geometric design, and pavement design.

The features of the new path included a 10-feet width to accommodate two-way pedestrian and bicycle traffic, improved geometrics to comply with the latest shared use path criteria for a bicycle design speed of 20 mph, and upgrade all curb cut ramps at intersections to comply with ADA standards.

The seven-mile shared use path offers a convenient connection between residences, busy shopping areas (such as Palmetto Park Square), and recreational amenities (Sugar Sand Park and Veteran's Park).

H&H also provided prost design services.







a. (1) FIRM NAME **H&H**

 $\begin{tabular}{ll} \end{tabular} \begin{tabular}{ll} \end{tabular} \beg$

(3) ROLE Subconsultant

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

22. YEAR COMPLETED

20. EXAMPLE PROJECT KEY

21. TITLE AND LOCATION (City and State)

East Lake Drive (CR 77) at Hollin Creek Culvert Pinellas County, FL

PROFESSIONAL SERVICES 2015

CONSTRUCTION (if Applicable) 2017

NUMBER

23. PROJECT OWNER'S INFORMATION					
a. PROJECT OWNER b. POINT OF CONTACT NAME c. POINT OF CONTACT TELEPHONE NUMBER					
Pinellas County	Tom Menke, PE	727.464.3611			

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H developed a preliminary set of plans for an emergency "in-kind" replacement of an existing 30-foot-long, double 78-inch by 60-inch culvert for East Lake Drive (CR 77) at Hollin Creek in northern Pinellas County. This "in-kind" replacement approach was specified since it allowed for a replacement in a limited schedule without environmental mitigation. Coordination with Pinellas County indicated a preference to consider the following factors:

- Replacement of the culvert based on the Pinellas County's Stormwater Master Plan
- Roadway improvements in conformance with the Florida Department of Transportation (FDOT) Green Book
- Improved economy with a two-phase construction sequence
- Elimination of utility relocation as a constraint

This project also included the preparation of the Storm Water Pollution Prevention Plan and permit packages for three environmental permits, SWFWMD Notice General Permit, USACE Nationwide Permit 3, and FDEP NPDES permit.



		25. FIRMS FROM SECTION C INVOLVED W	ITH THIS PROJECT
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

2022

8

21. TITLE AND LOCATION (City and State)

Honore Avenue at Cooper Creek Boulevard Manatee County, FL

22. YEAR COMPLETED

CONSTRUCTION (if Applicable) PROFESSIONAL SERVICES

2021

$\gamma \gamma$	DDO IECT	OWNED'S	INFORMATION
Z O.	FROJECT	OWNERS	INFURINATION

b. POINT OF CONTACT NAME c. POINT OF CONTACT TELEPHONE NUMBER a. PROJECT OWNER 941.708.7450 ext 7344 **Manatee County** Eric Shroyer, PE

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

The Honore Avenue and Cooper Creek Boulevard intersection project was adopted by the Manatee County Board of Commissioners as part of the County's Infrastructure Sales Tax Transportation Intersection Improvements project. This intersection operated under stop control for the west approach from Cooper Creek Boulevard. The scope included a new traffic signal with mast arm supports and pedestrian accommodations, widening for turn lanes, and providing ITS infrastructure.

For this urban collector intersection improvement project, H&H provided roadway, drainage, signing and pavement marking, miscellaneous structures and lighting design, including ADA-improvements. The ADA and safety improvements include reconstructing existing sidewalks that needed replaced to meet ADA criteria, new curb ramps, new pedestrian signals, high emphasis crosswalk markings and new intersection signs. Two new mast arms were designed for this threeleg intersection, as well as ITS and signalization upgrades. Roadway improvements included widening the existing roadway to develop new southbound and westbound left-turn lanes and lengthened the existing northbound right-turn lane.

The lighting was upgraded to provide additional safety for the signalized pedestrian crossing. These lighting improvements required the development of a Lighting Design Analysis Report (LDAR) which includes Voltage Drop Calculations, Load Analysis, and Photometric Point-to-Point Calculations.



25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT			
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER 9

22. YEAR COMPLETED

PROFESSIONAL SERVICES 2021

CONSTRUCTION (if Applicable)

21. TITLE AND LOCATION (City and State)

46th Avenue North Roadway and Sidewalk Design Pinellas County, FL

23. PROJECT OWNER'S INFORMATION					
a. PROJECT OWNER	b. POINT OF CONTACT NAME	c. POINT OF CONTACT TELEPHONE NUMBER			
Pinellas County	Scott Baird	727. 464.8935			

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

This safety improvement project includes roadway reconstruction, drainage design, and sidewalk additions for 46th Avenue North from West of Drainage Outfall along 55th Street North corridor to 49th Street North.

The project consists of replacing the existing pavement due to base failure, extending the existing box culvert in both directions, constructing ADA compliant sidewalks, and adding curb ramps and driveways on both sides of road as well as incidental work along 46th Avenue North, a length of approximately 0.5 miles in Pinellas County, Florida. A mid-block crossing will also be added using Rapid Flashing Beacons (RFBs). Additional improvements will include connections to future sidewalk and trail projects by Kenneth City.



25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT				
(2) FIRM LOCATION (City and State)	(3) ROLE			
Tampa, FL	Prime			

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

10

21. TITLE AND LOCATION (City and State)

South Lake Avenue Culvert Replacement Pinellas County, FL 22. YEAR COMPLETED

PROFESSIONAL SERVICES 2018

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2019 \end{array}$

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER
Pinellas County

b. POINT OF CONTACT NAME


John Carpenter, PE

c. POINT OF CONTACT TELEPHONE NUMBER $727.464.3350 \label{eq:contact}$

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)


H&H provided design of a replacement of twin 66-inch corrugated metal pipe (CMP) culverts under South Lake Avenue. At the onset of the project, the geotechnical investigation revealed unexpected unsuitable soils under the culvert, as well as the approach roadway. These conditions led to a rescoping of the project to provide an alternatives analysis for the partial reconstruction of South Lake Avenue.

The Preliminary Engineering Report (PER) documented the extent of unsuitable materials and analyzed different options for stabilizing the subgrade. The PER also addressed hydraulic conditions, utility impacts and constructability. The final recommendation included:



- The replacement of twin 66-inch CMP culverts with 66-inch Reinforced Concrete Pipe.
- The reconstruction of the roadway and the replacement of an impassable sidewalk.

The cross drain was designed in accordance with Pinellas County specific criteria using ICPR stormwater water modelling and Southwest Florida Water



Management District (SWFWMD) regulations. A SWFWMD general permit package was obtained.

The project included roadway and ADA compliant sidewalk design with safety improvements. The project also included structural design for non-standard headwalls, and sheet pile walls to keep construction within a limited ditch and roadway ROW. Other disciplines included traffic control for the closed roadway, and utility relocation with conflict structures. H&H continued with post design services which included field inspections, shop drawing reviews, answering requests for information, and coordination with contractor and construction engineering inspector.

		25. FIRMS FROM SECTION C INVOLVED W	ITH THIS PROJECT
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Prime

Construction

Collier County, FL

21. TITLE AND LOCATION (City and State)

Collier County

PROJECTS WHICH BEST ILLUSTRATE PROPOSED TEAM'S QUALIFICATIONS FOR THIS CONTRACT

20. EXAMPLE PROJECT KEY NUMBER

1

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

Gator Canal Bridge Replacement

PROFESSIONAL SERVICES 2021

CONSTRUCTION (if Applicable) 2021

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER b. POINT OF CONTACT NAME

John Conti

c. POINT OF CONTACT TELEPHONE NUMBER

22. YEAR COMPLETED

239.253.0354

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

This Collier County project required the replacement of the structurally obsolete bridge spanning Gator Canal on CR 836. The construction was phased to maintain two-lane traffic as Immokalee Road was the main route to downtown Naples for the roughly 30,000 Immokalee residents. Maintaining two lanes of traffic was made difficult as the current bridge constructed in 1955 (widened in 1977) had many deficiencies in the timber pile foundations as noted in FDOT bridge inspection reports. Additionally, workers had to remain cognizant in the tight work zone and staging areas due to vehicles traveling at a high rate of speed and a high volume of truck traffic. The new bridge was founded on 24-inch square piles with cast-in-place (CIP) caps and a 1-foot, 6-inch CIP deck. The new bridge was constructed wider to accommodate 12-foot travel lanes and 10-foot shoulders. Guardrail, shoulder widening, milling and resurfacing, and riprap completed the work. Steve served as the Senior PE and was responsible for the performance of the team. His duties included claim mitigation, schedule reviews, reviewing contract documents, attending progress meetings, reviewing progress pay estimates and change orders, preparing CEI monthly invoices, and ensuring field staff had the proper training and equipment.







05 515140	EDOM OF STICK	0 11 11 (OL) (ED	WITH THE DOC	JEOT
25. FIRMS	FROM SECTION	CINVOLVED	WITH THIS PRO	JECT

(1) FIRM NAME H&H

(2) FIRM LOCATION (City and State) Port Charlotte, FL

(3) ROLE Prime

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

2

21. TITLE AND LOCATION (City and State)

Veterans Memorial Boulevard Phase I Design-Build Collier County, FL

PROFESSIONAL SERVICES 2023

CONSTRUCTION (if Applicable) 2023

22. YEAR COMPLETED

23. PROJECT OWNER'S INFORMA	NOITA
-----------------------------	-------

a. PROJECT OWNER b. POINT OF CONTACT NAME c. POINT OF CONTACT TELEPHONE NUMBER **Collier County** Bee Thao 239.206.0194

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H served as a prime consultant for Collier County, providing CEI services for the roadway extension and widening of Veterans Memorial Boulevard. Phase I is a design-build contract that extends and widens 1.4 miles of existing road while adding three signalized intersections, concrete sidewalks, and street lighting throughout the length of the project. The project installed more than 4,000 feet of watermain and force main, as well as several thousand feet of drainage pipe with structures leading to new ponds. Multiple temporary traffic control (TTC) phases were required to construct the project.



25	LIDMO	FDOM	SECTION	CINIVOL		LI TLIC		ILCT
ZD.	FIRIVIO	FRUN	SECTION		V = U VV II	пппо	PRUJ	JEGI

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

NUMBER 3

21. TITLE AND LOCATION (City and State)

Old CR 78 Sidewalk CEI Hendry County, FL 22. YEAR COMPLETED

PROFESSIONAL SERVICES 2021

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2021 \end{array}$

23. PROJECT OWNER'S INF	ORMATION
-------------------------	----------

a. PROJECT OWNER

Volusia County

b. POINT OF CONTACT NAME

Jorge Hernandez

c. POINT OF CONTACT TELEPHONE NUMBER

863.612.4726

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

This LAP project scope was to install sidewalks with cast-in-place truncated domes along Old CR 78 from CR 78 to SR 29. Work included the installation and modification of drainage structures, new 18-inch RCP drainage pipe, driveways, curb and gutter, guardrail, signs, and application of thermoplastic painted pavement markings.

We successfully completed the project on schedule and under budget. Changes were made during construction to accommodate the requests of residents. Significant coordination was required to ensure homeowners had access to their driveways throughout phased construction of the project. Positive feedback was received from both residents and users of the new sidewalk. Maintaining bicycle and pedestrian movements through the interchange with gravity wall under an existing end span.



25. FIRMS FROM SECTI	\cap NI C INIVOI VED I	WITH THIS DRO IFCT

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

_

21. TITLE AND LOCATION (City and State)

Harlem Community Sidewalks LAP Project Pinellas County, FL PROFESSIONAL SERVICES

CONSTRUCTION (if Applicable)

2021

2021

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER
Pinellas County

b. POINT OF CONTACT NAME

Jorge Hernandez

c. Point of contact telephone number 863.612.4726

22. YEAR COMPLETED

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

This LAP project scope required the installation of 1480 SY sidewalks with cast in place truncated domes within the Harlem Community in Clewiston, Florida. Work also included driveway replacements, installation of mitered end sections and ditch construction with ditch bottom inlets and associated RCP piping. Sign installations, sodding, and application of thermoplastic painted pavement markings complete the project. This was our second successful LAP project with Hendry County with no errors identified during EEO compliance audits.



25 FIRMS	FROM SECT	N VED WIT	IECT

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

5

21. TITLE AND LOCATION (City and State)

Golden Gate Parkway over Santa Barbara Canal Bridge Replacement Design-Build Collier County, FL PROFESSIONAL SERVICES 2023

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2023 \end{array}$

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER
Collier County

b. POINT OF CONTACT NAME
C. POINT OF CONTACT TELEPHONE NUMBER
239.253.1154


24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H served as a prime consultant providing CEI services for the bridge replacement crossing the Santa Barbara Canal on Golden Gate Parkway. This project replaced the existing fourlane bridge with a new four-lane structure that is wide enough to accommodate sidewalks and shoulders. This will allow the removal of two prefabricated steel pedestrian bridges.

This project required embankment operations for roadway fill as well as drainage pipe and structure installation. Additionally, sidewalk construction was necessary, and we monitored to ensure compliance with ADA requirements and the specifications.



22. YEAR COMPLETED





25. FIRMS FROM SECTION	C INVOLVED WIT	H THIS PROJECT
23. I II (1015 I I (0101 SECTION	O IIVOLVED VVII	II IIIIO I NOSEOI

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER 6

22. YEAR COMPLETED 21. TITLE AND LOCATION (City and State) PROFESSIONAL SERVICES

CONSTRUCTION (if Applicable)

Lee County Sidewalks CEI Services Palm Beach County, FL

23. PROJECT OWNER'S INFORMATION											
a. PROJECT OWNER	b. POINT OF CONTACT NAME	c. POINT OF CONTACT TELEPHONE NUMBER									
Lee County	Avelino Cancel, PE	239.533.9416									
24 PRICE DESCRIPTION OF PROJECT AND RELEVAN	24 PRICE DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include score gize and cost)										

Removing and replacing damaged sidewalk due to Hurricane Irma within multiple communities throughout Lee County. ADA improvements and drainage adjustments are also required under this contract.

25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT								
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Tampa, FL	(3) ROLE Subconsultant					

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

21. TITLE AND LOCATION (City and State)

Gasparilla Island Swing Bridge Replacement CEI Services Charlotte County, FL

PROFESSIONAL SERVICES Ongoing

CONSTRUCTION (if Applicable) N/A

23.	PROJECT	OWNER'S	INFORMATION

a. PROJECT OWNER Gasparilla Island Bridge Authority b. POINT OF CONTACT NAME Kathy Banson-Verrico c. POINT OF CONTACT TELEPHONE NUMBER 941.697.2271 ext. 2

22. YEAR COMPLETED

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H provides miscellaneous services under this contact. Tasks awarded under this contract include:

Providing On-Call Assignments for Bridge Issues. H&H has been retained on several occasions to troubleshoot issues encountered during operation of the bridge. Assignments have included addressing noises within mechanical components which were covered under manufacturer's warranty, the malfunction of a drive motherboard, failure of the bridge end lift to drive under generator power due to a faulty surge suppressor, limit switch malfunctions, shorting of electrical components and rewiring with spares, and PLC error messages.

Performing New Swing Bridge Quarterly Inspection. Steve meets with GIBA staff quarterly to inspect the project and review available documentation. He often provides recommendations for repairs of deficient items like concrete cracks and spalls and direction on how to monitor items between inspections so they can be reviewed during future inspections.

Providing Annual Inspection Report Reviews. In conjunction with the quarterly inspections above, Steve is tasked with reviewing annual bridge inspection reports, tracking the changes from previous reports, and discussing the findings with GIBA staff and their Engineering committee. Steve has attended the National Highway Institute's Inspection of In-Service Bridges course affording him the knowledge of how to interpret the findings of the report.

Designing a repair for noise emanating from Bearing Pillow Block. H&H designed a dowel repair using an FN2 fit to resist movement of the pinion bearing pillow block. This required close coordination with the Coast Guard as a bridge closure was necessary. The repair was implemented under the supervision of Steve and eliminated the noise.

Developing an Auxiliary Jacking System Design. GIBA desired to have an auxiliary jacking system designed and installed should a catastrophic event rendered the end lift reducer useless. Preliminary drawings by H&H designers were provided to H&H CEI staff. The CEI team constructed wooden prototypes of the jack stands to ensure the jack stands and system would fit due to very tight constraints. The drawings were modified based on the findings in the field which resulted in a system being installed correctly the first time. This was a great collaboration and highlights the strength of having one team perform both design and CEI.

Performing Coating Analysis. Findings in the annual bridge inspection report showed rusting of steel components which could not be reached by maintenance crews. GIBA requested an analysis of the existing coating system which was performed by NACE certified H&H paint inspectors. We also secured the TTC contractor and snooper truck to complete the work. A formal report detailing the findings, recommended approach, and estimates were provided.

Hurricane Ian Damage Assessment. H&H was responsible for assessing damages caused by Hurricane Ian. Our team mobilized, identified components requiring replacement, and assisted GIBA staff with adjusting machinery in the field. Though our efforts, we were able to get the bridge operational in one day.







25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT						
a	(1) FIRM NAME	(2) FIRM LOCATION (City and State)	(3) ROLE			
a.	H&H	Port Charlotte, FL	Prime			

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

8

21. TITLE AND LOCATION (City and State)

Sanibel Diaphragm Repairs

Lee County, FL

PROFESSIONAL SERVICES 2021

 $\begin{array}{c} \text{CONSTRUCTION (if Applicable)} \\ 2022 \end{array}$

23. PROJECT OWNER'S INFORMATION

a. PROJECT OWNER

Lee County

b. POINT OF CONTACT NAME

Avelino Cancel, PE

c. POINT OF CONTACT TELEPHONE NUMBER 239.533.9416

22. YEAR COMPLETED

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H CEI was assigned a task work order to provide CEI inspections of a diaphragm repair on the Sanibel bridge. Under this assignment, a plan review of the repair designed by others was performed by the CEI team and findings were shared with H&H designers. Through internal discussions, H&H determined the cracking was caused by beam creep and additional movement was not anticipated. Additionally, destructive testing was performed which revealed reinforcing steel was not installed per plan and the concrete had insufficient strength. H&H summarized that the repair could result in simple spall repairs performed by in house County staff. To prove this, we recommended that spall repair work occur above the maintenance road so that specialized equipment was not required over the waterway. This repair could be monitored through hot and cold seasons until April which is when the rehabilitation project was to begin. To date the repairs are holding up and the County does not anticipate the need to perform the rehabilitation contract, saving the County over \$1 million in construction costs and \$130,000 in H&H's CEI fee for the task. This is a great example of our firm's desire to provide exceptional service and cost savings through outside the box thinking.



	25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT								
•	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Port Charlotte, FL	(3) ROLE Prime						

(Present as many projects as requested by the agency, or 10 projects, If not specified.

Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

9

21. TITLE AND LOCATION (City and State)

Manatee County Bridge Counter Scour

PROFESSIONAL SERVICES

CONSTRUCTION (if Applicable)

22. YEAR COMPLETED

Pinellas County, FL

23. PROJECT OWNER'S INFORMATION a. PROJECT OWNER b. POINT OF CONTACT NAME c. POINT OF CONTACT TELEPHONE NUMBER FDOT District 1 Alex Adames, PE 941.708.4402

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

The projects included the following: New submarine cable installation at the SR 684 Cortez Bridge (Bridge No. 130006); Installation of articulated concrete block at the SR 64 over Wares Creek Bridge (Bridge No. 13150); Installation of nonstructural cathodic protection pile jackets and spall and crack repairs at the Business US 41 over the Manatee River Bridge (Bridge No. 13010); Installation of fabric formed concrete riprap at the SR 64 over Manatee River Bridge (Bridge No. 13140).

(Present as many projects as requested by the agency, or 10 projects, If not specified. Complete one Section F for each project.)

20. EXAMPLE PROJECT KEY NUMBER

10

21. TITLE AND LOCATION (City and State)

Traffic Signal Damage Assessment

Lee County, FL

22. YEAR COMPLETED PROFESSIONAL SERVICES CONSTRU

2018

CONSTRUCTION (if Applicable) 2019

23. PROJECT	OWNER'S INFORMATION

a. PROJECT OWNER

Pinellas County

b. POINT OF CONTACT NAME

c. POINT OF CONTACT NAME

c. Point of contact telephone number 239.707.9402

24. BRIEF DESCRIPTION OF PROJECT AND RELEVANCE TO THIS CONTRACT (Include scope, size, and cost)

H&H was contracted to assess damages of 66 County signalized intersections in Cape Coral caused by Hurricane Ian. With only days noticed, our team mobilized and efficiently documented over \$2.5 million in damages.

25. FIRMS FROM SECTION C INVOLVED WITH THIS PROJECT							
a.	(1) FIRM NAME H&H	(2) FIRM LOCATION (City and State) Port Charlotte, FL	(3) ROLE Prime				

	G	3. KEY PERSONNEL PARTICIPATIO	N IN E	EXAMPLE	PROJE	стs - S	TRU	CTUR	ES				
	S OF KEY PERSONNEL Section E, Block 12)	27. ROLE IN THIS CONTRACT		28. EXAMPLE PROJECTS LISTED IN SECTION F (Fill in "Example Projects Key" section below before completing table. Place "X" under project key number for participation in same or similar role.)									
,	,	(From Section E, Block 13)	1	2	3	4	5	6	7	8	9	10	
Steven N	appi, PE	Project Manager / Const Management Services								X	X		
Stephan	Heimburg, PE	Principal-in-Charge										X	
	O'Shea, PE, SSPC C-	QA/QC Constructability											
1/C-		Review - Construction											
James Ph	nillips, PE	QA/QC Constructability Review - Structures	X	X	X	X	X	X	X	X	X		
J. Webb J	Jones, PE	QA/QC Constructability Review - Roadway	X	X					X			X	
James Ne	ewberry, PE, SE	Structural Design	X	X	X			X	X		Х	X	
Anlun Ch	en, PE, SE	Structural Design	X	X			Х	Х				X	
Quinten (Ozimek, PE, SE	Structural Design	Х		Х		Х	Х	Х	X			
Robert H	ideck, PE	Roadway/Intersection Design/TTC Plans				X							
Lindsey S	Skourellos, PE	Roadway/Intersection Design/TTC Plans											
Benjamin	n Bower, PE	Roadway/Intersection Design/TTC Plans				X						Х	
Robert Plocica, PE		Mechanical	X										
Marco La	ara, PE	Electrical	Х		Х		Х						
Jason Du	nn, PE, CFM, ENV SP	Drainage	X		Х		Х					X	
Zachary (Gross, PE, CFM	Drainage											
Calvin Sa	ntarelli	CEI											
David Rai	ncman	Geotechnical											
		29. EXAMPL	E DD	O IFOTO	KEV								
NO.	TITLE OF EXAMP	LE PROJECT (FROM SECTION F)	LE PK	NO.		TLE OF	EXAMP	LE PRO	JECT (F	ROM S	ECTION	l F)	
1	Beckett Bridge Rep	lacement & Design		6	Circus	Bridge	NB/SE	3 rehal	oilitatio	ons			
2	Johns Pass Bascule Bridge Rehabilitation			7	SR 826 Rehab	-	•	Boule	ard Ov	ver ICW	/W		
3	Volusia County Countywide Bridge Contract			8	Gaspa	rilla Isla	and Sw	ing Br	idge Re	eplacer	ment		
4	SR 968/SW 1st Stre Miami River	et Bascule Bridge over the		9	Sanibe	el Caus	eway E	merge	ncy Re	esponse	e		
5	Cass Street Bridge/ Rehabilitations	Brorein Street Bridge Bascule		10	South	Lake A	venue	Culve	t Repla	aceme	nt		

	G. KEY PERSONNEL PARTICIPATION	N IN F	XAMPI	F PROJ	FCTS -	ROAI	OWA'	Y			
26. NAMES OF KEY PERSONNE (From Section E, Block 12)	27. ROLE IN THIS (Fill in "Example Projects Key" section below before completing to								eting tab		
	(FIOHI Section E, Block 13)	1	2	3	4	5	6	7	8	9	10
Steven Nappi, PE	Project Manager / Const Management Services										
Stephan Heimburg, PE	Principal-in-Charge	Χ	X	X	X	X	X	X	X	X	X
Brendan O'Shea, PE, SSPC (- QA/QC Constructability										
1/C-	Review - Construction										
James Phillips, PE	QA/QC Constructability Review - Structures										
J. Webb Jones, PE	QA/QC Constructability Review - Roadway	X	X	Х		X		X	X	X	X
James Newberry, PE, SE	Structural Design	Χ									
Anlun Chen, PE, SE	Structural Design										
Quinten Ozimek, PE, SE	Structural Design										
Robert Hideck, PE	Roadway/Intersection Design/TTC Plans	X		Х				Х	X		
Lindsey Skourellos, PE	Roadway/Intersection Design/TTC Plans	X									
Benjamin Bower, PE	Roadway/Intersection Design/TTC Plans	X		Х	X	Х	X		х		
Robert Plocica, PE	Mechanical										
Marco Lara, PE	Electrical										
Jason Dunn, PE, CFM, ENV SP	Drainage	X	X		X				х	X	X
Zachary Gross, PE, CFM	Drainage		X						X	X	X
Calvin Santarelli	CEI										
David Rancman	Geotechnical										
	29. EXAMPLE	PRO	JECTS	KEY							
NO. TITLE OF EXAM	IPLE PROJECT (FROM SECTION F)		NO.	TIT	TLE OF	EXAMP	LE PRO	JECT (F	ROM S	ECTION	l F)
1	padway, Drainage, Structural, ngineering Consulting Services		6	Palme ⁻	tto Par	k Road	d, Shar	ed Use	Path		
	46th Avenue N from 49th Street N to 37th Street N		7	East La	ake Dri	ve (CR	77) at	Hollin	Creek	Culver	t
3 I-75 / SR 50 Impro	I-75 / SR 50 Improvements Design-Build		8	Honor	e Aver	nue at (Coope	r Creek	Boule	vard	
4 Riverside Drive D	rainage Improvements		9	46th A	venue	North	Roady	vay an	d Sidev	valk D	esign
5 SR 789 (Little Ring	gling) PD&E Study with Design		10	South Lake Avenue Culvert Replacement							

	G. KEY PERSONNEL PARTICIPA	ATION	IN EXA	MPLE PI	ROJECT	s - CC	ONST	RUCT	ION		
26. NAMES OF KEY PERSONNEI (From Section E, Block 12)	27. ROLE IN THIS CONTRACT (From Section E, Block 13)	28. EXAMPLE PROJECTS LISTED IN SECTION F (Fill in "Example Projects Key" section below before completing table. Place "X" under project key number for participation in same or similar ro									
	(FIGHT Section E, Block 13)	1	2	3	4	5	6	7	8	9	10
Steven Nappi, PE	Project Manager / Const Management Services	X	X	X	X	X	X	X	X	X	X
Stephan Heimburg, PE	Principal-in-Charge										
Brendan O'Shea, PE, SSPC C-	QA/QC Constructability	V	V	V	v	v	V	v	V	v	v
1/C-	Review - Construction	X	X	X	X	X	X	X	X	X	X
James Phillips, PE	QA/QC Constructability Review - Structures										
J. Webb Jones, PE	QA/QC Constructability Review - Roadway										
James Newberry, PE, SE	Structural Design										
Anlun Chen, PE, SE	Structural Design										
Quinten Ozimek, PE, SE	Structural Design										
Robert Hideck, PE	Roadway/Intersection Design/TTC Plans										
Lindsey Skourellos, PE	Roadway/Intersection Design/TTC Plans										
Benjamin Bower, PE	Roadway/Intersection Design/TTC Plans										
Robert Plocica, PE	Mechanical										
Marco Lara, PE	Electrical										
Jason Dunn, PE, CFM, ENV S	PDrainage										
Zachary Gross, PE, CFM	Drainage										
Calvin Santarelli	CEI				Х	Х	Х		Х	Х	Х
David Rancman	Geotechnical				Х	Х	Х				
	29. EXAMPLI	E PRO	JECTS	KEY							
NO. TITLE OF EXAM	PLE PROJECT (FROM SECTION F)		NO.	TI	TLE OF	EXAMP	LE PRO	JECT (F	ROM S	ECTION	F)
1 Gator Canal Bridge			6		ounty S						,
veterans Memoria	Veterans Memorial Boulevard Phase I Design-Build		7	Gaspa Service		and Sw	ing Bri	dge Re	placen	nent C	El
3 Old CR 78 Sidewal	Old CR 78 Sidewalk CEI		8	Sanibe	el Diaph	nragm	Repair	S			
4 Harlem Communit	y Sidewalks LAP Project		9	Manat	ee Cou	ınty Br	idge Co	ounter	Scour		
Golden Gate Parkv Bridge	vay over Santa Barbara Canal		10	Traffic	Signal	Dama	ge Asse	essmer	nt		





Professional Engineering Services Continuing Services Contracts

RFP No. 2024-14

Tab 5

Project Control/Approach

TAB 5: PROJECT CONTROL/APPROACH

PROJECT UNDERSTANDING

H&H recognizes the City of North Port's continuing services contract is fundamentally different from single-project contracts. We will be available to respond to the City's needs and maintain an ongoing dialogue to plan for upcoming task work orders (TWO). This includes having additional staff from all disciplines available as needed. We have current and recent continuing contract experience for a several agencies, with assignments generating a more than \$500 million in construction value.

H&H is knowledgeable of continuing service contract as we are currently administering similar type contracts for Collier, Hendry, Lee, Manatee, and Pinellas Counties, FDOT District 1, 7, and Florida's Turnpike Enterprise, and GIBA. With this experience and the wealth of expertise of our team members, H&H is prepared to deliver the following services:

- Construction Engineering and Inspection (CEI)
- Roadway and drainage design
- ► Transportation Operations
- Bridge design and inspection
- Soil foundations
- Surveying and Mapping and Subsurface Utility Engineering
- Land Acquisition

PROJECT MANAGEMENT APPROACH

Management is the allocation of resources to complete high-quality projects on time and within budget. These elements must be defined to provide the required resources to successfully deliver TWOs. Our team's management approach for this contract involves a single Project Manager (Steven Nappi, PE) with a multidisciplinary team of technical task leaders responsible for their respective portions of an assignment. This organization will ensure accountability. The tools that we use to manage our projects include a Project Execution Plan (PEP) that defines the specific process for completing the project, a quality control plan, and coordination.

Project Execution Plan

The goal of our PEP is the delivery of the highest quality product, which will be achieved with established quality procedures, realistic schedules, team buy-in, and an independent verification process. The PEP is prepared to establish and define the production goals and objectives, methods, processes, project staff, organization, and quality control (QC) requirements that are necessary for the development and execution of the assignment. Items included in the PEP include:

General Information: Project description, contact information, staffing, schedule, budget, and communication.

- Project File Structure: A project file will be set up and maintained in a central file system. The project file should contain all original hard copy and digital project documentation. The intent of this policy is to maintain these files in a central location.
- Deliverables: Identify major deliverables, the date deliverables are due, lead team member responsible for deliverable, and identify the Checker and Reviewer.
- ➤ Scope of Work: Include final Scope of Work. It serves to identify in detail all assignments and will be referenced throughout the progress of assignments to ensure all deliverables are included and the City's needs are met.
- ▶ QC Plan: Including responsibilities of key staff.
- ▶ Project Closeout Procedures: Within a reasonable time period, after the close of an assignment, Steve will complete and update the project's central file, purge it of unnecessary information, and transmit all project and quality-related records to the City, if required. Copies of documents transmitted to the client will be retained.

Project Assignments

Project success is determined by the team assigned to provide the work. Upon notice to proceed for an assignment, Steve will work with the City's Project Manager to develop a scope, staff estimates, and budget. Once this information is obtained, he will work with our team's technical task leads to ensure proper team members, based on work experience, knowledge, and availability, are assigned to the task.

Coordination

Proper coordination is an essential element of any successful project. Good coordination will result in consistent plans with approved documentation, deadline compliance, and a quality final product. Throughout the duration of the contract, internal team meetings will be held to confirm approaches and schedules. **Steve** will hold regularly scheduled progress meetings with key staff to ensure they are kept abreast of the current status.

Influences on Design and Approach

There are a myriad of influences affecting a project. These influences define the final configuration of the project, but can also lead to conflicting decisions. H&H's goal is the delivery of a completed project conforming to the needs of the City and its customers. The following is our four-step approach to resolving these conflicts:

- ▶ Identification of design and coordination issues.
- Design of the preferred configuration.
- Brainstorming to identify concepts addressing issues and potential subsidiary impacts.
- Attainment of consensus through coordination with impacted stakeholders and the City.



TAB 5: PROJECT CONTROL/APPROACH

Constraints

Most constraints are uncovered during the preliminary design process. The key to the successful on-budget, on-time delivery of any project is uncovering constraints early in the design process. Design high water, existing right-of-way, and subsurface geotechnical conditions are typically known design constraints uncovered during preliminary design. More subtle constraints include proximity to environmentally-sensitive lands, aviation facilities, or public involvement commitments.

Concerns

The keys to addressing concerns are the experience of the team in dealing with known issues, our team's flexibility in dealing with evolving issues, and its ability to be innovative in resolving new issues. Known concerns that are common to many City roads include:

- ▶ The proportion of tourist traffic using major arterials.
- ▶ Potential utilization as Hurricane evacuation routes.
- ▶ Delivery of increased traffic demand in rural areas.

To address these issues our team can employ a number of strategies including:

- ▶ Destination signage, particularly during construction, will be critical to limiting operational impacts associated with driver indecision.
- Roadway grades and drainage systems will be checked for suitability for evacuation usage.
- A proactive public involvement program to educate the public on project benefits and mitigate adverse impacts.

Final Design

Our approach to project development focuses on a multidisciplinary team-based holistic approach to design, rather than a discipline-by-discipline analysis of issues. In order to achieve this goal, our team will adhere to the following guidelines:

- Compliance with policies and procedures in developing innovative solutions to the projects constraints and operational improvements.
- Maintaining successful working relationships with staff through effective coordination and communication in order to provide efficient and effective solutions.
- Offering a team comprised of established professionals who are committed to the City of North Port and will provide continuity of management and technical staff throughout the life of the project.

Construction Engineering and Inspection

A common theme in our approach to continuing services contracts is being proactive. With any project, we begin with a thorough review of all contract documents. This

review provides us with a summarization of our findings that require attention, which we share at a pre-service meeting. A pre-construction meeting will be scheduled with the selected contractor and stakeholders to share pertinent information. We will also ask project-specific questions to understand how the contractor anticipates performing the work and staying on task to meet the assignment's goals.

Once construction begins, field staff will monitor construction operations closely, ensuring conformance with contract documents, documenting quantities, and summarizing work on daily reports of communication. Both Steve and Calvin will spend a considerable amount of time in the field to give the project a global view of the work. As they are not "in the trenches" they are able to see the big picture and assist inspection staff with looking ahead for potential issues. Through meticulous documentation and a detailed filing system, project closeout documents are easily delivered to the City along with a quality project.

Our staff places a high emphasis on cost and time overruns. The allowable threshold on FDOT projects was to keep project overruns within 10% cost and 20% time. Our staff strives to meet or exceed this threshold by applying our proactive efforts and providing innovative solutions.

Lee County realized these efforts on the US 41 Pedestrian Lighting project where Steve served as the Senior Project Engineer. By looking ahead, he identified areas of concrete sidewalk that were in good condition and slated to be replaced. Conversely, he identified several areas of sidewalk that were deficient and did not meet current Americans with Disabilities Act (ADA) standards. Steve coordinated with the County's Project Engineer and was able to replace the deficient sidewalk using underruns for the sidewalk not requiring replacement resulting in the facility meeting ADA without additional funds being required. Another issue regarding time presented itself when the proprietary provider of the decorative light poles did not send one luminaire attachment. Steve was able to work with the contractor to move ahead with substantial completion walkthroughs while they waited for the fabrication of the missing component, allowing the County to use the facility within the 20% time threshold.



TAB 5: PROJECT CONTROL/APPROACH

PROJECT APPROACH

H&H is firmly committed to bringing our successful continuing services management approach to this contract based on the following three fundamentals:

- 1. Timely responses to all City requests.
- Staffing TWOs with highly qualified, experienced staff who have relevant knowledge gained on similar assignments. Our depth of engineering and project management staff gives H&H the ability to execute several task orders simultaneously.
- 3. Emphasis on delivering finished products on time and within the established budget.

We recognize this contract requires support across several disciplines and experience, including potential short-notice and emergency assignments. H&H has provided identical multi-faceted services to other clients under previous TWO assignments. H&H has a staff of experienced and diverse employees available to support the City with any project. To complete the design of any project, the City requires a consultant team that:

- ▶ Will take the initiative to understand the project goals.
- ▶ Will become familiar with the Project Concept and has the experience to resolve the unique issues associated with the concept.
- Can seamlessly integrate the documents prepared by the various technical disciplines into a single set of coordinated construction documents for the project.
- ► Understands the influences using specific experience and knowledge and a tool box of ideas.
- Uses a tried-and-true approach that meets City's preferences and requirements.

The H&H team uniquely fulfills these requirements, based on the combined experience of our principals, staff, and subconsultants. The project development graphic depicts our understanding of the challenges of the design process for any project.

The inner areas represent the history and core concepts of the project. Moving outward from the center, the next ring represents the project design itself. Next are the major influences defining the final configuration of this project. Moving outward again, the next ring represents H&H's approach to each project and



the management tools that will be employed. The outer ring represents H&H's commitment of personnel and project management resources to complete a project in a timely manner.

ADHERENCE TO TIME AND MONEY CONSTRAINTS

The key measures of success include meeting budget and schedule requirements to provide exceptional deliverables. Please refer to Attachment 4 Reference and Performance Questionnaire Verification Form highlighting our capabilities.

The best-designed improvements are of no use until they are constructed and put into service in a timely and cost-effective manner. Tracking project construction costs during project development will ensure that appropriate cost mitigation strategies are employed. These include the integration of reusable elements from the existing facility to provide project economy. This approach may include the re-use of portions of the existing pavement, drainage, or lighting and modifications to facilitate staged construction.

For this strategy to work, the overall project concept must be developed with sufficient detail at the initial construction in order not to preclude the construction of subsequent phases. H&H's experience in design-build and construction management-at-risk delivery has given us keen insight into developing more economical designs. Successfully executing an assignment requires the leadership of Steve Nappi and our team to ensure a well-coordinated delivery. Steve and his team believe that flexibility is the key to successful project delivery and are proud that these modified yet efficient approaches result in on-time delivery projects.

Every task budget will be uploaded into H&H's Deltek accounting system. Steve will use iAccess, a feature in Deltek, to track real-time project expenditures, projections, and earned value. The planned allocation of work-to-staff and sub-consultants will ensure accountability for delivery and budgets.

MEETING SCHEDULES

When H&H receives an request for design or CEI services, our first step will be to obtain a thorough understanding of the required work. We will meet with City staff to determine what needs to be done and for what purpose, who will be involved, and what schedule/budget have been established. From this understanding, we will create a step-by-step critical path method (CPM) schedule, including the major milestones necessary to achieve the City's established goals. Certain steps can be conducted concurrently, while others will rely on completion of a previous step. Once the CPM is developed, a final scope and budget for the work will be generated to provide H&H and City staff with a clear understanding of the anticipated workflow, milestones, and expected results.



TAB 5: PROJECT CONTROL/APPROACH

For construction projects, careful review of the CPM schedule is key to ensuring timely completion of the project. H&H possesses Microsoft Project licenses and will use this software to review schedules. This begins once the contractor submits his baseline schedule at the beginning of the project. The baseline schedule will be checked to ensure that all activities are included and that logic, durations, predecessors, successors, constraints, cost loading, and calendars are appropriate. Items of concern will be shared with the Contractor and meetings will be held if necessary until the baseline schedule can be accepted. Once accepted and construction begins, we will monitor the contractor's work effort to ensure they align with the schedule. Updated as-built schedules will be reviewed monthly and checked to determine accurate commencement and completion dates have been entered and no other unauthorized changes have been made. Accuracy of the changes will be determined by comparing to field records and items that are not confirmed will be sent to the contractor until an acceptable response is received and the schedule can be accepted. All responses regarding the schedule will be made in writing to the Contractor. Keeping the Contractor responsible and notifying them when they are not meeting their schedule is a great way to both ensure timely completion of the project and protect the City in instances of Claims.

TECHNOLOGICAL CAPABILITIES


Our Team is equipped with the latest computer software, including Microsoft Office, Microsoft Project, Primavera, and AutoCAD, to successfully deliver quality projects on time and within budget. AutoCAD allows quick resolutions to geometric problems in the field. The ability to create drawings to scale makes for easy and accurate answers to problems that would take much longer if hand drawn.

The filing system is also a key feature that we will be implemented on this contract. The H&H team follows the FDOT Electronic Document Management System (EDMS) filing system and uses nomenclature making documents easy to find. As a value-added concept, our team will implement Microsoft Teams for this project. Microsoft Teams is a next generation SharePoint where users can view documents and enjoy the added features of real time conversations via video calls, a mobile application to have documents readily available at their fingertips in the field and a calendar for meetings which automatically syncs to their Outlook calendar. The video calling feature will prove invaluable as impromptu meetings can be

organized, videos can be displayed showing site conditions, and documents can be shared on screen to pinpoint areas of concern quickly with all attendees. We believe these meetings will quickly evolve from a catchy feature to a necessity in delivering timely accurate information to project stakeholders. Guests are added to our user agreement, which means there is no cost for licensure. H&H will create a group including design team members and Steve to ensure information is readily available. Another group will be created for CEI projects so the City can have access to project correspondence filed to our server, if desired. In in the absence of this, all project documentation is saved on our Egnyte cloud service allowing all H&H employees access.

WORKLOAD

The H&H Team will provide the necessary staff and resources to fulfill the contract's requirements. We commit to delivering the tasks, based on the staff identified in this submittal and your schedule and needs. The graphic below indicates increasing availability of H&H staff for the upcoming year, based on the completion of existing assignments. Our subconsultants shows similar increasing availability to provided resources as needed. Therefore, our team has the resources and the appropriate organization to handle the tasks identified in the RFP. The graphic below depicts that H&H could easily complete these tasks with additional capacity for other assignments.



QA/QC PLAN

A project-specific QA/QC plan will be prepared for each project. This process monitors project progress using a specific quality control procedure. The QC Plan will specify the work products to be reviewed, the responsible Lead Technical Person(s) and QC Reviewers, and the schedule for performing the QC reviews.







Professional Engineering Services Continuing Services Contracts

RFP No. 2024-14

Tab 6

References

H&H's record of providing excellent client service is supported by the clients we serve on a day-to-day basis. We encourage the City to contact the following references for first-hand evaluations of the services we provide to our clients.

Our team's reference form appears at the end of this section.


27th Street East Improvements, Manatee County

Client Name: Manatee County

Client Address: 1022 26th Ave East, Bradenton, FL 34208 Client Contact Name: Daniel Garner, PE, Project Manager Phone / Fax: T: 941-708-7450, ext. 7236 / F: N/A **Email:** daniel.garner@mymanatee.org

Performance Period: 6/2019 - Present

Contract Amount:



46th Avenue North from 49th Street North to 37th Street North, Pinellas County

west of 27th Street and providing a new pond and Floodplain Compensation site.

Client Name: Pinellas County

Client Address: 400 S Ft Harrison Ave, Clearwater, FL 33756

Client Contact Name: Scott Baird

Phone / Fax: T: 727.464.8935 / F: N/A Email: sbaird@pinellascounty.org

08/2020 - 01/2022**Performance Period:**

Contract Amount: \$400,000 (Design) Eng. Est. Ongoing

Description of Work: H&H developed a preliminary engineering report to evaluate the following: shoulders, ADA compliant sidewalks, multi-use path, curb and gutter, street lighting, and on-street parking as well as intersection and drainage improvements along 46th Avenue North, from West of 49th Street North to 37th Street North. The project will also extend sidewalk along 40th Street North from 46th Avenue North to north of Lown Street and connect to the park entrance. Drainage, environmental floodplains, and utility impacts from these improvements were also evaluated.

Riverside Drive, Pinellas County

Client Name: Pinellas County

Client Address: 14 S. Ft, Harrison Ave 6th Floor, Clearwater, FL 33756

Client Contact Name: Ann Venables, AICP, ENV SP Phone / Fax: T: 727.464.3640 / F: N/A **Email:** avenables@pinellascounty.org

08/2018 - 2023**Performance Period:**

Contract Amount: \$226,117 (Design) / Eng. Est. \$323,550

Description of Work: H&H provided roadway and drainage design to optimize the profile and increase the vertical clearance under a bridge while limiting impacts to adjacent properties. The proposed roadway typical section west of the bridge consists of two 10-foot travel lanes, with 1.5- to 5.5-foot shoulders and a 6-foot sidewalk on the north side of the road. The roadway typical section on the east side of the bridge consists of two 10-foot travel lanes, with 4- to 5.5foot shoulders and a 6-foot sidewalk on both sides of the roadway. The proposed drainage system consists of a series of curb inlets and storm sewer that will capture roadway runoff and discharge to the Whitcomb Bayou. In-line backflow preventers will be added to each outfall to prevent the tidal waters from entering the storm sewer system.





Beckett Bridge Replacement Pinellas County, Florida

Client Name: Pinellas County

Client Address: 400 S Ft Harrison Ave, Clearwater, FL 33756

Client Contact Name: Ann Venables, AICP, ENV SP
Phone / Fax: T: 727.464.3640 / F: N/A
Email: avenables@pinellascounty.org

Performance Period: 2016 – 2023

Contract Amount: \$14.5M (Construction) / Eng. Est. Ongoing



Description of Work: H&H was the lead consultant for this project, responsible for project management, design, and public involvement. The project is in the City of Tarpon Springs, Florida. The project limits extend a quarter of a mile along Riverside Drive from Chesapeake Drive across the Minetta Branch of Tarpon Bayou to Pampas Avenue.

H&H was the Engineer of Record for the new movable bridge, approach span substructure, roadway, drainage, and temporary traffic control. The replacement bridge is 360-foot-long featuring a single-leaf, rolling-lift, bascule bridge over Whitcomb Bayou. The movable span is 39 feet long from center of roll to tip and spans a 30-foot-wide navigation channel providing 5 feet, 8 inches of vertical clearance with the bridge closed and unlimited vertical clearance with the bridge open. The movable span featured steel plate girder main girders and floorbeams and an Exodermic® deck that spans longitudinally between floorbeams. The movable span drive system featured a unique crank arm drive system, powered by redundant 20 HP electric motors and vector drives. Auxiliary machinery includes tail props and span locks. The bridge control system is relay-based. Approach spans consist of prestressed, precast Florida Slab Beams with a cast-in-place concrete topping with spans of approximately 60 feet. The bascule pier footing and approach bent caps featured precast concrete elements to facilitate accelerated bridge construction. The approach span foundations consisted of drilled shafts and steel pipe piles, designed to accommodate challenging site conditions including a relic sink hole under the bridge and adjacent properties close to the bridge.

Roadway design involved optimizing the profile to increase the vertical clearance under the bridge while limiting impacts to adjacent properties. The proposed roadway typical section west of the bridge consisted of two 10-foot travel lanes, with 1.5- to 5.5-foot shoulders and a 6-foot sidewalk on the north side of the road. Due to right of way constraints, a sidewalk was not included on the south side of the road. The proposed bridge typical consisted of two 10-foot travel lanes, with 6.5-foot shoulders, a 6.5-foot sidewalk on the north side of the road, and a 6.5-foot maintenance sidewalk on the south side. The roadway typical section on the east side of the bridge consisted of two 10-foot travel lanes, with 4- to 5.5-foot shoulders and a 6-foot sidewalk on both sides of the roadway. Outside of the bridge span limits, Type F curb and gutter is proposed in the typical section.

The proposed drainage system consists of a series of curb inlets and a storm sewer that will capture roadway runoff and discharge to the Whitcomb Bayou. In-line backflow preventers have been added to each outfall to prevent the tide waters from entering the storm sewer system.



Albee Road Bascule Bridge Rehabilitation, Sarasota County, Florida

Client Name: Sarasota County

Client Address: 400 S Ft Harrison Ave, Clearwater, FL 33756

Client Contact Name: Teresa Goluch

Phone / Fax: T: 941-404-5352 / F: N/A tgoluch@scgov.net

Performance Period: 2018 - 2020

Contract Amount: \$3.4M (Construction) / Eng. Est. \$3.24M

Description of Work: The Albee Road Bascule Bridge had its last major structural, mechanical, and electrical rehabilitation in 2001. Since that time, saltwater dripping from trailered boats leaving the boat launch adjacent to the northwest corner has corroded the bridge's open steel grid deck and supporting framing and the concrete deck in the approach spans in the eastbound lane.

H&H's scope of work for this major rehabilitation was the preparation of contract documents, including plans, specifications, and cost estimates, for repairs to the concrete approach spans, and bascule span structural steel, machinery and electrical systems. A field assessment was performed in August 2018 which resulted in recommendations for structural, electrical, and mechanical repairs that would keep the bridge operating efficiently and extending its service life an additional 15 years.

The steel open grid deck in the eastbound lanes was replaced as was one entire stringer line below the center of the travel lane. Stringers on either side and both end floorbeams were repaired. The bascule and flanking spans were cleaned and painted in their entirety. During the preparation for painting, the steel deterioration throughout both leaves was discovered to be much more widespread so additional repairs to floorbeam flanges and webs, lateral bracing, vertical stiffeners and connection plates were added to the scope.

The surface of the concrete deck in the approach spans was spalled and delaminated, likely due to chlorides from the salt water penetrating the deck. The top two inches of the deck were removed through hydrodemolition and a new concrete topping was poured. Severe concrete deterioration on the east bulkhead wall was also repaired.

The mechanical scope consisted of the replacement of several missing rack bolts and replacement of reducer seals. The span locks were reconditioned including replacement of the guide and receiver assemblies, hydraulic hoses, fittings, and oil. New live load bearing assemblies were also provided.

The control desk and motor control cabinet were reconditioned, and the control relay panel was relocated and replaced. Navigation lighting was reconditioned, and the position and span lock limit switches were replaced. Because the bridge was closed to vehicular and marine traffic at various times to complete the repairs, close coordination was required between a variety of local and federal agencies, including Sarasota County and the US Coast Guard.





Selmon Expressway Pocket Parks Design Services

Client Name: Tampa-Hillsborough Expressway Authority Client Address: 1104 E Twiggs St #300, Tampa, FL 33602

Client Contact Name: Bob Frey, AICP

Phone / Fax: T: 813.272.6740 / F: N/A bobf@tampa-xway.com

Performance Period: 2014 - 2017

Contract Amount: \$105,000 (design fees) / Eng. Est. N/A

Description of Work: Under a Tampa Hillsborough Expressway Authority (THEA) on-call contract for planning services, H&H was tasked with developing preliminary designs and supporting documents for a design-build for enhancements to the Selmon Greenway.

The project is located along the Selmon Greenway under the elevated sections of the Selmon Expressway from Tampa's Central Riverwalk District to the Channelside District and border the City's parking lots. The parks provide safe, aesthetically pleasing rest areas that enhance Tampa's network of pedestrian pathways through downtown and providing a vital east-west connection across downtown. Upgrades to the 15-foot-wide trail included five pocket parks with stormwater improvements, bike racks, landscaping, and other amenities. Lighting additions improved safety and visibility; while benches and public art enhance the experience for bicyclists and pedestrians.







Pinellas Trail from Ponce De Leon Boulevard to Woodlawn Avenue

Client Name: Pinellas County

Client Address: 400 S Ft Harrison Ave, Clearwater, FL 33756

Client Contact Name: 727.464.3744

Phone / Fax: T: 941-404-5352 / F: N/A Email: dterry@pinellascounty.org

Performance Period: 2013 - 2016

Contract Amount: \$10,000 (design fee) / Eng. Est. N/A

Description of Work: The Fred Marquis Pinellas Trail is a linear park and recreation trail extending from St. Petersburg to Tarpon Springs for approximately 47 miles. A section of the Trail between Ponce de Leon Boulevard and Woodlawn Avenue (approximately 0.5 miles), runs adjacent to Belleair Creek and storm events created an emergency situation where portions of the trail have eroded and failed into Belleair Creek adversely impacting water quality and quantity. These areas of failure had become progressively worse with each storm event and were posing a threat to the public safety and the possibility of closure of the Trail.

H&H prepared a Preliminary Engineering Report to evaluate erosion along the trail due to concentrated flows over the trail embankments. Study conclusions included removing the concentrated flow over the slope before making repairs to the western bank of Belleair Creek. The study resulted in H&H preparing the final design plans, drainage plans, and the SWFWMD and USACE permit packages.





ATTACHMENT 3 - REFERENCES/CLIENT LISTING

Include at least five (5) business related references for which they are currently providing or have provided within the last ten (10) years, services similar to the scope of services required by this RFP. A minimum of three (3) references must be for work performed in Florida.

1	Business/Customer Name: Gasparilla Island Bridge Authority				
	Name of Contact Person/Title: Kathy Banson, Executive				
	Telephone# 941.697.2271 X2 _{E-mail_} kathy@giba.us				
	Address_P.O. Box 1918, Boca Grande, FL 33921				
	Phone Number_941.697.2271 X2				
	Duration of Contract or business relationship 7 years Project completion date: Ongoing				
	Type of Services Provided Miscellaneous task work order projects.				
	Cost of Project: Design \$24K task-to-date Construction: Varies per task				
2.	Business/Customer Name:_Collier County				
	Name of Contact Person/Title: Matthew Thomas, PE				
	Telephone# 239.348.1328E-mail Matthew.Thomas@colliercountyfl.gov				
	Address 2885 Horseshoe Drive S, Naples, Florida 34104				
	Phone Number_239-348-1328				
	Duration of Contract or business relationship <u>5 years</u> Project completion date: 1/2024				
	Type of Services Provided CEI services for the Golden Gate Parkway replacement bridge.				
	Cost of Project: DesignN/AConstruction: \$3.5 million				
3.	Business/Customer Name: Hendry County				
	Name of Contact Person/Title:Jorge Hernandez, Project Manager				
	Telephone# 863.612.4726 E-mail_jorge.Hernandez@hendryfla.net				
	Address 99 East Cowboy Way, LaBelle, FL 33975				
	Phone Number_ 863.612.4726				
	Duration of Contract or business relationship 2 years Project completion date: 1/2024				
	Type of Services Provided CEI services for 1,480 SY of sidewalks, including driveways				
	Cost of Project: Design N/A Construction: \$202,237				

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

4. Business/Customer Name: Lee County
Name of Contact Person/Title: Avelino Cancel, Project Manager
Telephone# 239.533.9416E-mail_acancel@leegov.com
Address_5560 Zip Drive, Fort Myers, FL 33905
Phone Number
Duration of Contract or business relationship 2 years Project completion date: Ongoing
Type of Services Provided Sidewalk replacements and ditch cleaning throughout Lee County
Cost of Project: Design N/A Construction: 185,779.61
5. Business/Customer Name: Lee County
Name of Contact Person/Title: Mike Padgett, Project Manager
Telephone#239.707.9402E-mailE-mail
Address_5650 Enterprise Pkwy, Fort Myers, FL 33905
Phone Number_239.707.9402
Duration of Contract or business relationship 2 years Project completion date: 05/05/2023
Type of Services ProvidedAssessed damages of 66 County signalized intersections in Cape Coral caused by Hurricane Ian
Cost of Project: DesignN/A Construction: \$350,000
COMPANY NAME: Hardesty & Hanover, LLC
SIGNATURE:
Stephan Heimburg, PE, Principal
THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL


ATTACHMENT 4 REFERENCE AND PERFORMANCE QUESTIONAIRRE VERIFICATION FORM

RFP 2024-14 Professional Engineering Services – Continuing Services for City of North Port
It is the intent of the City of North Port to request proposals from experienced and qualified firms for professional engineering services for the City of North Port.

1. Contractor Information (Proposer information)
FIRM NAME: Hardesty & Hanover, LLC
ADDRESS: 950 Tamiami Trail, Unit 104, Port Charlotte, FL 33953
Telephone number#: 941.979.5476
E-mail: snappi@hardestyhanover.com
Point of Contact Steven Nappi, PEContact Phone Number 239.229.5853
2. Worked Performed as X Prime Sub Contractor Joint Venture Other (Explain) Percent of project work performed 75 % If Subcontractor, who was the prime (Name/Phone #) N/A
3. CONTACT INFORMATION
Contract Number: Billable
Contract Type: Firm Fixed PriceCost ReimbursementXOther (please specify): Rates
Contract Title: Gasparilla Island Swing Span Bridge and Miscellaneous Professional Services Contract
Contract Location: Charlotte County, FL
Award Date (mm/dd/yy)05/01/2022
Actual Completion Date: Ongoing
Original Contract Price (Award Amount): No limit
Final Contract Price (to include all modifications, if applicable): Tasks To Date total \$24k
Explain the Difference:

	DJECT DESCRIPTION: Complexity of Work X HIGH X MED X ROUTINE v is this project relevant to project submission?	
THE STREET STREET, STR	scellaneous service contract. Some tasks include: on-call assignments for bridge issues, new pections, annual inspection report reviews, auxiliary jacking system design, and coating ana	
5. CLIE	NT INFORMATION Kathy Banson Title: Executive Director	
	of Entity: Gasparilla Island Bridge Authority	
Phone	Number: 941.697.2271 X2	
	PERFORMANCE EVALUATION	(CHECK) "YES" OR "NO"
1.	Was the scope of work performed similar in nature?	YES OR NO
2.	Did this company have the proper resources and personnel by which to get the job done? If no, please describe:	YES OR NO
2		
3.	Were any problems encountered with the company's work performance? If yes, please describe:	YES OR NO
4.	How long did the company/individual work for you?	Years: Months:
5.	On a scale of 1 to 10, 10 being best, how would you rate the overall work performance, considering professionalism; final product; personnel; resources. Rate from 1 to 10. (10 being highest)	10
6.	If the opportunity were to present itself, would you rehire this company? If no, please state why:	L YES OR NO
7.	Date Questionnaire completed	(mm/dd/yy) 2/23/24
addition	provide any additional comments pertinent to this company and the work performed for you halpages): Protresional with tremendous Knowledge of the Comes with my highest recommendations	

8.



INSTRUCTIONS:

PROPOSER WILL SEND THIS FORM TO EACH REFERENCED CLIENT LISTED ON ATTACHMENT 3. THE CLIENT IS TO COMPLETE THIS FORM AND RETURN DIRECTLY BACK TO THE PROPOSER. THE PROPOSER WILL SUBMIT THE COMPLETED FORM WITH THEIR PROPOSAL. IT IS THE PROPOSER'S RESPONSIBILITY TO OBTAIN AND SUBMIT ALL COMPLETED FORMS WITH THEIR PROPOSAL PACKAGE.

IF THERE ARE UNFORESEEN CIRCUMSTANCES AND THE CLIENT CANNOT RETURN COMPLETED FORM DIRECTLY TO THE PROPOSER, COMPLETED FORMS MAY BE DIRECTLY SUBMITTED TO: purchasing@northportfl.gov REFERENCING THE RFP #: 2024-14.

THE CITY RESERVES THE RIGHT TO VERIFY ANY AND ALL INFORMATION ON THIS FORM.

NOTE: IF COMPLETED REFERENCES ARE NOT RETURNED TO PURCHASING, IT MAY AFFECT THE EVALUATION RATING.

ATTACHMENT 4 REFERENCE AND PERFORMANCE QUESTIONAIRRE VERIFICATION FORM

RFP 2024-14 Professional Engineering Services – Continuing Services for City of North Port
It is the intent of the City of North Port to request proposals from experienced and qualified firms for professional engineering services for the City of North Port.

1. Contractor Information (Proposer information)					
FIRM NAME: Hardesty & Hanover, LLC					
ADDRESS: 950 Tamiami Trail, Unit 104, Port Charlotte, FL 33953					
Telephone number#: 941.979.5476					
E-mail: snappi@hardestyhanover.com					
Point of Contact Steven Nappi, PE Contact Phone Number 239.229.5853					
2. Worked Performed as X Prime Sub Contractor Joint Venture Other (Explain) Percent of project work performed 75 % If Subcontractor, who was the prime (Name/Phone #) N/A					
3. CONTACT INFORMATION					
Contract Number: 21-7880 Billable					
Contract Type: Firm Fixed PriceCost ReimbursementXOther (please specify): Rates					
Contract Title: Golden Gate Parkway Bridge over Santa Barbara Canal					
Contract Location: Collier County, FL					
Award Date (mm/dd/yy)					
Actual Completion Date: 1/2024					
Original Contract Price (Award Amount): \$456,008.52					
Final Contract Price (to include all modifications, if applicable): Ongoing					
Explain the Difference:					

traf	placement bridge comprised of two 12-foot-wide traffic lanes and one sidewalk in each direct friction for the median and between the roadway and sidewalks. NT INFORMATION	etion, with a concrete
Name:	Matthew Thomas, PE Title: Project Manager	
	of Entity: Collier County Number: 239-348-1328 E-Mail: Matthew.Thomas@colliercoun	tyfl gov
rnone	Number: 255-546-1526 E-Wall: Matthew. Montage Collected and	tym.gov
	PERFORMANCE EVALUATION	(CHECK) "YES" OR "NO
1.	Was the scope of work performed similar in nature?	X YES OR NO
2.	Did this company have the proper resources and personnel by which to get the job done? If no, please describe:	X YES OR NO
3.	Were any problems encountered with the company's work performance? If yes, please describe:	YES OR X
4.	How long did the company/individual work for you?	Years: 2
		Months:
5.	On a scale of 1 to 10, 10 being best, how would you rate the overall work performance, considering professionalism; final product; personnel; resources. Rate from 1 to 10. (10 being highest)	10
6.	If the opportunity were to present itself, would you rehire this company? If no, please state why:	X YES OR NO
	Date Questionnaire completed	(mm/dd/yy) 02/26/24

CITY OF NORTH PORT REQUEST FOR PROPOSAL NO. 2024-14 PROFESSIONAL ENGNEERING SERVICES - CONTINUING SERVICES CONTRACTS FOR CITY OF NORTH PORT

ThomasMatthew Circle sport by ThomasMatther Die Studiese Transactions of age, ON-ThomasMatther Die Studiese Transactions and Collection Engineering ON-CHO Transportation Engineering ON-CHO Transportation and Expense (ON-CHO CHO Transportation and Chock ON-CHO CHO CHO CHO CHO CHO CHO CHO CHO CHO	-	
ignature	_	

INSTRUCTIONS:

PROPOSER WILL SEND THIS FORM TO EACH REFERENCED CLIENT LISTED ON ATTACHMENT 3. THE CLIENT IS TO COMPLETE THIS FORM AND RETURN DIRECTLY BACK TO THE PROPOSER. THE PROPOSER WILL SUBMIT THE COMPLETED FORM WITH THEIR PROPOSAL. IT IS THE PROPOSER'S RESPONSIBILITY TO OBTAIN AND SUBMIT ALL COMPLETED FORMS WITH THEIR PROPOSAL PACKAGE.

IF THERE ARE UNFORESEEN CIRCUMSTANCES AND THE CLIENT CANNOT RETURN COMPLETED FORM DIRECTLY TO THE PROPOSER, COMPLETED FORMS MAY BE DIRECTLY SUBMITTED TO: purchasing@northportfl.gov REFERENCING THE RFP #: 2024-14.

THE CITY RESERVES THE RIGHT TO VERIFY ANY AND ALL INFORMATION ON THIS FORM.

NOTE: IF COMPLETED REFERENCES ARE NOT RETURNED TO PURCHASING, IT MAY AFFECT THE EVALUATION RATING.

ATTACHMENT 4 REFERENCE AND PERFORMANCE QUESTIONAIRRE VERIFICATION FORM

RFP 2024-14 Professional Engineering Services – Continuing Services for City of North Port
It is the intent of the City of North Port to request proposals from experienced and qualified firms for professional engineering services for the City of North Port.

1. Contractor Information (Proposer information)
FIRM NAME: Hardesty & Hanover, LLC
ADDRESS: 950 Tamiami Trail, Unit 104, Port Charlotte, FL 33953
Telephone number#: 941.979.5476
E-mail: snappi@hardestyhanover.com
Point of Contact Steven Nappi, PE Contact Phone Number 239.229.5853
2. Worked Performed as X Prime Sub Contractor Joint Venture Other (Explain)
Percent of project work performed%
If Subcontractor, who was the prime (Name/Phone #) N/A
3. CONTACT INFORMATION
Contract Number:
Billable Contract Type: Firm Fixed Price Cost ReimbursementXOther (please specify): Rates
Contract Type: Firm Fixed PriceCost Reimbursement Other (please specify): Nates
Contract Title:
Harlem Community Sidewalks LAP
Contract Location:
Hendry County, FL
05/43/3033
Award Date (mm/dd/yy)06/13/2023
Actual Completion Date: 01/2024
Original Contract Price (Award Amount): \$95,390.40
Final Contract Price (to include all modifications, if applicable): Ongoing
Explain the Difference:

	nstruction installation, sign installations, sodding, and thermoplastic painted pavement mark	85.
	INT INFORMATION Title: Project Manager	
Name	of Entity: Hendry County	
Phone	Number: 863.612.4726 E-Mail: Jorge.Hernandez@hendryfla.n	et
	PERFORMANCE EVALUATION	(CHECK) "YES" OR "NO"
1.	Was the scope of work performed similar in nature?	YES OR NO
2.	Did this company have the proper resources and personnel by which to get the job done? If no, please describe:	YES OR NO
2		
3.	Were any problems encountered with the company's work performance? If yes, please describe:	YES OR MO
4.	How long did the company/individual work for you?	Years:
5.	On a scale of 1 to 10, 10 being best, how would you rate the overall work performance, considering professionalism; final product; personnel; resources. Rate from 1 to 10. (10 being highest)	10
6.	If the opportunity were to present itself, would you rehire this company? If no, please state why:	YES OR NO
7.	Date Questionnaire completed	(mm/dd/yy) 2/26/24

Page 48 of 120

future projects. I strongly	recommend	them for the	City of	North	Bort
fiture projects. I strongly Centing Services contract.			1		
J					
0 01					
Jord Deman					
Signature/					

INSTRUCTIONS:

PROPOSER WILL SEND THIS FORM TO EACH REFERENCED CLIENT LISTED ON ATTACHMENT 3. THE CLIENT IS TO COMPLETE THIS FORM AND RETURN DIRECTLY BACK TO THE PROPOSER. THE PROPOSER WILL SUBMIT THE COMPLETED FORM WITH THEIR PROPOSAL. IT IS THE PROPOSER'S RESPONSIBILITY TO OBTAIN AND SUBMIT ALL COMPLETED FORMS WITH THEIR PROPOSAL PACKAGE.

IF THERE ARE UNFORESEEN CIRCUMSTANCES AND THE CLIENT CANNOT RETURN COMPLETED FORM DIRECTLY TO THE PROPOSER, COMPLETED FORMS MAY BE DIRECTLY SUBMITTED TO: purchasing@northportfl.gov REFERENCING THE RFP #: 2024-14.

THE CITY RESERVES THE RIGHT TO VERIFY ANY AND ALL INFORMATION ON THIS FORM.

NOTE: IF COMPLETED REFERENCES ARE NOT RETURNED TO PURCHASING, IT MAY AFFECT THE EVALUATION RATING.

ATTACHMENT 4 REFERENCE AND PERFORMANCE QUESTIONAIRRE VERIFICATION FORM

RFP 2024-14 Professional Engineering Services – Continuing Services for City of North Port
It is the intent of the City of North Port to request proposals from experienced and qualified firms for professional engineering services for the City of North Port.

1. Contractor Information (Proposer information)
FIRM NAME: Hardesty & Hanover, LLC
ADDRESS: 950 Tamiami Trail, Unit 104, Port Charlotte, FL 33953
Telephone number#: 941.979.5476
E-mail: snappi@hardestyhanover.com
Point of Contact Steven Nappi, PE Contact Phone Number 239.229.5853
2. Worked Performed as X Prime Sub Contractor Joint Venture Other (Explain) Percent of project work performed 100 % If Subcontractor, who was the prime (Name/Phone #) N/A
3. CONTACT INFORMATION
Contract Number: Billable
Contract Type: Firm Fixed PriceCost ReimbursementXOther (please specify): Rates
Contract Title: Lee County County Wide Signal Damage Assessment
Contract Location: Lee County, FL
Award Date (mm/dd/yy)10/10/2022
Actual Completion Date: 05/05/2023
Original Contract Price (Award Amount): \$350,000.00
Final Contract Price (to include all modifications, if applicable): \$88,105.80
Explain the Difference:

4.PROJECT DESCRIPTION: Complexity of WorkHIGHX MEDROUTINE				
	How is this project relevant to project submission?			
	Assessed damages of 66 County signalized intersections in Cape Coral caused by Hurricane Ian. With only days notice, our team mobilized and efficiently documented over \$2.5 million in damages.			
	NT INFORMATION Mike Padgett Title: Project Manager			
Name	of Entity: Lee County			
Phone	Number: 239.707.9402 E-Mail: mpadgett@leegov.com			
		(CHECK)		
	PERFORMANCE EVALUATION	"YES" OR "NO"		
1.	Was the scope of work performed similar in nature?	X YES OR NO		
2.	Did this company have the proper resources and personnel by which to get the job	X YES OR NO		
	done?			
	If no, please describe:			
3.	Were any problems encountered with the company's work performance? If yes, please describe:	YES OR X NO		
4.	How long did the company/individual work for you?	Years:		
	On a scale of 1 to 10, 10 hairs heat have visually so mate the averall work means	Months: 10		
5.	On a scale of 1 to 10, 10 being best, how would you rate the overall work performance, considering professionalism; final product; personnel; resources. Rate from 1 to 10. (10	10		
	being highest)			
6.	If the opportunity were to present itself, would you rehire this company?	X YES OR NO		
	If no, please state why:			
7.	Date Questionnaire completed	(mm/dd/yy)		
		02/26/2024		
Dleace =	ravide any additional comments partinent to this company and the work parformed for we	u (vou may uso		
Please provide any additional comments pertinent to this company and the work performed for you (you may use additional pages): H & H's work is on point with the costumer best interests in mind. They are very thorough and				
	make sure the job is built to the agencies standards.			

8.

CITY OF NORTH PORT REQUEST FOR PROPOSAL NO. 2024-14 PROFESSIONAL ENGNEERING SERVICES - CONTINUING SERVICES CONTRACTS FOR CITY OF NORTH PORT

	_
	
Digitally signed by Michael Padgett	
Michael Padgett Digitally signed by Michael Padgett Digitally sig	
Signature	

INSTRUCTIONS:

PROPOSER WILL SEND THIS FORM TO EACH REFERENCED CLIENT LISTED ON ATTACHMENT 3. THE CLIENT IS TO COMPLETE THIS FORM AND RETURN DIRECTLY BACK TO THE PROPOSER. THE PROPOSER WILL SUBMIT THE COMPLETED FORM WITH THEIR PROPOSAL. IT IS THE PROPOSER'S RESPONSIBILITY TO OBTAIN AND SUBMIT ALL COMPLETED FORMS WITH THEIR PROPOSAL PACKAGE.

IF THERE ARE UNFORESEEN CIRCUMSTANCES AND THE CLIENT CANNOT RETURN COMPLETED FORM DIRECTLY TO THE PROPOSER, COMPLETED FORMS MAY BE DIRECTLY SUBMITTED TO: purchasing@northportfl.gov REFERENCING THE RFP #: 2024-14.

THE CITY RESERVES THE RIGHT TO VERIFY ANY AND ALL INFORMATION ON THIS FORM.

NOTE: IF COMPLETED REFERENCES ARE NOT RETURNED TO PURCHASING, IT MAY AFFECT THE EVALUATION RATING.

ATTACHMENT 4 REFERENCE AND PERFORMANCE QUESTIONAIRRE VERIFICATION FORM

RFP 2024-14 Professional Engineering Services – Continuing Services for City of North Port
It is the intent of the City of North Port to request proposals from experienced and qualified firms for professional engineering services for the City of North Port.

1. Contractor Information (Proposer information)
FIRM NAME: Hardesty & Hanover, LLC
ADDRESS: 950 Tamiami Trail, Unit 104, Port Charlotte, FL 33953
Telephone number#: 941.979.5476
E-mail: snappi@hardestyhanover.com
Point of Contact Steven Nappi, PE Contact Phone Number 239.229.5853
2. Worked Performed as X Prime Sub Contractor Joint Venture Other (Explain) Percent of project work performed Name/Phone #) N/A If Subcontractor, who was the prime (Name/Phone #) N/A
3. CONTACT INFORMATION
Contract Number: 9234 Billable
Contract Type: Firm Fixed PriceCost ReimbursementXOther (please specify): Rates
Contract Title: Sidewalk Replacement in Miscellaneous Communities throughout Lee County
Contract Location: Lee County, FL
Award Date (mm/dd/yy)07/08/2023
Actual Completion Date: Ongoing
Original Contract Price (Award Amount): 185,779.61
Final Contract Price (to include all modifications, if applicable): Ongoing
Explain the Difference:

4 000	NECT DESCRIPTION: Complexity of More. LUCIL X MED. DOUTING	
	DJECT DESCRIPTION: Complexity of WorkHIGHX MEDROUTINE v is this project relevant to project submission?	
Side	ewalk replacement and ditch cleaning throughout Lee County	
	NT INFORMATION Project Manager	
	Avelino Cancel Title: Project Manager	
	of Entity: Lee County DOT Operations Number: 239.533.9416	
Pnone	Number: 239.533.9416 E-Mail: acancel@leegov.com	
		(CHECK)
	PERFORMANCE EVALUATION	"YES" OR "NO"
1.	Was the scope of work performed similar in nature?	X YES OR ☐ NO
	Did this same your have the present recovered as recovered by which to get the int	NAVEC OD NO
2.	Did this company have the proper resources and personnel by which to get the job done?	YES OR NO
	If no, please describe:	
	in no, piedse describe.	
3.	Were any problems encountered with the company's work performance?	YES OR NO
	If yes, please describe:	
4.	How long did the company/individual work for you?	Years:1
		Months: 6
5.	On a scale of 1 to 10, 10 being best, how would you rate the overall work performance,	9
	considering professionalism; final product; personnel; resources. Rate from 1 to 10. (10 being highest)	
6.		YES OR NO
0.	If no, please state why:	
7.		(mm/dd/yy)
/.	Date Questionium e completed	02/26/2024
Please p	provide any additional comments pertinent to this company and the work performed for yo	u (you may use
addition	nal pages):	
		·

8.

CITY OF NORTH PORT REQUEST FOR PROPOSAL NO. 2024-14 PROFESSIONAL ENGNEERING SERVICES - CONTINUING SERVICES CONTRACTS FOR CITY OF NORTH PORT

Avelino Digitally signed by Avelino Cancel Date: 2024,02.26 15:00:52 -05'00'		
Canada		

Signature

INSTRUCTIONS:

PROPOSER WILL SEND THIS FORM TO EACH REFERENCED CLIENT LISTED ON ATTACHMENT 3. THE CLIENT IS TO COMPLETE THIS FORM AND RETURN DIRECTLY BACK TO THE PROPOSER. THE PROPOSER WILL SUBMIT THE COMPLETED FORM WITH THEIR PROPOSAL. IT IS THE PROPOSER'S RESPONSIBILITY TO OBTAIN AND SUBMIT ALL COMPLETED FORMS WITH THEIR PROPOSAL PACKAGE.

IF THERE ARE UNFORESEEN CIRCUMSTANCES AND THE CLIENT CANNOT RETURN COMPLETED FORM DIRECTLY TO THE PROPOSER, COMPLETED FORMS MAY BE DIRECTLY SUBMITTED TO: purchasing@northportfl.gov REFERENCING THE RFP #: 2024-14.

THE CITY RESERVES THE RIGHT TO VERIFY ANY AND ALL INFORMATION ON THIS FORM.

NOTE: IF COMPLETED REFERENCES ARE NOT RETURNED TO PURCHASING, IT MAY AFFECT THE EVALUATION RATING.





Professional Engineering Services Continuing Services Contracts RFP No. 2024-14

Tab 7

Litigation and Insurance

TAB 7: LITIGATION AND INSURANCE

LITIGATION

H&H does not have litigation to show within the last five years.

INSURANCE

-		_						
	t#: 23947:	_	II ITV INOI	HARD		Г	DATE (M	M/DD/YYYY)
ACORD. CERT	IFICA	TE OF LIAB	ILITY INSU	JRANG			12/22	2/2022
THIS CERTIFICATE IS ISSUED AS A M CERTIFICATE DOES NOT AFFIRMATI BELOW. THIS CERTIFICATE OF INSUI REPRESENTATIVE OR PRODUCER, A IMPORTANT: If the certificate holder is SUBROGATION IS WAIVED, subject	VELY OR N RANCE DO ND THE CI an ADDIT to the tern	IEGATIVELY AMEND, EX DES NOT CONSTITUTE A ERTIFICATE HOLDER. TONAL INSURED, the points and conditions of the	TEND OR ALTER TO CONTRACT BETWO licy(ies) must have policy, certain policy	HE COVERA EEN THE ISS ADDITIONAL Sies may requ	GE AFFORDED JUING INSUREF INSURED pro	BY THE R(S), AUT	POLIC HORIZ	IES ED idorsed.
this certificate does not confer any rig	hts to the	certificate holder in lieu c						
Edgewood Partners Ins. Center			PHONE (A/C, No, Ext): 770-22			FAX		
3780 Mansell Rd. Suite 370			E-MAIL ADDRESS: jerry.no		ing.com	(A/C, No):		
Alpharetta, GA 30022			ADDRESS: JOHY.HO		FORDING COVERA	ae		NAIC #
			INSURER A : Evansto			-		35378
INSURED III.			INSURER B :					
Hardesty & Hanover, LLC			INSURER C:					
1501 Broadway New York, NY 10036			INSURER D :					
100 1018, 111 10000			INSURER E :					
			INSURER F:					
COVERAGES CERTIFY THAT THE POLICIE		NUMBER: 223-24	VE BEEN ISSUED TO		REVISION NUM		DOLLC	V DEBIOD
INDICATED. NOTWITHSTANDING ANY RE CERTIFICATE MAY BE ISSUED OR MAY EXCLUSIONS AND CONDITIONS OF SUC	QUIREMEN PERTAIN, 1	T, TERM OR CONDITION OF	F ANY CONTRACT OF BY THE POLICIES	R OTHER DO	CUMENT WITH F HEREIN IS SUBJ	RESPECT	то wh	ICH THIS
INSR LTR TYPE OF INSURANCE	ADDL SUBR	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)		LIMIT	8	
COMMERCIAL GENERAL LIABILITY					EACH OCCURREN		\$	
CLAIMS-MADE OCCUR					PAMAGE TO RENT	ED urrence)	\$	
					MED EXP (Any one		\$	
					PERSONAL & ADV		\$	
GENL AGGREGATE LIMIT APPLIES PER:					GENERAL AGGRE		\$	
POLICY JECT LOC OTHER:					PRODUCTS - COM	P/OP AGG	\$	
AUTOMOBILE LIABILITY					COMBINED SINGLE	ELIMIT		
ANY AUTO					BODILY INJURY (P	er person)	\$	
OWNED SCHEDULED AUTOS ONLY					BODILY INJURY (P		\$	
HIRED NON-OWNED AUTOS ONLY					PROPERTY DAMA((Per accident)	3E	Ş	
							\$	
UMBRELLA LIAB OCCUR					EACH OCCURREN	CE	\$	
EXCESS LIAB CLAIMS-MADE	4				AGGREGATE		\$	
DED RETENTION \$ WORKERS COMPENSATION					PER	отн-	\$	
AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE Y / N					E.L. EACH ACCIDE	ER	_	
OFFICERIMEMBER EXCLUDED?	N/A				E.L. DISEASE - EA			
If yes, describe under DESCRIPTION OF OPERATIONS below					E.L. DISEASE - PO		5	
A Professional/		MKLV7PL0005646	01/01/2023	01/01/2024	Per Claim \$		0	
Pollution Liab.					Aggregate \$ Deductible \$			
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)								
CERTIFICATE HOLDER			CANCELLATION					
To Whom It May Concern SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.								



© 1988-2015 ACORD CORPORATION. All rights reserved.

TAB 7: LITIGATION AND INSURANCE

Client#: 25393 HARDHANO

ACORD. CERTIFICATE OF LIABILITY INSURANCE

7/25/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer any rights to the certificate holder in lieu of such endorsement(s).

this certificate does not confer any rights to the certificate holder in field	of such endorsement(s).				
PRODUCER	NAME: Jerry Noyola				
Greyling Ins. Brokerage/EPIC	(A/C, No, Ext): //U-ZZU-/099	FAX (A/C, No):			
3780 Mansell Road, Suite 370	E-MAIL ADDRESS: jerry.noyola@greyling.com				
Alpharetta, GA 30022	INSURER(8) AFFORDING COVERAG	E NAIC	: #		
	INSURER A: National Union Fire Ins Co of PA	19445			
INSURED III.	INSURER B: Aspen American Insurance Company 43460				
Hardesty & Hanover, LLC	INSURER C: New Hampshire Ins. Co.	23841			
1501 Broadway	INSURER D: Zurich American Insurance Co	16535			
New York, NY 10036	INSURER E :				
	INSURER F:				

COVERAGES CERTIFICATE NUMBER: 23-24 REVISION NUMBER:


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

	CLUSIONS AND CONDITIONS OF SUCH						MS.	
INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	(MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	8
Α	X COMMERCIAL GENERAL LIABILITY	Х	Х	GL9566090	08/01/2023	08/01/2024	EACH OCCURRENCE	\$ 2,000,000
	CLAIMS-MADE X OCCUR						PAMAGE TO RENTED PREMISES (Ea occurrence)	\$500,000
	X Contractual Liab.						MED EXP (Any one person)	\$ 25,000
							PERSONAL & ADV INJURY	\$2,000,000
	GENL AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	\$4,000,000
	POLICY X PRO- JECT X LOC						PRODUCTS - COMP/OP AGG	\$4,000,000
	OTHER:							\$
Α	AUTOMOBILE LIABILITY	Х	Х	CA5425480	08/01/2023	08/01/2024	COMBINED SINGLE LIMIT (Ea accident)	\$ 2,000,000
	X ANY AUTO						BODILY INJURY (Per person)	\$
	OWNED SCHEDULED AUTOS ONLY						BODILY INJURY (Per accident)	5
	X HIRED AUTOS ONLY X NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	
								\$
В	UMBRELLA LIAB X OCCUR	Х	Х	CX009N723	08/01/2023	08/01/2024	EACH OCCURRENCE	s 10,000,000
	X EXCESS LIAB CLAIMS MADE						AGGREGATE	\$10,000,000
	DED X RETENTION \$0							\$
С	WORKERS COMPENSATION		Х	WC043172130	08/01/2023	08/01/2024	X PER OTH- STATUTE ER	
	ANY PROPRIETOR/PARTNER/EXECUTIVE N	N/A					E.L. EACH ACCIDENT	\$1,000,000
	(Mandatory In NH)						E.L. DISEASE - EA EMPLOYEE	\$1,000,000
\perp	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - POLICY LIMIT	\$1,000,000
D	Valuable Papers			CPP943349014	08/01/2023	08/01/2024	Limit \$1,000,000	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER	CANCELLATION
To Whom It May Concern	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE
	DAN. Colling

© 1988-2015 ACORD CORPORATION. All rights reserved.



The ACORD name and logo are registered marks of ACORD

JNOY1







Professional Engineering Services

Continuing Services Contracts

RFP No. 2024-14

Tab 8

Additional Information

H. ADDITIONAL INFORMATION

H&H is a full-service infrastructure engineering firm with more than 137 years of experience steeped in solving complex engineering challenges. Numerous DOTs count on us when innovative design and intricate engineering solutions are required. Our specialty lies in the ability to manage the entire life cycle of engineering services and support. We employ teams of superior engineers that bring a forward-thinking approach using the world's latest project management, design, and support innovations. As a result, projects are brought in on time, on budget, and are engineered to the highest standards in design, durability, safety, and aesthetic value.

CONTINUED SUCCESS IN MANAGING TASK-BASED, ON-CALL ENGINEERING:

- ➡ H&H recognizes "on-call" retainer contracts require a heightened state of readiness that is different from typical single project contracts. All our team members and key staff have extensive experience working on miscellaneous-type contract; we are prepared and ready to serve you whenever you need us.
- ⇒ H&H staff has successfully managed transportation engineering and CEI task order contracts and earned repeat business with many state, regional, and local clients.
- Extensive experience with task order transportation contracts reduces risk and provides confidence.

SUPERIOR TECHNICAL BRIDGE, ROADWAY, AND CONSTRUCTION EXPERTISE:

- ⇒ H&H offers comprehensive bridge, highway, and CEI engineering experience.
- □ In-depth understanding and proven experience with the many complexities and constraints involving safety and inspection and design of bridge and structure rehabilitation, repair, and replacement projects.
- ➡ H&H has a history of developing cost-effective and innovative repair concepts and designs for bridges throughout the US. We have extended the service life of hundreds of bridges.

Proven And In-Depth Knowledge of FDOT Policies And Procedures:

Many team members have spent the majority of their careers working on transportation projects. We have a complete understanding of FDOT's processes and procedures making state acceptance easy.

Exceptional Delivery Of Services:

- Our responsiveness and efficient approach to completing bridge design, highway design, structural design, inspection and load rating, traffic management and safety, hydraulics and drainage, and geotechnical services is proven by our team's track record in delivery and performance.
- ➡ H&H has a full staff of bridge structural, mechanical, and electrical engineers located in our Florida offices. In addition, as a national leader in bridge design services, H&H has several offices that include structural, mechanical, and electrical engineers that will provide support for this on-call project and in-house independent peer reviews as required.

Project Management

Management is the allocation of resources to complete the project on time, within budget, with the quality expected by the City of North Port. These three elements must be defined to provide the resources to deliver the required services. Our team's management approach for this contract involves assigning a single Project Manager with a multidisciplinary team of technical task leaders responsible for their respective portions of the project. H&H will ensure accountability using an experienced Project Manager, active coordination, and a Quality Management Plan (QMP).

Coordination

Proper coordination is essential to project success and will result in consistent plans with approved documentation, deadline compliance, and a quality final product. Throughout the duration of the project, internal team meetings will be held to confirm design approaches and schedules.

Upon assignment of a task, coordination with the City will begin by holding a kickoff meeting with the City's Project Manager, Steve, and the respective task leader. To maintain a central point of contact and control all project activities, Steve will be the lead contact for under this contract work.

To communicate this information to our team, Steve will prepare a **Project Execution Plan** (PEP) specifically tailored for the City of North Port.

Quality Management Plan (QMP)

The objective of the QMP is to provide tools to our project teams so that our professional services are performed and delivered in accordance with applicable industry standards of care and to the satisfaction of project scope requirements while remaining within the allocated schedule and budget.

The Quality Management Plan consists of six elements in addition to this document which has been developed to describe the framework of the QMP for all employees of H&H or our subconsultant partners. Each section of the QMP is intended to be a standalone document describing recommended practices for the key participants in the QMP at the project and administration levels.

A project-specific Quality Management Plan includes the H&H Quality Assurance Plan and the H&H Quality Control Plan. A Project Specific Quality Management Plan front end includes:

- 1 Contract Requirements

 2 Prime Consultant or Design Builder Requirements

 3 Project Specific Engineering Oversight Practices

 4 H&H Quality Assurance Plan

 5 H&H Quality Control Plan

 6 H&H Design Policies
- Project Summary (scope, schedule, list of key personnel)
- Project Deliverables
- Witness Points or other project reviews to be performed
- Project Specific Procedures, if applicable (unique contract requirements, specific stamps, check lists, etc.)

Project-specific Quality Management Plans, once approved by the firm and the client, are unique to the project.

Quality Control Plan

Quality Control is a series of activities, actions and procedures routinely undertaken to ensure that our services and their representative work products are produced to the requisite standard of care and in accordance with the defined technical philosophy of the firm.

The plan defines procedures for quality control which minimize errors, discrepancies, and omissions in H&H's work products. Furthermore, such procedures are intended to produce concise, delineated records of the in-house quality control process. The intent is for each work product to be thoroughly reviewed in detail by someone in addition to the review by the Originator/Producer who prepared that work product for conformity with generally accepted design and engineering practice.

Process by Document Type/Class

A detailed quality control process will be used for each submitted document. Prior to initiation of the quality control process the PM/PE shall review and coordinate with the Originator/Producer the appropriate level of detail and information for a given document type or class and level of development. Document types/class may include:

H&H QC DOCUMENT	PHASE or FINAL			
PROCESS	INITIALS	DATE		
READY FOR CHECKING				
CHECKED CORRECT (YELLOW) CHANGE (RED)				
BACK CHECKED (GREEN)				
CORRECTED (BLUE HIGHLIGHTER)				
VERIFIED (ORANGE HIGHLIGHTER)				

- Design Plans
- Calculations
- Reports
- Specifications

Once the Originator/Producer and PM have agreed that a document contains the appropriate level of detail and information required at the phase submission or is substantially complete and ready for checking, a check print will be prepared, and the PM will assign it to the Checker. Each check print shall bear a red quality control stamp with the originator/producer's initials and date in the "Ready for Checking" boxes. The check print shall be designated as final or for a specific phase submittal.

I. AUTHORIZED REPRESENTATIVE The foregoing is a statement of facts.	
31. SIGNATURE	32. DATE
Styl Hand	March 1, 2024
33. NAME AND TITLE	_

Stephan Heimburg, PE, Principal





Professional Engineering Services

Continuing Services Contracts

RFP No. 2024-14

Tab 9

Required Forms

ATTACHMENT 1 PROPOSAL SUBMITTAL SIGNATURE FORM

The undersigned attests to his/her authority to submit this proposal and to bind the firm herein named to perform as per Agreement if the firm is awarded the Agreement by the City.

The undersigned further certifies that he/she has read the Request for Proposal, Terms and Conditions, Insurance Requirements and any other documentation relating to this request and this proposal is submitted with full knowledge and understanding of the requirements and time constraints noted herein.

As addenda are considered binding as if contained in the original specifications, it is critical that the firm acknowledge receipt of same. The submittal may be considered void if receipt of an addendum is not acknowledged.

Addendum No. 2 Addendum No. 3	_ Dated _2/9/24 Addendum No	Dated 2/16/24 Dated 2/26/24 Dated	
Company Name_Hardes	sty & Hanover, LLC		
212.944.1150	ny@harestyhanover.com	212.391.0297	
Telephone #	E-Mail	Fax #	
1501 Broadway, Suite 6	01		
Main Office Address			
New York	NY	10036	
City	State	Zip Code	
Address of Office Service 5110 Eisenhower Boule	ing City of North Port, if different than abovered, Suite 310	ove: SAME AS ABOVE	
Office Address			
Tampa	FL	33614	
City	State	Zip Code	
813.749.0823	snappi@hardestyhanover.com	N/A	
Telephone #	E-mail	Fax #	
Stephan Heimburg, PE,	Principal		
Name & Title of Firm Re	epresentative	3/1/2024	
Signature		• •	

Do	vou	accept	: Visa?	П	YES	х	NO

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

ATTACHMENT 2 STATEMENT OF ORGANIZATION

(Information Sheet for Transactions and Conveyances Corporation Identification)

The following information will be provided to the City of North Port for incorporation in legal documents. It is, therefore, vital all information is accurate and complete. Please be certain all spelling, and capitalization is exactly as registered with the state or federal government.

•				
Name of Respondent:Hardesty & Hanover, LLC				
DBA (if any):				
Type of Entity (Sole Proprietor, Corporation, LLC, LLP, P	artnership, etc):	Limited	d Liability Company	
Business Address: 5110 Eisenhower Boulevard, Suite 3	310, Tampa, FL 3	3634		
Phone: 813.749.0823	Fax: N/A			
E-Mail_snappi@hardestyhanover.com				
Print Name and Title of person authorized to bind: <u>Ste</u>	ephan Heimburg	, PE, Pri	ncipal	_
Federal Identification Number: 45-3031954				
Signature:				
Signature.				*
Respondent shall submit proof that it is authorized to do	business in the	State of	Florida unless registration	n is not required
,	(Please Che	ck One)	
s this a Florida Corporation:	Yes	or	XNo	
f not a Florida Corporation,				
In what state was it created:	Delaware			
Name as spelled in that State:	Hardesty & Ha	nover, L	LC	
What kind of corporation is it:	X "For Profit"	or	"Not for Profit"	
s it in good standing:	XYes	or	□No	
Authorized to transact business n Florida:	XYes	or	□No	
State of Florida Department of State Certificate of Author	ority Document I	No.: <u>M</u> 1	1000005503	
Does it use a registered fictitious name:	Yes	or	XNo	

Page 43 of 120

TH	HIS PAGE MUST BE SUBMITTED WITH PROPOSAL	
Names of Officers: See attached she	et	
President:		
Vice President:	Treasurer:	
Director:	Director:	
Other:	Other:	
Name of Corporation (As used in Flo	rida):	
(Spelled exactly as it is	registered with the state or federal government)	
Corporate Address:		
Post Office Box: City, State Zip:		
Street Address:	1501 Broadway, Suite 601	
City, State, Zip:	New York, NY	
STATE OF Florida COUNTY OF Hillsborough		
Sworn to and subscribed before me is personally known to me or 🛛 has p	produced his/her driver's license as identification.	who □
SI WWW JP	Perez Public - State of Florida Public - State of Florida Print Name: Yolanda Perez Public Commission No: FF996774 GG971183 7/12/2024	

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

H&H Corporate Officers

Sean A. Bluni, PE Chief Executive Officer

Keith S. Griesing, PE Chief Technical Officer

Paul M. Skelton, PE Chief Development Officer

Anna Volynsky Chief Financial Officer

Glen Schetelich Principal

Brendan O'Shea, PE President Construction Services

H&H Florida Principals

Michael Sileno, PE Principal, South Florida District Manager

Stephan Heimburg, PE Principal, Highway Practice Lead

James Phillips, III, PE Principal, National Practice Leader for Bridge Design

Henri Sinson, PE Fort Lauderdale Office Manager

	ATT	ACHMEN	T	5	
DRUG	FRFF	WORKPI	Δ	CE	FORM

	DRUG FREE WORKPLACE FORM
The <u>Ha</u>	e undersigned Consultant in accordance with Florida Statute 287.087 hereby certifies that rdesty & Hanover, LLC does: (Company Name)
1.	Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.
2.	Inform employees about the dangers of drug abuse in the workplace, the business's policy of maintaining a drug free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.
3.	Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in subsection (1).
4.	In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of Chapter 893 or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.
5.	Impose a sanction on, or require the satisfactory participation in a drug abuse assistance or rehabilitation program if such is available in the employee's community, by any employee who is so convicted.
6.	Make a good faith effort to continue to maintain a drug free workplace through implementation of this section.
Che	eck one:
	As the person authorized to sign this statement, I certify that this firm complies fully with above requirements. As the person authorized to sign this statement, this firm does not comply fully with the above requirements. Offeror's Signature Stephan Heimburg, PE, Principal 3/1/2024

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

Date

ATTACHMENT 6 PUBLIC ENTITY CRIME INFORMATION

As provided by F.S. §287.133, a person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a Contractor, Supplier, Subcontractor, or Consultant under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list.

, being an authorized re	epresentative of the Respondent,
located at <u>5110 Eisenhowe</u>	r Boulevard, Suite 310
Zip Code: <u>33634</u>	, have read and understand
is not disqualified from replying	to this solicitation because of F.S.
Date: <u>3/1/2024</u>	
#: <u>N/A</u>	
	
arch , 2024 , by Stephnis/her driver's license as identifi	ication.
Print Name: Yolanda Perez	
	located at 5110 Eisenhowe Zip Code: 33634 is not disqualified from replying Date: 3/1/2024 #: N/A arch 2024 , by Stepl nis/her driver's license as identif

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

ATTACHMENT 7 NON-COLLUSIVE AFFIDAVIT
State of Florida SS.
County of Hillsborough
Before me, the undersigned authority, personally appeared: <u>Stephan Heimburg, PE</u> who, being first duly sworn, deposes and says that:
1. He/She is the Principal (Owner, Partner, Officer, Representative or Agent) of Hardesty & Hanover, LLC , the Respondent that has submitted the attached reply;
2. He/She is fully informed respecting the preparation and contents of the attached reply and of all pertinent circumstances respecting such reply;
3. Such reply is genuine and is not a collusive or sham reply;
4. Neither the said Respondent nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affiant, have in any way colluded, conspired, connived or agreed, directly or indirectly, with any other respondent, firm, or person to submit a collusive or sham reply in connection with the work for which the attached reply has been submitted; or have in any manner, directly or indirectly sought by agreement or collusion, or communication or conference with any respondent, firm, or person to fix the price or prices in the attached reply or of any other respondent, or to fix any overhead, profit, or cost elements of the reply price or the reply price of any other respondent, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against (Recipient), or any person interested in the reply work.
Signed, sealed and delivered this 1st day of March 200 24 By: Stephan Heimburg, PE (Printed Name) Principal
(Title)
STATE OF Florida COUNTY OF Hillsborough
Sworn to and subscribed before me this 1st day of March 2024, by Stephan Heimburg, PE who later than the state of the stat

ATTACHMENT 8 LOBBYING CERTIFICATION

"The undersigned hereby certifies, to the best of his or her knowledge and	belief, that":
STATE OF Florida	
COUNTY OF _Hillsborough	
This 1st day March of 2022 1	
	appointees or their agents or any other staff or outside designated Procurement Official Contact and to abide by ion. Technical questions directed to the project manager, collectively, regarding any questions for bid, proposal, grounds for immediate disqualification from the selection
 (a) No City appropriated funds have been paid or will be paid, by or on bel attempting to influence either directly or indirectly an officer or employed awarding of any City Contract. (b) If any funds other than City appropriated funds have been paid or will influence a member of City Commission or an officer or employee of the City complete and submit Standard Form-L "Disclosure Form to Report Lobbying 	be paid to any person for influencing or attempting to by in connection with this contract, the undersigned shall
Signed, sealed and delivered this	2022 27
Yolanda Perez NOTARY PUBLIC STATE OF FLORIDA Comm# GG971183 Expires 7/12/2024	Stephan Heimburg, PE (Printed Name) Principal (Title)
STATE OF Florida COUNTY OF Hillsborough Sworn to (or affirmed) and subscribed before me by means of X physical March 2022, by Stephan Heimburg, PE Notary Public – States	
Personally Known X OR Produced Identification Type of Identification Produced	Yolanda Perez FF996774

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

ATTACHMENT 9 CONFLICT OF INTEREST FORM

F.S. §112.313 places limitations on public officers (including advisory board members) and employees' ability to contract with the City either directly or indirectly. Therefore, please indicate if the following applies:

PART !	
	I am an employee, public officer or advisory board member of the City(List Position Or Board)
	I am the spouse or child of an employee, public officer or advisory board member of the City Name:
	An employee, public officer or advisory board member of the City, or their spouse or child, is an officer, partner, director, or proprietor of Respondent or has a material interest in Respondent. "Material interest" means direct or indirect ownership of more than 5 percent of the total assets or capital stock of any business entity. For the purposes of [§112.313], indirect ownership does not include ownership by a spouse or minor child. Name:
	Respondent employs or contracts with an employee, public officer or advisory board member of the City Name:
X	None Of The Above
PART II	l:
Are you	u going to request an advisory board member waiver?
	I will request an advisory board member waiver under §112.313(12)
	I will NOT request an advisory board member waiver under §112.313(12)
X	N/A
	ry shall review any relationships which may be prohibited under the Florida Ethics Code and will disqualify any is whose conflicts are not waived or exempt.
СОМРА	ANY: Hardesty & Hanover, LLC
SIGNAT	TURE: Stephan Heimburg, PE, Principal

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

ATTACHMENT 10

DISCLOSURE FORM FOR

CONSULTANT/ENGINEER/ARCHITECT

Please select (only) one of the following three options:
Our firm has no actual, potential, or reasonably perceived, financial* or other interest** in the outcome of the project.
☐ Our firm has a potential or reasonably perceived financial* or other interest** in the outcome of the project as described here:
Our firm proposes to mitigate the potential or perceived conflict according to the following plan:
Our firm has an actual financial* or other interest** in the outcome of the project as described here:
*What does "financial interest" mean?
If your firm, or employee of your firm working on the project (or a member of the employee's household), will/may be perceived to receive or lose private income depending on the government business choices based on your firm's findings and recommendations, this must be listed as a financial interest. An example would be ownership in physical assets affected by the government business choices related to this project. The possibility of contracting for further consulting services is not included in this definition and is not prohibited.
**What does "other interest" mean?
If your firm, or employee of your firm working on the project (or a member of the employee's household), will/may be perceived to have political, legal or any other interests that will affect what goes into your firm's findings and recommendations, or will be/may be perceived to be affected by the government business choices related to this project, this must be listed as another interest.
BUSINESS NAME: Hardesty & Hanover, LLC
NAME (PERSON AUTHORIZED TO BIND THE COMPANY):Stephan Heimburg, PE, Principal
SIGNATURE:
THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

Page 55 of 120

ATTACHMENT 11 SCRUTINIZED COMPANY CERTIFICATION FORM

Contractor Name: Hardesty & Hanover, LLC				
Authorized Representative Name and Title: S	tephan Heimburg, P	E, Principal		
Address: 5110 Eisenhower Blvd, Ste 310	City: <u>Tampa</u>	State:_	<u>FL 7</u>	ZIP: <u>33634</u>
Phone Number: 813.514.4504	Email Address:	sheimburg@gn	nail.com	
A company is ineligible to, and may not, bid o	on, submit a propos	al for, or enter ir	nto or re	new a Contract

A company is ineligible to, and may not, bid on, submit a proposal for, or enter into or renew a Contract with the City of North Port for goods or services of any amount if, at the time of bidding on, submitting a proposal for, or entering into or renewing such Contract, the company is on the Scrutinized Companies that Boycott Israel List, created pursuant to Florida Statutes, section 215.4725, or is engaged in a boycott of Israel.

A company is ineligible to, and may not, bid on, submit a proposal for, or enter into or renew a Contract with the City of North Port for goods or services of \$1 million or more if, at the time of bidding on, submitting a proposal for, or entering into or renewing such Contract, the company is on the Scrutinized Companies with Activities in Sudan List, the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, created pursuant to Florida Statutes, section 215.473, or with companies engaged in business operations in Cuba or Syria.

CHOOSE ONE OF THE FOLLOWING

X	This Contract or Contract renewal is for goods or services of less than \$1 million. As the person authorized to sign on behalf of the above-named company, and as required by Florida Statutes Section 287.135(5), I hereby certify that the above-named company is not participating in a boycott of Israel.
	This bid, proposal, Contract or Contract renewal is for goods or services of \$1 million or more. As the person authorized to sign on behalf of the above-named company, and as required by Florida Statutes Section 287.135(5), I hereby certify that the above-named company is not participating in a boycott of Israel, is not on the Scrutinized
	Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy
	Sector List, and it does not have business operations in Cuba or Syria.

I understand that pursuant to Florida Statutes, section 287.135, the submission of a false certification may result in the termination of the Contract if one is entered into, and may subject the above-named company to civil penalties, attorney's fees and costs.

Certified By:
As off
Signature of Contractor's Authorized Representative
Stephan Heimburg, PE, Principal
Name
Principal
Title
3/1/2024
Date

THIS PAGE MUST BE SUBMITTED WITH PROPOSAL

Page 56 of 120

ATTACHMENT 12 VENDOR'S CERTIFICATION FOR E-VERIFY SYSTEM

The undersigned Vendor/Consultant/Contractor (Vendor), after being duly sworn, states the following:

- 1. Vendor is a person or entity that has entered into or is attempting to enter into a contract with the City of North Port (City) to provide labor, supplies, or services to the City in exchange for salary, wages or other renumeration.
- 2. Vendor has registered with and will use the E-Verify System of the United States Department of Homeland Security to verify the employment eligibility of:
 - a. All persons newly hired by the Vendor to perform employment duties within Florida during the term of the contract; and
 - b. All persons, including sub-contractors, sub-vendors or sub-consultants, assigned by the Vendor to perform work pursuant to the contract with the City.
- 3. If the Vendor becomes the successful Contractor who enters into a contract with the City, then the Vendor will comply with the requirements of Section 448.095, Fla. Stat. "Employment Eligibility", as amended from time to time.
- 4. Vendor will obtain an affidavit from all subcontractors attesting that the subcontractor does not employ, contract with, or subcontract with, an unauthorized alien as defined in 8 United States Code, Section 1324A(H)(3).
- 5. Vendor will maintain the original affidavit of all subcontractors for the duration of the contract.
- 6. Vendor affirms that failure to comply with the state law requirements can result in the City's termination of the contract and other penalties as provided by law.
- 7. Vendor understands that pursuant to Florida Statutes, section 448.095, the submission of a false certification may result in the termination of the contract if one is entered into, and may subject the Vendor named in this certification to civil penalties, attorney's fees and costs.

VENDOR: <u>Hardesty & Hanover, LLC</u> (Vendor's Company Name)
Certified By:
AUTHORIZED REPRESENTATIVE SIGNATURE
ω
Print Name and Title: Stephan Heimburg, PE, Principal
Date Certified: 3/1/2024

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL.

ATTACHMENT 13 CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS PRIMARY COVERED TRANSACTIONS

This contract is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000.

The Contractor certifies that, neither the firm nor any person associated therewith in the capacity of owner, partner, director, officer, principal, investigator, project director, manager, auditor, and/or position involving the administration of federal funds:

- (a) is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions, as defined in 49 CFR s29.110(a), by any federal department or agency;
- (b) has within a three-year period preceding this certification been convicted of or had a civil judgment rendered against it for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state, or local government transaction or public contract; violation of federal or state antitrust statutes; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (c) is presently indicted for or otherwise criminally or civilly charged by a federal, state, or local governmental entity with commission of any of the offenses enumerated in paragraph (b) of this certification; and
- (d) has within a three-year period preceding this certification had one or more federal, state, or local government public transactions terminated for cause or default.

The Contractor certifies that it shall not knowingly enter into any transaction with any subcontractor, material supplier, or vendor who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this project by any federal agency unless authorized by the City of North Port.

The Contractor must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into.

This certification is a material representation of fact relied upon by the City of North Port. If it is later determined that the contractor did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the City of North Port, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment.

The bidder or proposer agrees to comply with the requirements of 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C while this offer is valid and throughout the period of any contract that may arise from this offer.

The Contractor further agrees to include a provision requiring such compliance in its lower tier covered transactions.

Hardesty & Hanover, LLC	45-30319	954	05-455-2252
Company Name (Contractor)	Tax ID Num	ber	DUNS Number
Stephan Heimburg, PE, Principal	12	2	2
Authorized Representative Name	Authorized Representative Signature		
45-3031954	05-455-2252	1MD	51
Federal Issued Tax	DUNS Number	CAGE	Code issued through www.sam.gov
Identification Number (If Social Security number DO NOT enter)	DATE: 3/1/2024		

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

ATTACHMENT 14

- CERTIFICATION REGARDING LOBBYING-FEDERAL

The undersigned certifies, to the best of his or her knowledge, that:

- 1. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of an agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- 2. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- 3. The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31, U.S.C. § 1352 (as amended by the Lobbying Disclosure Act of 1995). Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

The Contractor certifies or affirms the truthfulness and accuracy of each statement of its certification and disclosure, if any. In addition, the Contractor understands and agrees that the provisions of 31 U.S.C. § 3801 et seq., apply to this certification and disclosure, if any.

Signature of Contractor's Authorized Representative

Stephan Heimburg, PE

Name

Principal

Title

3/1/2024

Date

THIS PAGE MUST BE COMPLETED AND SUBMITTED WITH PROPOSAL

END OF PART IV

Page 59 of 120

