



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
DEVELOPMENT SERVICES
CODE ENFORCEMENT DIVISION
4970 City Hall Boulevard – North Port, FL. 34286

CITY OF NORTH PORT, FLORIDA

}

Petitioner,

}

vs.

}

PALLADIO DEVELOPMENT LLC

}

Respondent(s)

}

CASE NO.: CECASE-25-00815

ADDRESS OF VIOLATION:

}

2240 ANN ARBOR RD NORTH PORT, FL, 34286-4286

}

Parcel ID.: 0964091823

}

STATE OF FLORIDA

:

: ss

COUNTY OF SARASOTA

:

The undersigned, CODE ENFORCEMENT INSPECTOR, upon his/her oath, deposes and says:

AFFIDAVIT OF POSTING

On 09/09/2025 the Respondent(s) was served with a NOTICE OF MANDATORY HEARING Order for Compliance by posting said Notice at 2240 ANN ARBOR RD NORTH PORT, FL, 34286-4286, a copy of which is attached.

FURTHER AFFIANT SAYETH NAUGHT.

DATED: 09/11/2025

Anthony F. Brehon

Tony Brehon, Affiant
Development Services

STATE OF FLORIDA
COUNTY OF SARASOTA

Sworn to (or affirmed) and subscribed before me by means of ☒ physical presence or ☐ online notarization, this 11th day of 09/11/2025 by Tony Brehon

Trysta Lynn Casell

Notary public - State of Florida

X Personally Known OR ___ Produced Identification
Type of Identification Produced _____





CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
4970 City Hall Boulevard – North Port, FL. 34286

HEARING OFFICER

CITY OF NORTH PORT, FLORIDA	}	
Petitioner,	}	
vs.	}	
PALLADIO DEVELOPMENT LLC	}	
Respondent(s)	}	CASE NO.: CECASE-25-00815
ADDRESS OF VIOLATION:	}	CERTIFIED MAIL NO.:
2240 ANN ARBOR RD NORTH PORT, FL, 34286-4286	}	
Parcel ID.: 0964091823	}	

ORDER FOR COMPLIANCE
NOTICE OF HEARING TO ASSESS ADMINISTRATIVE FINE

AFTER DUE NOTICE to Respondent(s), the HEARING OFFICER OF THE CITY OF NORTH PORT heard testimony and took evidence concerning the above-styled cause at a public hearing on 08/28/2025. Based upon the testimony heard and the evidence presented, the HEARING OFFICER established the following FINDINGS OF FACT in this cause:

1. Respondent(s), PALLADIO DEVELOPMENT LLC standard, own(s) the property commonly known as, North Port, Sarasota County, Florida LOT 23 BLK 918 20TH ADD TO PORT CHARLOTTE, a subdivision according to Plat thereof, of the Public Records of Sarasota County, Florida).
2. Code Enforcement Inspector Gavyn O'Neil served the Respondent(s) a Notice of Violation, dated 05/06/2025.
3. The Respondent did not comply with the Notice of Violation within the time frame set forth therein.

Based upon the foregoing FINDINGS OF FACT, the HEARING OFFICER finds the following CONCLUSION(s) OF LAW:

4. Respondent's actions constitute a violation of:
 - . Accumulation of Debris (Default Hearing) | 42-23 NPCC

Overflowing dumpster and debris all over the front of the property.

- . Permit Expired - Period of Validity | 105.4.1.1 FBC

Expired SFR permit 22-00009024 09/30/2024

- . Toilet Facilities for Workers | 311.1 FBC

No facilities on property

- . Unsafe Conditions 8 - Roofing (Hearing) | 304.1.1 IPMC

No proper anchorage on abandoned construction site.



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
4970 City Hall Boulevard – North Port, FL. 34286

HEARING OFFICER

Based upon the FINDINGS OF FACT and CONCLUSION(s) OF LAW, and upon consideration, it is thereupon

ORDERED that:

5. Respondent(s) shall correct the violation(s) by promptly

- Remove, or cause to be removed, any and all debris on said property within ten (10) days from the date of this Notice.
- Apply for the proper permit(s) or reactivate permit(s) and schedule required inspection(s) within ten (10) days of the date on this Notice. If the action for which the original permit was applied for was not initiated, or partially completed. Please contact Building and Permitting at, 941-429-7044, option 3. For additional information, go to: <http://cityofnorthport.com/index.aspx?page=121>
- Obtain and provide toilet facilities for construction workers on said property within ten (10) days from the date of this Notice.
- The above-described unsafe conditions for the structure(s) must be corrected. You have thirty (30) days from the date of receipt of this written notice to abate, cause to be abated or correct the unsafe condition(s) of the structure(s) referenced by means of repair, rehabilitation, demolition, or other approved corrective action(s). Prior to taking any corrective actions to abate the unsafe conditions of the structure(s) listed, you are required to submit permit application and secure a building or demolition permit prior to any work being performed. If you are unable to complete the work by the date ordered in this Notice you may file a written request to the Building Official stating the reasons, and if justifiable cause is demonstrated as merited by special hardship, unusual difficulty, or unique problems such as preserving significant portions and features of the structure(s) of historic or architectural value, the Building Official may grant written reasonable extensions of time. An appeal of this Notice may be filed within twenty (20) days with the Director of Development Services for a hearing by the Special Magistrate.

6. If Respondent(s) fail(s) to correct the violation(s) by **September 21, 2025**, RESPONDENT MAY BE ASSESSED THE SUM OF **\$10, \$50, \$50, & \$250** per day, beginning **09/22/2025**, which shall continue to accrue daily until the property is brought into compliance as set forth in Paragraph 5 AND SUCH COMPLIANCE IS CONFIRMED IN ACCORDANCE WITH Ordinance NO. 2015-26 Section 2-511 (C), Code of the City of North Port, or until the Maximum Cumulative Fine of \$1000, \$5000, \$5000, & no maximum defined in 2-511(b), has been reached.

7. Respondent(s) shall attend a hearing before the HEARING OFFICER scheduled for **09/24/2025 at 9:00 a.m.** or as soon thereafter as possible, in City Chambers, City Hall, 4970 City Hall Boulevard, North Port, Florida for the purpose of determining whether the stated administrative fine should be assessed for failure to comply with this Order for Compliance.

8. A certified copy of an ORDER ASSESSING ADMINISTRATIVE FINE imposing the above stated fine may be recorded in the Public Records of Sarasota County, Florida by the City Clerk of the City of North Port and shall constitute a lien upon the real property on which the violations(s) exists and upon the real or personal property owned by the violator(s) consistent with Chapter 162, Florida Statutes, and Chapter 2, North Port City code, for which let execution issue.

9. THE HEARING OFFICER retains jurisdiction in all respects to enforce its prior order(s) requiring compliance and to issue such orders having the force of law to command whatever steps are necessary to bring continued violation(s) into compliance.

As soon as compliance is achieved, Respondent(s) shall notify the Code Enforcement Division IN WRITING to request a re-inspection. Respondent shall provide to:

Code Enforcement Division Manager

4970 City Hall Boulevard

North Port, FL 34286-4100

ceinfo@northportfl.gov

Failure to provide a written Request for Re-inspection to the Code Enforcement Division Manager may result in the imposition of fines for said violation.

DONE AND ORDERED, for the City of North Port, Florida this 08/28/2025.

Signed by:

B45087F0EE124AB...

JAMES E TOALE
HEARING OFFICER

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true and correct copy of the ORDER FOR COMPLIANCE and NOTICE OF HEARING TO ASSESS ADMINISTRATIVE FINE has been furnished to the Respondent(s) by ***Certified Mail/Return Receipt Requested*** at 26060 ACERO STE 213 MISSION VIEJO, CA 92691-2768.

Signed by:

4CF9FD3A8BFF431...

Trysta Cassell - CITY OF NORTHPORT

COS Date: 09/08/2025 | 7:34 AM EDT

Trysta Cassell - CITY OF NORTHPORT



CITY OF NORTH PORT

SARASOTA COUNTY, FLORIDA

4970 City Hall Boulevard North Port, FL 34286

CODE ENFORCEMENT HEARING

CITY OF NORTH PORT, FLORIDA

Petitioner,

VS.

PALLADIO DEVELOPMENT LLC

26060 ACERO STE 213

MISSION VIEJO, CA 92691-2768

Respondent(s)

ADDRESS OF VIOLATION:

2240 Ann Arbor Rd

North Port, FL 34286

PARCEL ID.: 0964091823

CASE NO.: CECASE-25-00815

CERTIFIED MAIL NO.: 06/20/2025

NOTICE OF MANDATORY HEARING

Pursuant to the attached Notice of Violation dated 05/29/2025, ***YOU ARE HEREBY FORMALLY NOTIFIED*** that at ***9:00 a.m.***, or as soon thereafter as possible, on August 28, 2025, in City Chambers, City Hall, ***4970 City Hall Boulevard, North Port, Florida***, there will be a public hearing to determine whether or not you have violated certain CITY OF NORTH PORT, FLORIDA CODES/ORDINANCES with regard to the CODE OF THE CITY OF NORTH PORT, FLORIDA. A Notice of Violation, dated 5/29/2025, was previously served by REGULAR MAIL.

The attached Notice of Violation specifying the Code Provisions violated and the facts and circumstances of the CODE VIOLATION have been filed with the CITY OF NORTH PORT, CITY CLERK.

YOU ARE HEREBY ORDERED to appear before the HEARING OFFICER of the CITY OF NORTH PORT, FLORIDA on August 28, 2025, to present your case with regard to the violation stated in the attached AFFIDAVIT OF VIOLATION.

In exercising their power under CHAPTER 162, FLORIDA STATUTES, and CHAPTER 2, ARTICLE IX, CODE ENFORCEMENT, CITY OF NORTH PORT finds a violation exists, it shall:

- (a) Order the violator to pay administrative fine in amount consistent with Section 2-511, Code of the City of North Port, for each day the violation(s) exists beyond the date set for compliance by the HEARING OFFICER. If the violation(s) is a repeat violation occurring within the last five (5) years, administrative fine(s) may be imposed, for each day the repeat violation continues, beginning with the date the repeat violation is found to have occurred by the Code Enforcement Inspector;
- (b) Order the violator to pay a fine not to exceed \$1,000.00, \$2,000.00, \$5,000.00, or \$25,000 per violation, dependent upon the violation, if the violation was irreparable or irreversible in nature. If it pertains to unsafe abatement as determined by the building Official. There is no maximum fine cap defined in 2-511(b)(1)(d); and
- (c) Issue orders having the force of law to command whatever steps necessary to bring the violation(s) into compliance.

CONSISTENT WITH SECTION 162.09(1) FLORIDA STATUTES, NO OTHER HEARING SHALL BE NECESSARY FOR THE ISSUANCE OF THE ORDER ASSESSING THE ADMINISTRATIVE FINE(S).

In the event that the violator does not pay the administrative fine(s) (if any) prescribed by the CITY OF NORTH PORT, FLORIDA HEARING OFFICER at the hearing, the CITY OF NORTH PORT may establish a lien against the violator's property on which the violation(s) exists and upon any other real or personal property owned by the violator in accordance with Section 162.09(3), Florida Statutes and Section 2, CODE OF THE CITY OF NORTH PORT, FLORIDA. Should it become necessary for the CITY OF NORTH PORT, FLORIDA to foreclose on such a lien, the RESPONDENT(S) could be liable for additional expenses including, but not limited to, reasonable attorney fees, costs, and expenses incurred by the CITY OF NORTH PORT, FLORIDA or its agents and the same may be assessed as cost in the foreclosure action.

Although you may represent yourself, you have the right to an attorney at your own expense to represent you before the HEARING OFFICER. You have the right to record the proceedings of the hearing at your own expense. You also will have the opportunity to present witnesses as well as question the witnesses who may testify against you prior to the HEARING OFFICER making a determination. Please be prepared to present evidence at the hearing why you should not be found in violation of the Code Provision cited in the attached AFFIDAVIT OF VIOLATION and, in the case of a repeat violation, why an administrative fine(s) shall not be assessed.

A copy of the ORDER FOR COMPLIANCE and ORDER ASSESSING ADMINISTRATIVE FINE(S) shall be provided to you by Certified Mail, Return Receipt Requested, within fifteen (15) days following the date the orders are rendered.

THE CITY OF NORTH PORT MAY PROCEED IN THE ABSENCE OF ANY PARTY, THEIR AGENT, OR THEIR ATTORNEY, WHO AFTER DUE NOTICE, FAILS TO BE PRESENT AT THE HEARING.

If you should have any questions or ***compliance has been achieved***, please contact the Code Enforcement Inspector whose name appears on the attached Notice of Violation, at **(941) 429-7186**, or write to them at 4970 City Hall Boulevard, North Port, FL 34286.
<http://www.northportfl.gov>

PLEASE GOVERN YOURSELF ACCORDINGLY.




Matthew Powell
City Clerk

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a true and correct copy of the ORDER ASSESSING ADMINISTRATIVE FINE has been furnished to Respondent(s) by **Certified Mail/Return Receipt Requested**, at 26060 ACERO STE 213 , MISSION VIEJO, CA 92691-2768.

DATED: June 20th, 2025.

A handwritten signature in black ink, appearing to read "Leslie Vanatti", is written over a light gray rectangular background.

Leslie Vanatti – CITY OF NORTH PORT



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
CODE ENFORCEMENT DIVISION
4970 City Hall Boulevard - North Port, FL 34286
(941) 429-7186

CITY OF NORTH PORT, FLORIDA

Petitioner,

vs.

PALLADIO DEVELOPMENT LLC

26060 ACERO STE 213

MISSION VIEJO, CA 92691-2768

Respondent(s)

ADDRESS OF VIOLATION:

2240 Ann Arbor Rd

North Port, FL 34286

PARCEL ID.: 0964091823

CASE NO.: CECASE-25-00815

AFFIDAVIT OF VIOLATION

STATE OF FLORIDA :
: ss
OF SARASOTA :

The undersigned CODE ENFORCEMENT INSPECTOR, upon his/her oath, deposes and says:

Respondent(s) has been served with a Notice of Violation and Order to Correct Violation, dated 5/9/2025, by first class mail, a copy of which is attached.

(1) The following complaint was received in the Code Enforcement Division:
debris

(2) The following Ordinance Provision(s) Violation still exists:

Violation Description

42-23 NPCC - Accumulation of Debris - It shall be unlawful for any owner of any lot to accumulate or permit the accumulation of including, but not limited to, unusable household items, trash, lumber or any other building materials or equipment for which immediate use cannot be established, tires, parts of vehicles or any other items which create a fire and/or health hazard or creates an unnatural breeding place for snakes, rats, mosquitoes or any vermin, emit noxious odors, or other unsanitary or unsafe conditions and in general appearance and condition, creates a slum appearance which tends to have a decreasing value effect on the neighboring property and premises.

Violation Text

Overflowing dumpster and debris all over the front of the property.

Violation Corrective Action(s)

Remove, or cause to be removed, any and all debris on said property within ten (10) days from the date of this Notice.

Violation Description

105.4.1.1, Florida Building Code - Permit has expired.

Violation Text

Expired SFR permit 22-00009024 09/30/2024

Violation Corrective Action(s)

Apply for the proper permit(s) or reactivate permit(s) and schedule required inspection(s) within ten (10) days of the date on this Notice. If the action for which the original permit was applied for was not initiated, or partially completed. Please contact Building and Permitting at, 941-429-7044, option 3. For additional information, go to: <http://cityofnorthport.com/index.aspx?page=121>

Violation Description

311.1 Florida Building Code - Toilet Facilities for Workers - Toilet facilities shall be provided for construction workers and such facilities shall be maintained in a sanitary condition. Construction worker toilet facilities of the nonsewer type shall conform to ANSI Z4.3.

Violation Text

No facilities on property

Violation Corrective Action(s)

Obtain and provide toilet facilities for construction workers on said property within ten (10) days from the date of this Notice.

Violation Description

IPMC 2021, 304 Exterior Structure - 304.1 General. The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety or welfare. 304.1.1 Unsafe conditions. The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the International Building Code or the International Existing Building Code as required for existing buildings: * 8. Roofing or roofing components that have defects that admit rain, roof surfaces with inadequate drainage, or any portion of the roof framing that is not in good repair with signs of deterioration, fatigue or without proper anchorage and incapable of supporting all nominal loads and resisting all load effects.

Violation Text

No proper anchorage on abandoned construction site.

Violation Corrective Action(s)

The above-described unsafe conditions for the structure(s) must be corrected. You have thirty (30) days from the date of receipt of this written notice to abate, cause to be abated or correct the unsafe condition(s) of the structure(s) referenced by means of repair, rehabilitation, demolition, or other approved corrective action(s). Prior to taking any corrective actions to abate the unsafe conditions of the structure(s) listed, you are required to submit permit application and secure a building or demolition permit prior to any work being performed. If you are unable to complete the work by the date ordered in this Notice you may file a written request to the Building Official stating the reasons, and if justifiable cause is demonstrated as merited by special hardship, unusual difficulty, or unique problems such as preserving significant portions and features of the structure(s) of historic or architectural value, the Building Official may grant written reasonable extensions of time. An appeal of this Notice may be filed within twenty (20) days with the Director of Development Services for a hearing by the Special Magistrate.

(3) Field Inspection Notes:

expired SFR permit, debris all over the front of the property, no portapotty on site, no proper anchorage on building.,property is still in violation


DATED: 5/29/2025



Gavyn O'Neil
Inspector
Neighborhood Development Services
City of North Port,
4970 City Hall Boulevard
North Port, Florida 34286

STATE OF FLORIDA
COUNTY OF SARASOTA

Sworn to (or affirmed) and subscribed before me by means of ☒ physical presence or ☐ online
notarization, this 20 day of JUNE 2025, by Gavyn O'Neil.



Leslie Vanatti - *Notary Public - State of Florida*



X Personally Known OR ___ Produced Identification
Type of Identification Produced _____



CITY OF NORTH PORT
SARASOTA COUNTY, FLORIDA
Code Enforcement Division
4970 City Hall Boulevard - North Port, FL 34286

NOTICE OF VIOLATION
AND
ORDER OF CORRECT

PALLADIO DEVELOPMENT LLC
26060 ACERO STE 213
MISSION VIEJO, CA 92691-2768

DATE: May 6, 2025

CASE NO.: CECASE-25-00815
REAL PROPERTY ADDRESS: 2240 Ann Arbor Rd, North Port, FL 34286
LOT 23 BLK 918 20TH ADD TO POR
PARCEL ID: 0964091823
SERVED BY: FIRST CLASS MAIL

NOTICE OF VIOLATION

Pursuant to the CODE OF THE CITY OF NORTH PORT, FLORIDA, YOU ARE NOTIFIED that a violation exists on the above-described real property:

Violation Description

42-23 NPCC - Accumulation of Debris - It shall be unlawful for any owner of any lot to accumulate or permit the accumulation of including, but not limited to, unusable household items, trash, lumber or any other building materials or equipment for which immediate use cannot be established, tires, parts of vehicles or any other items which create a fire and/or health hazard or creates an unnatural breeding place for snakes, rats, mosquitoes or any vermin, emit noxious odors, or other unsanitary or unsafe conditions and in general appearance and condition, creates a slum appearance which tends to have a decreasing value effect on the neighboring property and premises.

Violation Text

Overflowing dumpster and debris all over the front of the property.

Violation Corrective Action(s)

Remove, or cause to be removed, any and all debris on said property within ten (10) days from the date of this Notice.

**Violation Description**

105.4.1.1, Florida Building Code - Permit has expired.

Violation Text

Expired SFR permit 22-00009024 09/30/2024

Violation Corrective Action(s)

Apply for the proper permit(s) or reactivate permit(s) and schedule required inspection(s) within ten (10) days of the date on this Notice. If the action for which the original permit was applied for was not initiated, or partially completed. Please contact Building and Permitting at, 941-429-7044, option 3. For additional information, go to: <http://cityofnorthport.com/index.aspx?page=121>

Violation Description

311.1 Florida Building Code - Toilet Facilities for Workers - Toilet facilities shall be provided for construction workers and such facilities shall be maintained in a sanitary condition. Construction worker toilet facilities of the nonsewer type shall conform to ANSI Z4.3.

Violation Text

No facilities on property

Violation Corrective Action(s)

Obtain and provide toilet facilities for construction workers on said property within ten (10) days from the date of this Notice.

**Violation Description**

IPMC 2021, 304 Exterior Structure - 304.1 General. The exterior of a structure shall be maintained in good repair, structurally sound and sanitary so as not to pose a threat to the public health, safety or welfare. 304.1.1 Unsafe conditions. The following conditions shall be determined as unsafe and shall be repaired or replaced to comply with the International Building Code or the International Existing Building Code as required for existing buildings:

* 8. Roofing or roofing components that have defects that admit rain, roof surfaces with inadequate drainage, or any portion of the roof framing that is not in good repair with signs of deterioration, fatigue or without proper anchorage and incapable of supporting all nominal loads and resisting all load effects.

Violation Text

No proper anchorage on abandoned construction site.

Violation Corrective Action(s)

The above-described unsafe conditions for the structure(s) must be corrected. You have thirty (30) days from the date of receipt of this written notice to abate, cause to be abated or correct the unsafe condition(s) of the structure(s) referenced by means of repair, rehabilitation, demolition, or other approved corrective action(s). Prior to taking any corrective actions to abate the unsafe conditions of the structure(s) listed, you are required to submit permit application and secure a building or demolition permit prior to any work being performed. If you are unable to complete the work by the date ordered in this Notice you may file a written request to the Building Official stating the reasons, and if justifiable cause is demonstrated as merited by special hardship, unusual difficulty, or unique problems such as preserving significant portions and features of the structure(s) of historic or architectural value, the Building Official may grant written reasonable extensions of time. An appeal of this Notice may be filed within twenty (20) days with the Director of Development Services for a hearing by the Special Magistrate.

FINES SHALL BE ASSESSED:

FAILURE TO CORRECT THE DEFICIENCIES on the date specified above will result in an AFFIDAVIT OF VIOLATION to be filed with the Hearing Officer, charging you with the violation(s) set out above. A HEARING WILL BE HELD AT WHICH YOU SHALL ATTEND. If the Hearing Officer finds a violation exists, administrative fine(s) shall be assessed for each day the violation exists beyond the date for compliance as determined by the Hearing Officer.

The fines which may be imposed include:

Violation of North Port City Code:	Daily Fine Shall Not Exceed - \$10.00 per day Maximum Cumulative Fine - \$1,000.00
Violation of Unified Land Development Code:	Daily Fine Shall Not Exceed - \$25.00 per day Maximum Cumulative Fine - \$2,000.00
Violation of Florida Building Code:	Daily Fine Shall Not Exceed - \$50.00 per day Maximum Cumulative Fine - \$5,000.00
Violation of Florida Building Code as it pertains to unsafe building abatement as determined by the Building Official:	Daily Fine Shall Not Exceed - \$250.00 per day There Is No Maximum Cumulative Fine Cap
For any repeat Violations:	Maximum Cumulative Fine \$25,000.00

A fine imposed pursuant to this section shall continue to accrue until the violator comes into compliance, and such compliance is confirmed in accordance with §2-511(C), or until the Maximum Cumulative Fine has been reach, as defined in §2-511(b)(5).

LIEN(S) MAY BE PLACED:

A certified copy of an order assessing an administrative fine may be recorded in the public records and thereafter shall constitute a lien against the land on which the violation exists and upon any other real or personal property owned by the violator. No lien shall continue for a period longer than 20 years after the certified copy of an order imposing a fine has been recorded, unless within that time an action to foreclose on the lien is commenced in a court of competent jurisdiction.

If you have any questions concerning this notice or to schedule a reinspection, please contact the following inspector:

Gavyn ONeil
Inspector
Neighborhood Development Services
e-mail:goneil@northportfl.gov



Mailer: City of North Port

Date Produced: 05/13/2025

ConnectSuite Inc.:

The following is the delivery information for Certified Mail™/RRE item number 9214 8901 9403 8313 2188 80. Our records indicate that this item was delivered on 05/12/2025 at 04:28 p.m. in MISSION VIEJO, CA 92691. The scanned image of the recipient information is provided below.

Signature of Recipient :

Address of Recipient :

**26060 ACERO, MISSION
VIEJO, CA 92691**

Thank you for selecting the Postal Service for your mailing needs. If you require additional assistance, please contact your local post office or Postal Service representative.

Sincerely,
United States Postal Service

The customer reference number shown below is not validated or endorsed by the United States Postal Service. It is solely for customer use.

This USPS proof of delivery is linked to the customers mail piece information on file as shown below:

PALLADIO DEVELOPMENT LLC
26060 ACERO STE 213
MISSION VIEJO, CA 92691-2768

Customer Reference Number: C5877986.35645532



Return address:


CITY OF NORTH PORT
4970 CITY HALL BLVD
NORTH PORT FL 34286

Recipient address:

PALLADIO DEVELOPMENT LLC
26060 ACERO STE 213
MISSION VIEJO, CA 92691-2768

MAILING DATE: 05/07/2025
DELIVERY DATE: 05/12/2025

USPS CERTIFIED MAIL



9214 8901 9403 8313 2188 80

USPS Tracking Label Number: 9214 8901 9403 8313 2188 80

USPS Tracking History	Location	Date / Time
PRE-SHIPMENT INFO SENT USPS AWAITS ITEM	NORTH PORT,FL 34286	05/07/2025 10:27
SHIPMENT RECEIVED ACCEPTANCE PENDING	NORTH PORT,FL 34286	05/07/2025 14:44
ORIGIN ACCEPTANCE	NORTH PORT,FL 34286	05/08/2025 19:21
PROCESSED THROUGH USPS FACILITY	TAMPA,FL 33630	05/08/2025 20:36
PROCESSED THROUGH USPS FACILITY	SANTA ANA CA DISTRIBUTION CENTE 92799	05/10/2025 08:45
PROCESSED THROUGH USPS FACILITY	SANTA ANA CA DISTRIBUTION CENTE 92799	05/12/2025 01:30
DELIVERED LEFT WITH INDIVIDUAL	MISSION VIEJO,CA 92691	05/12/2025 16:28

CASE NUMBER: CECASE-25-00815
PARCEL ID: 0964091823

PROOF OF ACCEPTANCE (ELECTRONIC)

PRODUCED DATE: 05/07/2025

CITY OF NORTH PORT:

The following is information for Certified Mail™/RRE item number:

9214 8901 9403 8313 2188 80

Our records indicate that this item was accepted by the USPS at:

SHIPMENT RECEIVED ACCEPTANCE PENDING NORTH PORT,FL 34286 05/07/2025 14:44

ORIGINAL INTENDED RECIPIENT:

PALLADIO DEVELOPMENT LLC

26060 ACERO STE 213

MISSION VIEJO CA 92691-2768

Case Number: CECASE-25-00815

Parcel ID: 0964091823

PROOF OF ACCEPTANCE (ELECTRONIC)

PRODUCED DATE: 09/09/2025

CITY OF NORTH PORT:

The following is information for Certified Mail™/RRE item number:

9214 8901 9403 8331 6181 29

Our records indicate that this item was accepted by the USPS at:

SHIPMENT RECEIVED ACCEPTANCE PENDING NORTH PORT, FL 34286 09/09/2025 14:15

ORIGINAL INTENDED RECIPIENT:

PALLADIO DEVELOPMENT LLC

26060 ACERO STE 213

MISSION VIEJO CA 92691-2768

Case Number: CECASE-25-00815

Parcel ID: 0964091823