



| City/Peripheral ID Number | Item Description | Item Year | Department | Mileage/Hrs | Current Item Condition | Reason for Disposal | Method of Disposal | Estimate Value |
|---------------------------|--|-----------|------------------|-------------|------------------------|---------------------|--------------------|----------------|
| 71471 / 8229 | Masimo Pulse Co-Oximeter | 2009 | Fire Rescue | N/A | Poor | Scrap | Scrap | |
| 09724 / 9559 | iRecord System - Data Processing Equipment | 2013 | PD | N/A | Poor | Obsolete | Scrap | |
| 09866 / 10058 | Dell Poweredge R620 | 2014 | IT | N/A | Good | Obsolete | Auction | |
| 09251-3-6 / 08961-3-6 | Cisco Nexus 3524 Switch | 2012 | IT | N/A | Fair | Surplus | Auction | |
| 73124 / 11439 | 5-row Bleachers, Butler Park | 2017 | Parks | N/A | Poor | Scrap | Scrap | |
| 09256 / 09419 | Cisco Catalyst 3560G Switch | 2012 | IT | N/A | Fair | Surplus | Auction | |
| 10281 / 11142 | Software, Zerto Replication | 2016 | IT | N/A | Poor | Scrap | Scrap | |
| 09358 / 9122 | Playground Equipment - McKibben Park | 2012 | PR/McKibben Park | N/A | Poor | Scrap | Scrap | |
| various | IT Equipment for auction (below threshold) | various | IT | N/A | Poor | Surplus | Auction | |